

## OIL & GA DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Due Date:

Material: TUBE FITTINGS

Tender Enquiry No: PROC-LD/P&P/17120

EVALUATION WILL BE CARRIED OUT ON FULL

Bid Bond Value: RS. 64,000.00

Attachment(if any): NO

deviation from

Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Period	Tender Spec. If Any
Isolation Valve NPTF = 1/2 ", DETAILS OF ALL THE INDENTED 12	80		Number					
ITEMS ARE ATTACHED.	70		Number					
Isolation Valve NPTF=3/4"	20		Number					
Straight Male Connector 316 SS 1/4 " NPT- M for 12mm O.D x 1.5mm			Number					
Thick Tube  Straight Male Connector 316 SS = 1/2" NPT- M for 12mm O.D x 1.5mm	180		Number					
Thick Tube  Swage Nipple NPTM 3/4" x 1/2"	70		Number					
	15		Number					
6 Tee Stain less Steel for 12 mm O.D Tube	90		Number					
7 Tubing Union 316 SS 12 mm O.D; DETAIL OF ALL THE 11 ITEMS IS	50		Number					
ATTACHED.  8 Tubing Union Elbow Connector 12 mm O.D, 316 SS	20		Number					
9 Tubing Union Tee Connector 12 mm O.D, 316 SS	15		Number					
	15		Number					
10 Horizontal Elbow 90degree	5		Number					
11 Horizontal Tee			Meter					
12 Tubing, SMLS ASTM A269 GR.TP316 (SS316L), 12mm O.D. x 1.5mm	550							

- The prospective bidders may keep in touch with OGDCL web site for downloading the clarifications/amendments (if any) issued by OGDCL.
   PAYMENT: AFTER DELIVERY DELIVERY LOCATION: BASE STORE ISLAMABAD, DELIVERY WITHIN 90 DAYS AFTER ISSUANCE OF Special Note: The prospective bidders also download the master set of Tender Document



## OIL & GAC DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMAL .D SCHEDULE OF REQUIREMENT

Discount (if any) shall only be entertained on Schedule of Requirement of Bidding Document (Financial Proposal). If the discount is mentioned elsewhere in the bid, the same shall not be entertained.





## SUPPLY OF INSTRUMENT TUBE FITTINGS

S. NO.	Isolation Valve ½" (Gate Valve 800LB, SW (ASME 16.11) OS&Y, Bolted Bonnet & Gland, Solid Wedge & Renewable Seats Hand wheel Operated as per API-602. Stem Material: 316SS, Seats Material: 316SS, Body Material: ASTM A-105, Nace Compliance)		QTY.	UNIT PRICE (Rs.)	TOTAL PRICE (Rs.)	
}			80			
2	Isolation Valve ¼" (Gate Valve 800LB, NPT (ASME 16.11) OS&Y, Bolted Bonnet & Gland, Solid Wedge & Renewable Seats Hand wheel Operated as per API•602. Stem Material: 13% Cr., Seats Material: 13% Cr. HF, Body Material: ASTM A-105, Nace Compliance)		70			
3	Straight Male Connector (ANSI B1.20.1) A182 GR.F316 ¼" NPT-M for 12mm O.D x 1.5mm Thick Tube	Nos.	30			
4	Straight Male Connector (ANSI B1.20.1) A182 GR.F316 ½" NPT-M for 12 mm O.D x 1.5mm Thick Tube	Nos.	180			
5	Swage Nipple NPTM (ASME B36.10) ASTM A-106 34" x 1/2" 1500LB	Nos.	70			
6	Tee Stainless Steel (ANSI B1.20.1) A182 GR.F316 for 12mm O.D. Tube	Mır.	15			
7	Tubing Union (ANSI B1.20.1) A182 GR.F316 12 mm O.D	Nos.	90			
8	Tubing Union Elbow Connector (ANSI B1.20.1) A182 GR.F316 12mm O.D.	Nos.	20			
9	Tubing Union Tee Connector (ANSI B1.20.1) A182 GR.F316 12mm O.D.	Nos.	15			
1()	Perforated Bottom Hot Dip Galvanized CS, Horizontal Elbow 90"	Nos.	1.5			
11	Perforated Bottom Hot Dip Galvanized CS, Horizontal Tee	Nos.	5			
12	Tubing, SMLS ASTM A269 GR.TP316 (SS316L), 12mm O.D. x 1.5mm Thick.	Mtr.	550			

