



OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD
SCHEDULE OF REQUIREMENT

Material : **SPARES FOR ROSEMOUNT INSTRUMENT**

Due Date:

Tender Enquiry No: **PROC-LH/PT/P&P-18308**

Bid Bond Value : **RS. 580,000/-**

Attachment(if any) : **YES**

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
1	AMS Trex Device Communicator, Model No.: TREX CHPKL9S1S OR EQUIVALENT	1		Number					
2	Electronic Card Assembly of Rosemount Radar Level Transmitter, Model: 5402AH2E54SPVCAM1C1Q4Q8, Serial #: 28594, Tag No. 300/310-LIT-019 OR EQUIVALENT	2		Number					
3	HART, LCD, ALUM COVER, UPGRADE KIT P/N: 03031-0020-3209 OR EQUIVALENT	2		Number					
4	KIT, O-RING, FLANGÉ, GLASS-FILLED PTFÉ P/N: 03031-0234-0001 (for both 2088 and 3051) Pack of 12 OR EQUIVALENT	4		Number					
5	KIT, PCB BBH (BARRIER BOARD HART) P/N: 05400-7005-0002 OR EQUIVALENT	3		Number					
6	KIT, PCB EB (EMC BOARD) P/N: 05400-7005-0001 OR EQUIVALENT	3		Number					
7	KIT, SPARES, SPAN/ZERO SCREW ASSY P/N: 03031-0293-0002 OR EQUIVALENT	2		Number					
8	KIT, TERMINAL BLOCK, HART STD P/N: 05400-7004-0001 OR EQUIVALENT	2		Number					
9	KIT, O-RING, ADAPTER, GLASS-FILLED PTFÉ P/N: 03031-0242-0001 (for both 2088 and 3051) Pack of 12 OR EQUIVALENT	2		Number					
10	KIT, SPARES, 2-LINE LCD DISPLAY W/ALUMINUM METER COVER, HART 7 P/N: 03031-0199-0011 OR EQUIVALENT	2		Number					
11	Rosemount 306 2-Valve Manifold Model: 0306RT22AA11SG P/N:- C30610-1125-0300 OR EQUIVALENT	2		Number					
12	Rosemount 644 Smart Temperature Transmitter Model: 644HAE5J5M5Q4 Calibration Range: 30-280FPT-100 3-Wire OR EQUIVALENT	5		Number					
13	Rosemount 8732 Transmitter Model: 8732EST2A2N0M4C1D1DTY1, Serial No. 0374912 with Rosemount 8705 Magnetic Flowmeter Sensor Model: 8705TSA100S1W0N0B3D1Q4Q8DT, Cal # 1013105409886005, Serial No. 0244526, Tag: 300/310-FIT-005 OR EQUIVALENT	1		Number					
14	Rosemount Annubar Flowmeter Model: 3051SFADG140ZSHLS2R600052AA1B2Q8J5Q4E5M5, Cal Range: 0-47.042 in H2O, Housing Model: 300S1BAE5M5, Tag: 300/310-FIT-003, Serial No. 9397135 OR EQUIVALENT	1		Number					



**OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD
SCHEDULE OF REQUIREMENT**

Material :SPARES FOR ROSEMOUNT INSTRUMENT

Due Date:

Tender Enquiry No: PROC-LH/PT/P&P-18308

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
15	Rosemount Radar Level Transmitter, Model: 5402AH2E54SPVCAM1C1Q4Q8, Serial #: 28594, Tag No. 300/310-LIT-019 OR EQUIVALENT	1		Number					
16	Rosemount Series 185 Thermocouple Model: 0185N303K1J0080N0680E5Range: 0-1800FSame Model 214C has been quoted for RTDs as well. Please Clarify 214C is RTD or ThermocouplesPlease Quote complete String of Model Rather only 214C OR EQUIVALENT	2		Number					
17	Rosemount Series 185 Thermocouple Model: 0185N303K1J0080N1170E5Range: 0-1000FSame Model 214C has been quoted for RTDs as well. Please Clarify 214C is RTD or ThermocouplesPlease Quote complete String of Model only Quoting 214C OR EQUIVALENT	3		Number					
18	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0390A1E5 without thermowellRange: 30-380F OR EQUIVALENT	5		Number					
19	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110D0420A1E5 without thermowellRange: 30-380F OR EQUIVALENT	3		Number					
20	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0315A1E5 without thermowellRange: 30-370F OR EQUIVALENT	1		Number					
21	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0440A1E5 without thermowellRange: -50C to 450C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	2		Number					
22	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0450A1E5 without thermowellRange: -50C to 450C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	2		Number					
23	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0565A1E5 without thermowellRange: -50C to 450C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	2		Number					
24	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N2175A1E5 without thermowellCalibration Range: 30-280F OR EQUIVALENT	1		Number					
25	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0330 without thermowellRange: -321F to 1112F While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model	3		Number					



**OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD
SCHEDULE OF REQUIREMENT**

Material : **SPARES FOR ROSEMOUNT INSTRUMENT**

Due Date:

Tender Enquiry No: **PROC-LH/PT/P&P-18308**

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
	Rather only Quoting 214C OR EQUIVALENT								
26	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0380 without thermowell Range: -321F to 1112F While Quoted Model 214C has Range of -196 to 300C Please Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	1		Number					
27	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0430 without thermowell Range: -321F to 1112F While Quoted Model 214C has Range of -196 to 300C Please Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	3		Number					
28	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0530 without thermowell Range: -50C to 800C While Quoted Model 214C has Range of -196 to 300C Please Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	3		Number					
29	Rosemount Series 65 Platinum RTD Model: 0065N35J0080N0290A1E1 without thermowell Range: -50C to 450C OR EQUIVALENT	1		Number					
30	Rosemount Smart Gauge Pressure Transmitter Model: 2088G4S22A2M7D4B4E5Q4Q8S5Q15, Tag No. 300/310-PIT-004/030/033/053/073 Calibration Range: 0-1500PSI OR EQUIVALENT	1		Number					
31	SPARES KIT, 4-20mA, UBD #6, 3051, HART, NO SWITCHES P/N: 03031-0020-3100 OR EQUIVALENT	2		Number					
32	STANDARD 4-20mA TERM BLOCK, SMT DESIGN P/N: 03031-0332-0015 OR EQUIVALENT	3		Number					
33	STANDARD 4-20mA TERM BLOCK, SMT DESIGN P/N: 03031-0332-0015 OR EQUIVALENT	4		Number					
34	Rosemount Smart DP Transmitter Model: 2051CD2A02A1BS5E5M5D4 with Integral Manifold Model: 0305RC52B11B4L4SG, 004/007/009/016/018/019/020/021/026,036A/B, 350-FT-001 Calibration Range: 0-100 Inches H2O OR EQUIVALENT	2		Number					
35	Rosemount Smart Level Transmitter Model: 2051L2AG0XG11ABE1M5D4T1F8, Calibration Range: 0-2000 mm H2O OR EQUIVALENT	1		Number					
36	Rosemount Smart Level Transmitter Model: 2051L2AG0XG11ABE1M5D4T1F8, Calibration Range: -0.6bar to 0.6Bar OR EQUIVALENT	1		Number					
37	Rosemount Smart DP Transmitter Model: 2051CD3A02A1BS5E5M5D4 with Integral Manifold Model: 0305RC52B11B4L4SG ,Calibration Range: 0-15PSI OR EQUIVALENT	2		Number					



OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD
SCHEDULE OF REQUIREMENT

Material : **SPARES FOR ROSEMOUNT INSTRUMENT**

Due Date:

Tender Enquiry No: **PROC-LH/PT/P&P-18308**

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
38	KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC STANDARD P/N: 02051-9005-0003 OR EQUIVALENT	4		Number					
39	KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC TRANSIENT P/N: 02051-9005-0004 OR EQUIVALENT KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC TRANSIENT P/N: 02051-9005-0004 OR EQUIVALENT	2		Number					
40	SPARES KIT, 4-20mA, UBD #6, CONV TIER, LOI WITH DISPLAY P/N: 02021-0020-2139 OR EQUIVALENT	3		Number					
41	KIT SPARES 2-LINE, LCD METER HARDWARE IP# 03031-0193-0103 JASY OR EQUIVALENT	2		Number					
42	DIFFERENTIAL SENSOR MODULE, ISOLATING DIAPHRAGM MATERIAL: 316L SST, FILL FLUID: SILICONE FILLED, RANGE: -250 TO +250/2.5 INCHES OF H2O/0.1 INCHES OF H2O FOR ROSEMOUNT 3051C TRANSMITTER, IP# 03031-1045-0022, OR EQUIVALENT	2		Number					
43	Rosemount Gauge Pressure Transmitter Model: 3051CG1A22A1BB4E5M5V5DF, Tag#: 900-PT-002/004/52.01A/B/C/D Calibration Range: -0.1 to 0.5PSI OR EQUIVALENT	1		Number					

Special Note: The prospective bidders also download the master set of Tender Document

- The prospective bidders may keep in touch with OGDCL web site for downloading the clarifications/amendments (if any) issued by OGDCL.
- DELIVERY TERM: WITHIN 150 DAYS AFTER ISSUANCE OF LPO ON F.O.R UCH GAS PLANT. PAYMENT TERM: 100% AFTER DELIVERY AND INSPECTION BID VALIDITY: 120 DAYS FROM THE OPENING DATE OF TECHNICAL BID.



OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD
SCHEDULE OF REQUIREMENT

Mandatory Checklist

Please confirm the compliance of the following mandatory information along with the bid(s) (failing which bids(s) will not be accepted)

Documents	To be Attached with the Technical/Financial Bids	Compliance			
		Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Original Bid Bond	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Copy of NTN Certificate	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Copy of GST Certificate	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Confirmation that the Firm is appearing on FBR's Active Taxpayer List	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly signed and stamped Annexure-A (Un-priced)	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly filled, signed and stamped Annexure-B	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly filled, signed and stamped Annexure-D	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly filled, signed and stamped Annexure-L on Company's Letterhead	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly signed and stamped Annexure-M on Company's Letterhead	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly signed and stamped Annexure-N on Non-Judicial Stamp Paper duly attested by Notary Public	Technical Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly filled, signed and stamped Annexure-A (Priced)	Financial Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly filled, signed and stamped Annexure-C	Financial Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Duly filled, signed and stamped Annexure-E	Financial Bid	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>



**OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD
SCHEDULE OF REQUIREMENT**

For the Vendors/Contractors who opt to submit Bank Draft/Call Deposit/Pay order against Bid Bond/Performance Bond, our Accounts Department has finalized an arrangement for online payment to such Vendors/Contractors, which will be processed through (IBFT & LFT) for which following information is required:

i.	IBAN No. (International Bank Account Number 24 Digits)	
ii.	Vendor Name as per Title of their Bank Account	
iii.	Contact No.of Company's CEO/ Owner (Mobile & Landline)	
iv.	Bank Name.	
v.	Bank Branch Name and Code	

Name, Sign and Stamp of the authorized official of the Bidder(s) _____

ATTACHMENT FOR INDNET NO. UCH-4640
FOR ALL THE ITEMS.

1. BIDDER/OEM TO CONFIRM THAT ALL ITEMS ARE BRAND NEW WITH STANDARD WARRANTY/GUARANTEE.
2. BIDDER/OEM TO SUPPLY THE ITEMS IN STANDARD PACKING.
3. OEM AUTHORITY LETTER SHOULD BE PROVIDED.
3. EQUIVALENT WILL ONLY BE ACCEPTABLE IF COMPATIBLE WITH THE EXISTING SYSTEM LIKE
BASE/SHAPE/DESIGN/CONFIGURATION.