## OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION E

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material

TYRES FOR NOMAD-65 VIBRATORS

Tender Enquiry No

PROC-FE/CB/EXPL-3031/2017

**Due Date** 

**Evaluation Criteria** 

**FULL** 

		SCHEDULE OF REQUIREMENT								
Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any		
1	TYRE WITH OUT RIM BRAND NEW, SIZE-1000/25 R25, EQUIVALENT TO 66-43-25 (PR 18-20) MUDDY TYRE, FOR 19 HOLE IN RIM, STUD SIZE M22X1.5 FOR OMSI AXLE (Drawing attached) REQUIRED FOR NOMAD-65 VIBRATOR (Detail spec. terms&conditions attached).	Number	25							

(1) PURSUANT TO TENDER CLAUSE # 2.2, 11.4, 13 & 35.3.2, BID BOND AMOUNTING TO US\$ 1,400/- (US DOLLAR ONE THOUSAND FOUR HUNDRED ONLY) SHOULD BE SUBMITTED WITH THE TECHNICAL BID (2) EVALUATION CRITERIA: FULL CONSIGNMENT WISE ON C&F BY SEA, KARACHI (3) TECHNICAL SPECS, T&Cs AND DRAWING ATTACHED (4) DESIRED DELIVERY PERIOD: 90 DAYS

## Oracle attachment requisition No.EW-247/17/003B/2017 dated: 13-03-2017 for procurement of Muddy Tyres for (NOMAD-65 Vibrators)

Sr.No	DESCRIPTION	PART No.	UNIT	OTV	INDEX No.
				QTY	
1.	MUDDY TYRES FOR NOMAD-65 VIBRATORS	F/D	Nos.	25	F/D
	DRANG MENT TYPES SIZE SSY42Y25 (DR 40 20) WITH OUT DIM FOR 40 HOUE TO				
	BRAND NEW TYRES SIZE 66X43X25 (PR-18-20) WITH OUT RIM, FOR 19 HOLE IN				
	RIM size 25 HT/1.5,STUD SIZE M22X1.5 FOR OMSI AXLE (Drawing				
	attached)REQUIRED FOR NOMAD-65 VIBRATORS approximately Vibrator weight				
	(31000 KG) having the following specifications.				
	• Tyre size. = 66-43-25.00 (PR-18-20)				
	• TT/TL = Tube less				
	• Design = MUDDY Tyre				
	• Rated Speed = 30 MPH (max)				
	• Rated Load (Lbs)Max = 23610				
	• Recommended Rim size(in) = 25 HT/1.5				
2.	TUBES.				175-19
	• To be fitted with tyre size 66-43-25.				
	10 50 Miles Miles (1.0 5) 20 10 10 20 1				
3.	Terms and conditions:-				
	> OEM certificate must be provided by the bidder along with the bid.				
	Material must be warranted for a minimum period of one year starting from				
	the date of inspection in Pakistan.				
	> The bidder must be provided sale record of quoted tyres. Also provide				
	brochure of quoted tyres.				
	> Sr. /No. & date of manufacturing should be clearly embossed on each Tyre.		1		
	> E-mail, Postal address and Fax No of the manufacturer/bidder must be				
	provided with the bid.				
	> Third party pre-shipment inspection may be carried out at manufacturer				
	premises as per OGDCL procedure (if applicable).				
	> Delivery Period : 90 days				

