TERMS OF REFERENCE/SCOPE OF WORK

1. SCOPE OF WORK

- i) OGDCL invites internationally reputed companies with minimum 08 years experience of Fishing tools & services in Pakistan/ International to submit comprehensive proposals for provision of specialized fishing services including Tools & Supervisors at its well on rate running contract on as and when required basis.
- ii) The contract will be awarded to the bidder who fully meets the laid down criteria of the tender & contract period is for two years, extendable at same terms & conditions with mutual consent. The contract requires large inventory of fishing tools & well experienced professionals with assurance of their availability in Pakistan or bidder's base subject to inspection by TEC members.
- OGDCL drilling operations are spread over well scattered areas in North, South & Centre regions of country. Drilling Department is currently operating 11 rigs that includes 09 OGDCL own rigs and 02 contractor's rigs. 06 more contractor's rigs will start operation soon. According to plan OGDCL will drill ± 23 wells during each year in its North, Centre and South zones.

2. TERMS & CONDITIONS

- i) Daily rental of hired fishing tools will commence on arrival at OGDCL well site and will cease on the day of release from the location. Any of retainer charges for the equipment are not applicable.
- ii) Equipment operating rate will be applicable for the tools which are operating below the rotary table.
- iii) Standby rate will be applicable on tools during the period when no tool is in the hole.
- iv) Standby rate will only be charged as per actual for maximum upto 6 days for all tools either used or not.
- v) Bidder may quote standby rates maximum upto 40% of operating rate for equipment and personnel.
- vi) Day rate & Mob/Demob rate will be same for Local & Expat Fishing Supervisor.
- vii) The lost in hole (LIH)/replacement cost of each tool on sliding scale is to be provided along with the rate list & will be part of financial evaluation. The provision of price list is mandatory. Proposals without LIH value on depreciation scale will not be considered for financial evaluation.
- viii) Depreciation rate will be 1.66%/month for lost in hole or damage beyond repair tools calculated from date of purchase of tools. Bidder to provide the detail of all tools with date of manufacturing/ purchase with bid.

- ix) Mobilization / demobilization cost of the equipment will be provided on kilometer distance basis. The cost will include all type of charges.
- x) It is mandatory for fishing company to have established base office and inventory & service facility for their equipment in Pakistan.
- xi) Separate financial evaluation will be carried out for North and South & Center zones. Contract will be awarded to the lowest bidder in respective category of each zone.
- xii) Mob/ de-mob cost of equipment and personnel to be provided on per KM basis. The bidder is to mention the base office/ offices location.
- xiii) Evaluation for North and South & Centre Zone will be made separately. The bidder offering services for North wells should have base in Islamabad or north region and the bidder offering services for south & center wells should have base in Karachi or south region. If bidder offering services in both zone should have bases in Islamabad/ north region and Karachi/ south region.
- xiv) The technical/ financial proposals will contain information as per instructions and the rates attached format. List of standard fishing tools is available in the format however rates of any other or new technology tools may be also provided. The service company should have minimum 10 years continuous related successful fishing experience in Pakistan or International other than their country of origin with workshop/ storage facility & minimum 03 Fishing Supervisors in Pakistan.
- xv) The company to have minimum 03 fishing supervisors on its roll and proof of employment record to be provided to qualify for further process.
- xvi) The Fishing Supervisors offered for the jobs is to have minimum 08 years relevant experience in fishing operations. C.Vs of the offered Fishing supervisors to be attached with bid. The bidders are to provide CV's of minimum 03 fishing supervisors.
- xvii)The bidder is to provide detail of local base facilities in Pakistan. The list of equipment inventory to be attached with proposals, showing sufficient quantity to be able to meet 03 concurrent jobs requirement at the same time for different locations. Proposals containing equipment of international repute and local base facility as per API standards will only be considered for evaluation. 02 OGDCL professionals will visit the workshop/ base to verify the offered inventory and bid will be considered after physical verification by OGDCL professionals.
- xviii) Mobilization cost of equipment and personnel will be on "rate per kilometer" basis. Mobilization cost will be paid for south/center regions wells from south region base being mobilization point and for North region wells will be paid from North region base being mobilization point.

INSTRUCTION TO THE BIDDERS

Bidders are to provide the following information.

- i) Company's profile.
- ii) Certification (Validity & copies).
- iii) Client list with addresses/ Fax/ Phone Nos.
- iv) Company's last 08 years work experience along with detail of jobs in hand and past experience in and outside Pakistan.
- v) CV's of minimum 03 Fishing Supervisors with minimum 08 years relevant experience available for the job (documentary evidence is required).
- vi) Equipment inventory, manufacturer detailed history & year of purchase.
- vii) Equipment technical specifications, usage & repair / maintenance data.
- viii) Detail of facilities/ base in Pakistan including detail of fishing equipment with back up equipment.
- ix) Availability of Fishing Engineers/ Supervisors enrolled with the company in Pakistan or nearest base office.

Annexure "A-1"

TECHNICAL EVALUATION CRITERIA

North Wells

	DESCRIPTION	MARKS				
S. #						
1	Minimum 08 years active experience in providing fishing tools & Services in	1year= 3 marks				
	Pakistan or International other than their country of origin.	30 %				
2	Capacity to handle three (03) simultaneous OGDCL jobs in respective	01 job= 8marks				
4	zone.	24 %				
3	Local base in Islamabad or North region with required inventory with back up tools & certified machine shop services. 02 OGDCL professional will verify the base and offered fishing tools.	Fix 22 marks for base 22 %				
4	Minimum 03 qualified Fishing Engineers/ Supervisors with at least five (08) years relevant experience.	01 supervisors with 08 year experience = 08 marks 02 supervisors with 08 year experience =16 marks 03 supervisors with 08 year experience =24 marks				
		24 %				
	TOTAL	100				

South & Centre Wells

S. #	DESCRIPTION	MARKS
1	Minimum 08 years active experience in providing fishing tools & Services in	1year= 3 marks
1	Pakistan or International other than their country of origin.	30 %
	Capacity to handle three (03)	01 job = 8 marks
2	simultaneous OGDCL jobs in respective zone.	24 %
3	Local base in Karachi or South region with required inventory with back up stock & certified machine shop	Fix 22 marks
	services. 02 OGDCL professional will verify the base and offered fishing tools.	22 %
	Minimum 03 qualified Fishing	01 supervisors with 08 year experience = 08 marks
4	Supervisors with at least five (08) years active experience.	02 supervisors with 08 year experience =16 marks 03 supervisors with 08 year experience =24 marks
		24 %
	TOTAL	100

REQUIREMENT:

- 1) Technical Evaluation for North and South & Centre wells will be carried out separately.
- 2) Minimum 80% marks in each discipline and in total 85% marks are required for technical evaluation.
- 3) Bidder having equipment base in North only will be considered for technical evaluation for North wells. Similarly bidder having equipment base in South region only will be considered for technical evaluation of south & center wells. However bidder having equipment base in both North and South region will be considered for technical evaluation for both categories.

Annexure "A-2"

FORMAT FOR RATES

Sr. No.		DESCRIPTION	DAILY OPERATING RATE (US\$)	DAILY STANDBY RATE (US\$)	MAXIMUM RATE/MONTH (US\$)	REDRESS (IF USED) (US\$)	LIH/DBR VALUE (US\$)
1	13-3/	4" F.S. OVERSHOT & ACCE	SSORIES		·		
	i.	13-3/4" OD FS Overshot					
	ii.	12" Spiral grapples set					
	iii.	11-7/8" Spiral grapples set					
	iv.	11-3/4" Spiral grapples set					
	v.	11-5/8" Spiral grapples set					
	vi.	11-1/2" Spiral grapples set					
	vii.	9-5/8" Spiral grapples set					
	viii.	9-1/2" Basket grapple set					
	ix.	8" Basket Grapple set					
	x.	8-1/2" Basket Grapple set					
	xi.	8-1/4" Basket Grapple set					
	xii.	7-7/8" Basket Grapple set					
	xiii.	6-3/8" Basket Grapple set					
	xix.	6-1/4" Basket Grapple set					
	XV.	5" Basket Grapple set					
	xvi.	13-3/4" Extension sub					
	xvii.	31" Oversize Lipped Guide					
	xviii.	27-3/4" Oversize Lipped					
		Guide					
	xix.	24" Oversize Lipped Guide					
	XX.	21" Oversize Lipped Guide					
	xxi	16" Oversize Lipped Guide					
	xxii	13-3/4" OD FS Overshot					
2		4" F.S. OVERSHOT & ACC	ESSORIES		[1
	i.	11-3/4" OD FS Overshot					
	ii.	9-5/8" Spiral grapples set					
	iii.	9-1/2" Spiral grapple set					
	iv.	9-3/8" Spiral Grapple set					
	v.	9-1/4" Spiral Grapple Set					
	vi.	9-1/8" Spiral Grapple set					
	vii.	9" Spiral Grapple set					
	viii.	8" Basket Grapple set					
	ix.	7-7/8" Basket Grapple set					
	x.	7-3/4" Basket Grapple set					
	xi.	7-5/8" Basket Grapple set					
	xii.	7-1/2" Basket Grapple set					
	xiii.	6-3/8" Basket Grapple set					
	xix.	6-1/4" Basket Grapple set					
	xv.	6-1/8" Basket Grapple set					

<u> </u>	:	6" Dealect Crearly act	T			
	XVI.	6" Basket Grapple set				
	xvii.	5" Basket Grapple set				
	xviii.	11-3/4" Extension sub				
	xix.	22" Oversize Lipped Guide				
	XX.	15" Oversize Lipped Guide				
3		" F.S. OVERSHOT & ACCES	SSORIES		1	
	i.	9-5/8" OD FS Overshot				
	ii.	8" Spiral Grapple set				
	iii.	7-7/8" Spiral Grapple set				
	iv.	7-3/4" Spiral Grapple set				
	v.	7-5/8" Spiral Grapple set				
	vi.	7-1/2" Spiral Grapple set				
	vii.	6-3/8" Basket Grapple				
	viii.	6-1/8" Basket Grapple				
	ix.	6" Basket Grapple				
	x.	5" Basket Grapple				
	xi.	11-1/4" Oversize lipped		 		
		Guide				
	xii.	9-5/8" Extension Sub				
	xiii.	11-3/4" Over size Lipped				
		Guide				
	xiv.	11-1/4" Over size Guide				
4		" F.S. OVERSHOT & ACCES	SSORIES			
	i.	8-1/8" OD FS Overshot				
	ii.	6-3/4" Spiral Grapple set				
	iii.	6-5/8" Spiral Grapple set				
	iv.	6-1/2" Spiral Grapple set				
	v.	6-3/8" Spiral Grapple set				
	vi.	6-1/4" Spiral Grapple set				
	vii.	5" Basket Grapple set				
	viii.	8-1/8" Extension Sub (36"				
		length)				
5	-	F.S. OVERSHOT & ACCE	SSORIES		1	
	i.					
	ii.	4-3/4" Spiral Grapple set				
	iii.	4-5/8" Spiral Grapple set				
	iv.	4-1/2" Spiral Grapple set				
	v.	4-3/8" Spiral Grapple set				
	vi.	4-1/8" Spiral Grapple set				
	vii.	3-1/2" Basket Grapple set				
	viii.	3-5/8" Basket Grapple set				
	ix.	3-3/8" Basket Grapple set				
	x.	3-1/8" Basket Grapple set				
	xi.	3" Basket Grapple set				
	xii.	2-7/8" Basket Grapple set		 		
	xiii.	5-3/4" Extension Sub				
	xix.	2-5/8" Basket Grapple set		 		
		2-3/8" Basket Grapple set				
	XV.	2-5/0 Dasket Grapple set				

6	3-15	/16" F.S. OVERSHOT & AC	CESSORIES			
	i.	3-15/16" FS Overshot				
	ii.	3-1/8" Spiral Grapple set				
	iii.	3" Spiral Grapple set				
	iv.	2-7/8" Spiral Grapple set				
	v.	2-5/8" Basket Grapple set				
	vi.	2-3/4" Basket Grapple set				
	vii.	3-15/16" Extension Sub				
		Extension Sub (36" length)				
7		NETS WITH OVERSIZE GUI	DES		1	
	i.	16" / 15-1/2" OD				
		10-1/2" / 11-3/4" OD				
		7" OD				
	iv.	5" OD				
		Any Other Size				
8		TY JOINTS	II		1	
		8" / 7-3/4" OD				
	ii.	6-1/2" 6-1/4" OD				
		4-3/4" OD				
9		ERSE CIRCULATING JUNK	BASKETS			
		15" OD (Shoe 17-1/4" OD)				
		11" OD (Shoe 12-1/8" OD)				
		7-7/8" OD (Shoe 8-3/4"				
		OD)				
	iv.	5-3/4" OD (Shoe 5-15/16"				
		OD)				
10		SUB				
		13-3/8" OD				
		9-5/8" OD				
	iii.	7" OD				
	iv.	5" / 5 1/2" OD				
	v.	4-1/2" OD				
	vi.	3-3/8" OD				
11	CASI	NG SPEARS			I	
	i.	24"				
	ii.	20"				
	iii.	18-5/8"				
	iv.	14"		<u> </u>		
		13-3/8"				
	V.	9-5/8"				
	V1.	7"				
	vii.					
	viii.	5"				
12		NG ROLLERS (OPTIONAL)	ГТ		Γ	
	i.	24-1/2" Casing				
	ii.	20" Casing				
	iii.	18-5/8" Casing				
	iv.	13-3/8"/14" Casing				
	v.	9-5/8" Casing				

	:	7" 0				
	vi.	7" Casing				
10	vii.	5" Casing				
13		NG CUTTERS (OPTIONAL)	Ι			
	i.	24"				
	ii.	20"				
	iii.	18-5/8"				
	iv.	14"				
	v.	13-3/8"				
	vi.	9-5/8"				
	vii.	7"				
	viii.	5"				
14		ULATING SWEDGE	1	1		
	i.	24" Casing				
	ii.	20" Casing				
	iii.	18-1/2" Casing				
	iv.	13-3/8"/14" Casing				
	v.	9-5/8" Casing				
	vi.	7" Casing				
	vii.	5" Casing				
15		ERS RETRIEVING TOOLS				
	i.	13-3/8" Casing				
	ii.	9-5/8" Casing				
	iii.	7" Casing				
	iv.	5" Casing				
16	MILLS	5				
	i.	23" OD Junk Mill				
	ii.	17" OD Junk				
	iii.	15" OD Junk Mill				
	iv.	12" OD Junk Mill				
	v.	8" OD Junk Mill				
	vi.	7-7/8" OD Junk Mill				
	vii.	5-1/8" OD Junk Mill				
	viii	4" OD Junk Mill				
	ix	4", 3-3/4" Cement Mill				
17	TAPE	R MILLS			•	
	i.	23"				
	ii.	17"				
	iii.	12-1/4"				
	iv.	8-1/2"				
	v.	6"				
	vi.	4-1/8"				
	vii.	3-1/2"				
18	WATE	R MELON MILL	•		•	
	i.	17-3/8"				
	ii.	12-1/8"				
	iii.	8-3/8"	ſ			
	iv.	6"				
	v).	5-7/8"	1			
·		· · · · · · · · · · · · · · · · · · ·	÷			

	vi).	Other				
10	,	R TAPS				
19	i.	D.Cs. Size 9-1/2", 8", 6-				
	ii.	1/4", 4-3/4" D.Ps. Size 5", 3-1/2", 2- 7/8"				
	iii.	Tubing Size 3-1/2", 2- 7/8", 2-3/8", 13/8"				
		Other sizes				
	i.	7-3/4"				
	ii.	6-3/4"				
	iii.	4-3/4"				
	iv.	4-1/4"				
	v.	3-1/4"				
-	vi.	Any Other Size				
20		ION MILLS	II		1	<u>. </u>
	i.	20" Casing				
	ii.	13-3/8" Casing				
	iii.	9-5/8" Casing				
	iv.	7" Casing				
	v.	5" Casing				
21	STAB	ILIZERS (Integral Blades)	II			I
	i	28" Near Bit				
	ii	28" String Stab				
-	iii.	26" Near Bit/String Stab				
	iv.	22" Near Bit				
	v	22" String Stab				
-	vi	17-1/2" Near Bit				
-	vii	17-1/2" String Stab				
-	viii.	17" Near Bit				
-	ix.	17" String Stab				
	x	12-1/4" Near Bit				
-	xi	12-1/4" String Stab				
-	xii.	8-1/2" Near Bit				
	xiii	8-1/2" String Stab				
	xiv	5-7/8" Near Bit				
	xv	5-7/8" String Stab				
	xvi	6" Near Bit				
	xvii	6" String Stab				
	xviii	4" non-rotating stabilizer				
22	WASH	IOVER EQUIPMENT	·	1	•	·
	i.	11-3/4" Washpipe - 30 ft				
	ii.	Washover Shoe				
	iii.	Drive Sub				
	iv.	Safety Clamp				
	v.	Slips				
	vi.	Elevator				
	vii.	Subs				
	viii.	Washpipe anchor				
l	1				1	1

	ix.	Lift Plug				
	X.	Any Other Size				
23		IOVER EQUIPMENT	1		l	
	i.	10-3/4" Washpipe - 30 ft				
	ii.	Washover Shoe				
	iii.	Drive Sub				
	iv.	Safety Clamp				
	v.	Slips				
	vi.	Elevator				
	vii.	Subs				
	viii.	Washpipe anchor				
	ix.	Lift Plug				
	x.	Any Other Size				
24	WASH	IOVER EQUIPMENT				
	i.	9-5/8" Washpipe - 30 ft				
	ii.	Washover Shoe				
	iii.	Drive Sub				
	iv.	Safety Clamp				
	v.	Slips				
	vi.	Elevator				
	vii.	Subs				
	viii.	Washpipe anchor				
	ix.	Lift Plug				
	x.	Any Other Size				
25		IOVER EQUIPMENT				
	i.	8-1/8" Washpipe - 30 ft				
	ii.	Washover Shoe				
	iii.	Drive Sub				
	iv.	Safety Clamp				
	v.	Slips				
	v. vi.	Elevator				
	vii.	Subs				
	viii.	Washpipe anchor				
	ix.	Lift Plug				
	их. Х.	Any Other Size				
26		CK SUB / SHOCK ABSORBE				
40	энос і.	9.5"OD				
	1. ii.	8" OD				
	11. iii.	6.5" OD	+			
			+			
07	iv.	4.75" OD				
27			<u>г</u>	1	Γ	
	i.	7-5/8" Washpipe - 30 ft				
	ii.	Wash over Shoe	<u>↓</u>			
	iii.	Drive Sub				
	iv.	Safety Clamp				
	v.	Slips				
	vi.	Elevator				
	vii.	Subs				

	viii.	Washpipe anchor				
	ix.					
		Lift Plug Any Other Size				
	X.					
28			1		Γ	
	i.	5-3/4" Wash pipe - 30 ft				
	ii.	Wash over Shoe				
	iii.	Drive Sub				
	iv.	Safety Clamp				
	v.	Slips				
	vi.	Elevator				
	vii.	Subs				
	viii.	Washpipe anchor				
	ix.	Lift Plug				
	х.	Any Other Size				
29		ING JARS		·	1	
	i.	8"/ 7-3/4"				
	ii.	6-1/2" / 6-1/4"				
	iii.	4-3/4"				
	iv.	3-1/8" (Optional)				
30		ING BUMPER SUBS				
	i.	8"/7-3/4"				
	ii.	6-1/2" /6-1/4"				
	iii.	4-3/4"				
	iv.	3-1/8" (Optional)				
31	FISH	ING JAR INTENSIFIER				
		8"/7-3/4"				
	ii.	6-1/2" /6-1/4"				
	iii.	4-3/4"				
	iv.	3-1/8" (Optional)				
32	IMPR	ESSION BLOCKS				
	i.	17-1/2"				
		12-1/4"				
	iii.	8-1/2"				
	iv.	6"				
	v.	5-7/8"				
33	SCRE	W IN SUBS			•	
	i.	7-5/8" Reg. Conn.				
	ii.	6-5/8" Reg. Conn.				
	iii.	4-1/2" IF conn./4IF		ľ		
	IV	3-1/2"IF Conn	1	ŀ		
34	SKIR'	TED SCREW IN SUBS			1	
	i.	7-5/8" Reg. Conn.				
		6-5/8" Reg. Conn.		ľ		
	iii.	4-1/2" IF conn./4IF				
	IV	3-1/2"IF Conn				
35		LING TURBINE	ı		1	L
		illing turbine for rat hole				
36		KLE JOINT	JI		1	I

	For w	all hook guides							
37		HOOK GUIDES							
	i.	11-3/4"							
	ii.	9-5/8"							
	iii.	8-1/8"							
	iv.	5-3/4"							
38	BENT	SUBS					I		
	As per	requirement							
39	SWEDGE HAMMER								
	i.	20" Casing							
	ii.	13-3/8" Casing							
	iii.	9-5/8" Casing							
	iv.	7" Casing							
40	CASIN	IG SCRAPER							
	i	13-3/8" Casing							
	ii	9-5/8" Casing							
	iii	7" Casing							
	iv	5"/ 4-1/2"							
41	Extern	nal Hydraulic Tubing Cutte	r	-		•			
	i	2-3/8"							
	ii	2-7/8"							
	iii	3-1/2"							
42		OTHER NEW TECHNOLOGY	/TOOL	1	1	•			
	i.	Sizes & Description							
43	PERS	<u>ONNEL</u>			ſ	•	1		
		01 No Fishing Supervisor -	Operating	Standby					
	1600	US\$/Day	Rate/ day	Rate/ day					
44		<u>/ DEMOB PER KM</u>							
		Fishing Supervisor (US \$) Mob/ demob							
	ii.	Equipment (US \$) Mob/ demob							
Not									
1	Day ra	ate & Mob/Demob rate will b	e same for L	ocal & Expat	Fishing Engineer/	Supervisor.			

NOTE:

Evaluation for 02 zones i.e. North zone and South & Centre Zone will be made separately. The bidder offering services for North zone should have base in Islamabad or north region and the bidder offering services for south & center zone should have base in Karachi or south region. However bidder having equipment base in North and South will be considered for technical evaluation in both categories.

Annexure "A-3"

FINANCIAL EVALUATION CRITERIA NORTH WELLS (CATEGORY "A")

Sr. No.		DESCRIPTION	OPERATING COST 18 DAYS (US\$)	STAND BY COST 06 DAYS (US\$)	REDRESS (IF USED) (US\$)	10 % LIH/DBR VALUE (US\$)	TOTAL COST US \$
CAT		Y "A".	ODIEG				
	9-5/8 i.	8" F.S. OVERSHOT & ACCESS	ORIES				
	1. ii.	9-5/8" OD FS Overshot					
	11. iii.	8" Spiral Grapple set					
		7-7/8" Spiral Grapple set					
1	iv.	6-3/8" Basket Grapple					
	v.	7-1/2" Spiral Grapple set					
	vi.	5" Basket Grapple					
	vii.	11-1/4" Oversize lipped Guide					
	viii.	9-5/8" Extension Sub					
		8" F.S. OVERSHOT & ACCESS	ORIES				
	i.	8-1/8" OD FS Overshot					
	ii.	6-3/4" Spiral Grapple set					
	iii.	6-5/8" Spiral Grapple set					
•	iv.	6-1/2" Spiral Grapple set					
2	v.	6-3/8" Spiral Grapple set					
	vi.	6-1/4" Spiral Grapple set					
	vii.	5" Basket Grapple					
	viii.	8-1/8" Extension Sub (36"					
		length)					
	-	4" F.S. OVERSHOT & ACCES	SORIES		•		
	i.	5-3/4" OD FS Overshot					
	ii.	4-3/4" Spiral Grapple set					
	iii.	4-5/8" Spiral Grapple set					
	iv.	4-1/2" Spiral Grapple set					
	v.	4-3/8" Spiral Grapple set					
	vi.	4-1/8" Spiral Grapple set					
3	vii.	3-1/2" Basket Grapple set					
-	viii.	3-5/8" Basket Grapple set					
	ix.	3-3/8" Basket Grapple set					
	х.	3-1/8" Basket Grapple set					
	xi.	3" Basket Grapple set					
	xii.	2-7/8" Basket Grapple set					
	xiii.	5-3/4" Extension Sub					
	xix.	2-5/8" Basket Grapple set					
	xv.	2-3/8" Basket Grapple set					

	xvi.	2-1/4" Basket Grapple set					
4	FISH	ING JARS					
	i.	6-1/2" / 6-1/4"					
	ii.	4-3/4"					
5	FISH	ING BUMPER SUBS				•	
	i.	6-1/2" / 6-1/4"					
	ii.	4-3/4"					
6	FISHING JAR INTENSIFIER						
	i.	6-1/2" / 6-1/4"					
	ii.	4-3/4"					
7	SCRE	EW IN SUBS		·		·	
	i.	12-1/4" With Guide					
	ii.	8-1/2" With Guide					
8	PERS	SONNEL					
		ishing Supervisor - US \$ / Day	OPERATING	STAND	TOTAL		
	(sam	he rate for both local and expat	COST 18	BY			
		fishing supervisor)	DAYS	COST 06			
	MOD	/ DE MOD af Marila far Narth		DAYS			
9	MOB	/ DE-MOB of Tools for North					
		Mobilization /demobilization/ Km - US \$	1000 km				
10	MOB	/ DE-MOB of Fishing Supervis	sor for North	ZONE			
10	mob						
		Mobilization /demobilization/ Km - US \$	1000 km				
		TOTAL "A"					

FINANCIAL EVALUATION CRITERIA NORTH WELLS (CATEGORY "B")

Sr. No.		DESCRIPTION	OPERATING COST 18 DAYS (US\$)	STANDBY COST 06 DAYS (US\$)	REDRESS (IF USED) (US\$)	10% LIH/DBR VALUE (US\$)	TOTAL COST US \$
	GORY						
	WASH	OVER EQUIPMENT					
	i.	9-5/8" Washpipe - 30 ft					
	ii.	Washover Shoe					
	iii.	Drive Sub					
1	iv.	Safety Clamp					
1	v.	Slips					
	vi.	Elevator					
	vii.	Subs					
	viii.	Washpipe anchor					
	ix.	Lift Plug					
	WASH	OVER EQUIPMENT					
2	i.	8-1/8" Washpipe - 30ft					
	ii.	Washover Shoe					

	iii.	Drive Sub								
	iv.	Safety Clamp								
	v.	Slips								
	v. vi.	Elevator								
	vii.	Subs								
	viii.									
		Washpipe anchor								
	ix.	Lift Plug								
		OVER EQUIPMENT				1				
	i.	5 3/4" Washpipe - 30ft								
	ii.	Washover Shoe								
		Drive Sub								
3	iv.	Safety Clamp								
3	v.	Slips								
	vi.	Elevator								
	vii.	Subs								
	viii.	Washpipe anchor								
	ix.	Lift Plug								
	REVE	RSE CIRCULATING JUNK BAS	SKETS							
	i.	11" OD (Shoe 12-1/8" OD)								
4	ii.	7-7/8" OD (Shoe 8-3/4" OD)								
	iii.	5-3/4" OD (Shoe 5-15/16"								
	-	OD)								
	JUNK SUB									
	i.	13 3/8" OD								
5		9 5/8" OD								
-		7" OD								
	iv.	5" / 5 1/2" OD								
	MILL									
		7-7/8" OD Junk Mill								
6		6 1/8" Junk mill								
0	iii.	5-1/8" OD Junk Mill								
	iv.	4 1/8" OD Junk Mill								
		BILIZERS								
	i.	12-1/4" Near Bit								
7	ii.	12-1/4" String								
1	iii.	8-1/2" Near Bit								
		•								
	iv.	8-1/2" String								
	PERSONNEL			STANDBY	Γ		m			
8	01 Fishing Supervisor - US \$ / Day (same rate for both local and expat		OPERATING COST 18	COST 06		TOTAL COS	1			
		ig supervisor)	DAYS	DAYS						
		/ DE-MOB of Tools for North			<u>I</u>					
9		ization/ demobilization / Km	1000 km							
9										
	- US \$									
	MOR	/ DE-MOB of Fishing Supervi	sor for North	zone						
10		/ DE-MOB of Fishing Supervi ization/ demobilization/ Km -	sor for North 2	zone						

Total "B"	
TOTAL "A + B " FOR 01 NORTH WELL	
GRAND TOTAL (12 WELLS) for 02 years	

Note:

- 1 The bidders are to fill the above financial evaluation criteria for 18 operating day, 06 standby days & 01 mob & demob for North Wells.
- 2 Day rate & Mob/Demob rate will be same for Local & Expat Fishing Supervisor.
- 3 Tools Mob/Demob rate will be same for all types of vehicles. For financial calculations mobilization/ demobilization distance will be taken as 1000 km. However payment will be made as per actual distance.
- 4 10% of LIH value of all the above mentioned tools will be added in financial evaluation criteria.
- 5 Contract will be awarded to the bidder/bidders with lowest total lump-sum cost of category "A" and "B" of above Financial Evaluation Criteria for North Wells.
- 6 Evaluation for North and South & Centre Zone will be made separately. The bidder offering services for North zone should have base in Islamabad or North region.

<u>FINANCIAL EVALUATION CRITERIA</u> SOUTH & CENTER WELLS (CATEGORY "A")

Sr. No.		DESCRIPTION	OPERATING COST 10 DAYS (US\$)	STANDBY COST 04 DAYS (US\$)	REDRE SS (IF USED) (US\$)	10% LIH/DBR VALUE (US\$)	TOTAL COST US \$
CATE	GORY	" A ".				· ·	
	9-5/8	F.S. OVERSHOT & ACCESS	ORIES				
	i.	9-5/8" OD FS Overshot					
	ii.	8" Spiral Grapple set					
	iii.	7-7/8" Spiral Grapple set					
1	iv.	6-3/8" Basket Grapple					
-	v.	7-1/2" Spiral Grapple set					
	vi.	5" Basket Grapple					
	vii.	11-1/4" Oversize lipped					
		Guide					
	viii.	9-5/8" Extension Sub					
		" F.S. OVERSHOT & ACCESS	ORIES	1	11		
	i.	8-1/8" OD FS Overshot					
	ii.	6-3/4" Spiral Grapple set					
	iii.	6-5/8" Spiral Grapple set					
2	iv.	6-1/2" Spiral Grapple set					
_	v.	6-3/8" Spiral Grapple set					
	vi.	6-1/4" Spiral Grapple set					
	vii.	5" Basket Grapple					
	viii.	8-1/8" Extension Sub (36"					
	5 2/4	length) " F.S. OVERSHOT & ACCESS	ODIES				
	i.	5-3/4" OD FS Overshot			[[
	ii.	4-3/4" Spiral Grapple set					
	iii.	4-5/8" Spiral Grapple set					
	iv.	4-1/2" Spiral Grapple set					
	V.	4-3/8" Spiral Grapple set					
	v. vi.	4-1/8" Spiral Grapple set					
	vi.	3-1/2" Basket Grapple set					
3	viii.	3-5/8" Basket Grapple set					
3	ix.	3-3/8" Basket Grapple set					
		3-1/8" Basket Grapple set					
	x. xi.	3" Basket Grapple set					
	xi. xii.	2-7/8" Basket Grapple set					
	xii. xiii.	5-3/4" Extension Sub					
	xin.	2-5/8" Basket Grapple set					
	XIX. XV.	2-3/8" Basket Grapple set					
	xvi.	2-1/4" Basket Grapple set					
		NG JARS					
4	г ізпі .	6-1/2" / 6-1/4"			<u> </u>		
4	ii.	4-3/4"					
	11.	4-3/4					

5	FISH	ING BUMPER SUBS				
	i.	6-1/2" / 6-1/4"				
	ii.	4-3/4"				
6	FISH	ING JAR INTENSIFIER		•		
	i.	6-1/2" / 6-1/4"				
	ii.	4-3/4"				
7	SCRE	CW IN SUBS		•		
	i.	12-1/4" With Guide				
	ii.	8-1/2" With Guide				
8	PERS	ONNEL		•		
		01 Fishing Supervisor - US \$ /	OPERATING	STANDBY	Total	
		Day (same rate for both local	COST 10	COST 04		
		and expat fishing supervisor)	DAYS	DAYS		
9	мов	/ DE-MOB of Tools for South &	& Center zone			
	Mobili US \$	zation/ demobilization / Km -	1000 km			
10	мов	/ DE-MOB of Fishing Supervis	or for South 8	Center zon	ne	
	Mobili US \$	zation/ demobilization / Km -	1000 km			
		TOTAL "A"				

FINANCIAL EVALUATION CRITERIA SOUTH WELLS & CENTER (CATEGORY "B")

Sr. No.		DESCRIPTION	OPERATING COST 10 DAYS (US\$)	STANDBY COST 04 DAYS (US\$)	REDRESS (IF USED) (US\$)	10 % LIH/DBR VALUE (US\$)	TOTAL COST US \$				
CATE	GORY	Г "В".									
	WASI	HOVER EQUIPMENT									
	i.	9-5/8" Washpipe - 30 ft									
	ii.	Washover Shoe									
	iii.	Drive Sub									
1	iv.	Safety Clamp									
1	v.	Slips									
	vi.	Elevator									
	vii.	Subs									
	viii.	Washpipe anchor									
	ix.	Lift Plug									
	WASE	ASHOVER EQUIPMENT									
	i.	8-1/8" Washpipe - 30ft									
	ii.	Washover Shoe									
	iii.	Drive Sub									
2	iv.	Safety Clamp									
2	v.	Slips									
	vi.	Elevator									
	vii.	Subs									
	viii.	Washpipe anchor									
	ix.	Lift Plug									

	WAS	HOVER EQUIPMENT							
	i.	5 3/4" Washpipe - 30ft							
	ii.	Washover Shoe							
	iii.	Drive Sub							
3	iv.	Safety Clamp							
3	v.	Slips							
	vi.	Elevator							
	vii.								
		Washpipe anchor							
		Lift Plug							
		ERSE CIRCULATING JUNK BAS	SKETS						
		11" OD (Shoe 12-1/8" OD)							
4		7-7/8" OD (Shoe 8-3/4" OD)							
	111.	5-3/4" OD (Shoe 5-15/16" OD)							
	JUN	IK SUB							
	i.	13 3/8" OD							
5	-	9 5/8" OD							
		7" OD							
	iv.	5" / 5 1/2" OD							
	MILLS								
	i.	7-7/8" OD Junk Mill							
6	ii.	6 1/8" Junk mill							
	iii.	5-1/8" OD Junk Mill							
	iv.	4 1/8" OD Junk Mill							
	STA	STABILIZERS							
	i.	12-1/4" Near Bit							
7	ii.	12-1/4" String							
	iii.	8-1/2" Near Bit							
	iv.	8-1/2" String							
	PEF	SONNEL							
•	01 Fishing Supervisor - US \$ / Day		OPERATING		STANDBY		TOTAL		
8		(same rate for both local and expat		COS		COST 04			
	fish	ing supervisor)		DA	YS	DAYS			
9		MOB / DE-MOB of Tools for South & Center zone							
<u> </u>	-	pilization/ demobilization/ Km -		1000					
10		B / DE-MOB of Fishing Supervis				r zone			
10	Mob	ilization/ demobilization / Km - U	JS \$	1000	km				
		TOTAL "B"							
	<u> </u>	TOTAL "A + B" FOR 01 WEL							
	GR/	AND TOTAL FOR 14 WELLS for	: 02						
	1	years							

Note:

- 1 The bidders are to fill the above financial evaluation criteria for 10 operating days, 04 standby days and mob/ demob for South & center wells.
- 2 Day rate & Mob/Demob rate will be same for Local & Expat Fishing Supervisor.
- 3 Tools Mob/Demob rate will be same for all types of vehicles. For financial calculations mobilization/ demobilization distance will be taken as 1000 km. However payment will be made as per actual distance.
- 4 10% of LIH value of all the above mentioned tools will be added in financial evaluation criteria.
- 5 Contract will be awarded to the bidder/ bidders with lowest total lump-sum cost of category "A" and "B" of above Financial Evaluation Criteria for South & Center Wells.
- 6 Evaluation for North & South/Centre Zone will be made separately. The bidder offering services for south & center zone should have base in Karachi or south region.

BID BOND AMOUNT

 Bid Bond /Bid Security amounting to US\$ 80,000/- or equivalent PKR is to be attached / provided with the technical bid. Please see Master Set of Tender Document for further details.

NOTE:-

• The master set of tender documents (services) uploaded on OGDCL's website (<u>www.ogdcl.com</u>) is the integral part of this TOR.