
### OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION B



ANNEXURE 'A'

Material

OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE

Tender Enquiry No

PROC:FB/CB/P&P-4618/2020

**Due Date Evaluation Criteria GROUP WISE** SCHEDULE OF REQUIREMENT Unit Quantity Unit Price Total Price Unit Price Total Price (FOB) (FOB) C & F BY SEA C & F BY SEA Sr No Description Deviated From Tender Spec, If Any Group A SHAFT, WASTEGATE IP# 296487E ASSY ENGINE, GAS "WAUKESHA" Number 2\_\_\_ MODEL '16V275GL'. KIT, ADMISSION VALVE REPAIR. IP# 211665D IASSY ENGINE, GAS Number 16 "WAUKESHA" MODEL '16V275GL'. NBL, LINER, CYLINDER. 1P# 287230D, 287230C | ASSY ENGINE, GAS Number 4 "WAUKESHA" MODEL '16V275GL'. BEARING, Thrust, PART # 290069B, I ASSY ENGINE, GAS "WAUKESHA" Number 2 MODEL '16V275GL' BEARING, Main, PART # A280118S, | ASSY ENGINE, GAS "WAUKESHA" Number 14 -MODEL '16V275GL'. AT 16 CYL OIL PUMP KIT. IP# G-980-170 JASSY ENGINE, GAS Number "WAUKESHA" MODEL '16V275GL'. SHAFT, Throttle, PART # 296372C, I ASSY ENGINE, GAS "WAUKESHA" Number 2/ MODEL '16V275GL' PIN, Dowel, PART # 293352, | ASSY ENGINE, GAS "WAUKESHA" Number MODEL '16V275GL'. BUSHING, Flanged, PART # 296368, I ASSY ENGINE, GAS "WAUKESHA" Number MODEL '16V275GL'. RING, Retaining, PART # 117488J, | ASSY ENGINE, GAS "WAUKESHA" Number 4 MODEL '16V275GL' O-RING, Viton, PART # 304745E, I ASSY ENGINE, GAS "WAUKESHA" Number 8 MODEL '16V275GL' O-RING, Viton, PART # 296389, | ASSY ENGINE, GAS "WAUKESHA" Number 8 , MODEL '16V275GL' COVER, Seal, PART # 296370A, IASSY ENGINE, GAS "WAUKESHA" 13 Number 4 MODEL '16V275GL'. SCREW, Countersunk Head, M6 x 12 mm, PART # 296419, I ASSY ENGINE. Number 12 GAS "WAUKESHA" MODEL '16V275GL' SEAL, Lip, Viton, PART # 296371B, I ASSY ENGINE, GAS "WAUKESHA" 15 Number \_8 MODEL '16V275GL'. SPARK PLUG. |P# 69919D |ASSY EN64GINE, GAS "WAUKESHA" Number 64 MODEL '16V275GL'. COIL, IGNITION W/LEAD. IP# 69957 IASSY ENGINE, GAS Number 16 "WAUKESHA" MODEL '16V275GL'. FILTER LUBE OILIP# 199395B | ASSY ENGINE, GAS "WAUKESHA" Number 60 MODEL '16V275GL'.. CUP, PRECHAMBER 6 HOLE IP# 295478B | ASSY ENGINE, GAS Number 16 "WAUKESHA" MODEL '16V275GL'. BELLOWS, EXHAUST BYPASS. 1 P# 296321A LASSY ENGINE, GAS Number 2 "WAUKESHA" MODEL '16V275GL'. Sr. Tech Officer (Elect)
Process & plants Depth OGDCL VALVE, Butterfly-Assembly, PART # A296369A, I ASSY ENGINE, GAS Number 12 "WAUKESHA" MODEL '16V275GL'. Screw, M10x35mm, PART # 292842, I ASSY ENGINE, GAS "WAUKESHA" Number 4/ MODEL '16V275GL'. Washer, Tension M10, PART # 290041 ASSY ENGINE, GAS Number "WAUKESHA" MODEL '16V275GL'.

Page 1

# OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION B

(To be completed, filled in signed and stamped by the principal)

ANNEXURE 'A'

Material

OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE

Tender Enquiry No

PROC:FB/CB/P&P-4618/2020

**Due Date** 

**Evaluation Criteria** 

GROUP WISE

Grou <sub>]</sub>				
4	BELLOW, Turbine Inlet , PART # 296705A , I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	4 <	
5	HOUSING, Barring Device-Assembly, A296063A, IASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	1	
5	SHAFT, Barring Device , PART # 296007A , I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	1	
	GEAR, Pinion, PART # 295012, I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	1	
	BARRING DEVICE, Idler Gear–Assembly , PART # C296074,   ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	1	
	SPRING,RELIEF VALVE IP# 290939I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	1	
	GASKET, EXHAUST, OUTLET.   P# 296248   ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	<sub>60</sub> 2	
	GASKET, EXHAUST, 14 IN. 1P# 296416, 296416A LASSY ENGINE, GAS "WAUKESHA" MODEL 16V275GL'.	Number	, and 4	
2	SHAFT,B-FLY VALVE, IP# 296463E   ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	1	
3	GEAR, Idler, Barring Device, PART # 296074, I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	_ 1	
	HEAD CYLINDER ASSEMBLY, PART # AD287002A, I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	. 1	
5	WASHER,THRUST, PART # 296373, I ASSY ENGINE, GAS "WAUKESHA" MODEL '16V275GL'.	Number	4	
roup	o B			
5	SEAL, T/STAT.   P# 153610, IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	9	
,	ROD END., 312-24LH. IP# 208434G, IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2	
	THERMOSTAT 130 DF [P# 211498A, IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	.2	
	NBL BUSHING PISTON PIN.   P# 300108   ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'	Number	16	
)	BUSHING.CAM FOLLOWER IP#304032D IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.S	Number	32	
	NBL DAMPER, VIBRATION [P# 304889B,IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	1	
	BRG MAIN SET IP# G-918-336   ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2_	
	CAM BSHG SET, IP# G-927-59   ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	_1	
	SINGLE SLVE KIT IP# G932264   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	16"	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	KIT REPAIR W/P IP# G-960-300 HASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2 ·	mad kan mad long long long long long long long long
	KIT,OIL PUMP P48. IP# G980165   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2	Muhammad kanta Muhammad kanta Sr. Tech Officer (Elect) Sr. Tech Officer (Elect) Sr. Tech Officer (Elect) Sr. Tech Officer (Elect)
	GUIDE, INTAKE/EXHAUST, VALVE.  P# 300009   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	Page 2	OV

# OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION B

(To be completed, filled in, and stamped by the principal)

ANNEXURE 'A'

Material -

OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE

**Tender Enquiry No** 

PROC:FB/CB/P&P-4618/2020

**Due Date** 

**Evaluation Criteria** 

**GROUP WISE** 

Group :	B
---------	---

Group	В		
48	VALVE, NBL, 20 DEG POLISHED STEM IP# 300036K HASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'	Number	32
49	VALVE, NBL,COATED STEM. IP# 300036S, 300036MI IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	32
50	TURBO CHARGER IP# 305866, IIASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2
51	KIT, REPAIR IP# 305866SRK, 305866ASRK, HASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	, m <sup>2</sup>
52	TURBO CARTRIDGE, PART # 305866CHRA,   ASSY ENGINE, GAS   WAUKESHA" MODEL 'VGFP48GL'.	Number	2
53	INSERT, VALVE SEAT 20 DEG (INT. & EXH.)   P# 304010L,  ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'	Number	128
54	SLEEVE, CYLINDER.IP# 300030E, IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	8
55	FILTER HOUSING COVER ASM IP# C305262 IIASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	J
56	ELEMENT, FILTER IP#305351E   ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	16
57	GASKET, WATER GATE HOUSING. IP# 176774A, I IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	4
58	SEAL, FRONT CRANKSHAFT  P#304823B ,  ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	_2
59	ELEMENT, AIR FILTER.   P# 169180L,169180F,169180R   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	8
60	PLUG, SPARK 18MM X .81LG THD IP# 60999Y   ASSY ENGINE, GAS   "WAUKESHA" MODEL 'VGFP48GL'.	Number	64
61	COIL IGNITION SHIELDED IP# 69694D   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	-8
62	ELEMENT, PRE-CLEANER   P# 208349   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	16
63	SHAFT BUTTERFLY VALVE. IP# 305018F HASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	_ 2
64	CAP SCREW, SLOTTED HEAD, M5X100 mm PART # 292278   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	8
65	WASHER SHAKEPROOF, PART # 21627   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	_8
66	ROD END, 312–24 RH IP# 30843F, 208434F HASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2
67	THERMOSTAT 170.   P# 211887B ASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	7
68	VALVE,OVERHAUL GASKET KIT. IP# G979291/IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	
69	DIAPHRAGM, AIR GAS VALVE. IP# 499222   IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	2 A Washraful to
70	TACH/HRMETER, DIGITAL IP# 209377P~  IASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GĹ'.	Number	Muhammau (Elect (Elect OGDC)
71	SWITCH GAUGE, TEMP IP# 169741M IIASSY ENGINE, GAS "WAUKESHA" MODEL 'VGFP48GL'.	Number	Muhammad Ashrada  Nuhammad Ashrada  Nuhammad Ashrada  Nuhammad Ashrada  Nuhammad Ashrada  Nuhammad Ashrada  Page 3  Page 3
72	INTAKE ROCK ARM ASM  P# CA300065C   ASSY ENGINE, GAS	Number	Page 3

### OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT, ISLAMABAD FOREIGN SECTION B

(To be completed filled in and stamped by the principal

ANNEXURE 'A'

Material

**Evaluation Criteria** 

OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE

PROC:FB/CB/P&P-4618/2020

Tender Enquiry No

**Due Date** 

GROUP WISE

"WAUKESHA" MODEL 'VGFP48GL'.

Group B

"WAUKESHA" MODEL 'VGFP48GL'. ARM ASM, EXH. ROCKER. IP# CA300066CI IASSY ENGINE, GAS Number "WAUKESHA" MODEL 'VGFP48GL'. SEAL |P# 167840 ||ASSY ENGINE, GAS "WAUKESHA" MODEL Number 'VGFP48GL'. BUSHING, B.V SHAFT. IP# 168290A | IASSY ENGINE, GAS "WAUKESHA" Number MODEL 'VGFP48GL'. O-RING, 2.00X2.25X0.12 NITR |P# 118226B ||ASSY ENGINE, GAS Number

Note:

#### TENDER NO. PROC-FB/CB/P&P-4618/2020 FOR OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE FOR PIRKOH

#### **Technical Terms & Conditions:**

- 1. Parts must be in original OEM Packing.
- 2. Parts must be new & free from any defect.
- 3. If bidder found any ambiguity in part nos., it should be cleared prior to bid submission.
- 4. Parts must have standard OEM warranty/guarantee.
- 5. In case of equivalent items or superseded part number, 100 % replacement with same fits & tolerances is required. Bidder must provide the literature, relevant documents & documentary evidence that supplied item is exact replacement of part mentioned in SOR for equivalent items.

#### **Detail of Engines.**

GROUP- A (Sr. # 1 – 35 of SOR) Waukesha Gas Engine Model: 16V275GL, Sr. No 5283700700 & 5283700718 @1000 RPM

GROUP- B (Sr. # 36 – 76 of SOR) Waukesha Gas Engine Model: WAUKESHA GAS ENGINATORS

B, C (02 Nos.) Model # VGF- P48 GL, Serial Nos. # C 93907 / 2, 3

Make: Waukesha Engine Division, Dresser Industries, Wisconsin- USA

#### TENDER NO. PROC-FB/CB/P&P-4618/2020 FOR OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE FOR PIRKOH

- 1) PURSUANT TO TENDER CLAUSE # 2.2, 11.4, 13 & 35.3.2, A BID BOND AMOUNTING TO USD 2,300/- (FOR GROUP-A) AND BID BOND AMOUNTING TO USD 2,000/- (FOR GROUP-B) OR EQUIVALENT IN PAK RUPEES, MUST BE SUBMITTED WITH THE TECHNICAL BID AND IT MUST BE VALID FOR 150 DAYS FROM THE DATE OF OPENING OF THE BID.
- 2) EVALUATION CRITERIA: GROUP WISE ON CFR BY SEA BASIS. BIDDER MUST QUOTE BOTH GROUPS SEPERATELY
- 3) TERMS AND CONDITIONS: BIDDERS ARE ADVISED TO CAREFULLY READ ALL THE TERMS AND CONDITIONS OF THE TENDER DOCUMENT AVAILABLE AT OGDCL WEBSITE IN THE MASTER TENDER DOCUMENT.
- 4) ONLY GENIUNE PARTS ARE REQUIRED; MANUFACTURER OR SUPPLIER CAN PARTICIPATE IN THE BIDDING PROCESS BY PROVIDING VALID AUTHORITY LETTER AS PER PPRA RULE # 42(c) (i)
- 5) SHIPMENT FROM ACU MEMBER COUNTRIES: IN CASE OF SHIPMENT FROM ACU MEMBER COUNTRIES, THE LC BENEFICIARY SHOULD BE OF THAT PARTICULAR COUNTRY FROM WHERE THE CONSIGNMENT IS BEING SHIPPED.
- 6) SUMMARY REJECTION CRITERIA: THE SUMMARY REJECTION CRITERIA CLAUSE # 35 OF OGDCL MASTER SET OF TENDER DOCUMENT MAY ALSO BE EXAMINED CAREFULLY. ANY BID NOT MEETING THE CRITERIA SPELLED IN THE CLAUSE # 35 SHALL BE SUMMARILY REJECTED WITHOUT ANY RIGHT OF APPEAL.
- 7) DELIVERY PERIOD: THE LEAD TIME OF THE QUOTED PRODUCT SHOULD NOT BE MORE THAN 90-120 DAYS AFTER OPENING OF LETTER OF CREDIT (LC).
- 8) **PAYMENT TERMS**:

#### a) FOR TENDER VALUE LESS THAN OR EQUAL TO US\$ 200,000:

PAYMENT TO THE CONTRACTOR/ BIDDER IN FOREIGN CURRENCY SHALL BE MADE BY ESTABLISHING IN FAVOR OF THE CONTRACTOR AN IRREVOCABLE LETTER OF CREDIT (HEREINAFTER CALLED THE L/C). 70 % PAYMENT (S) UNDER THE L/C WILL BE MADE FOR THE FOB/ CFR / CPT (AS THE CASE MAY BE) PRICE OF MATERIAL OF EACH SHIPMENT UPON SUBMISSION OF THE SHIPPING DOCUMENTS. BALANCE 30% PAYMENT WILL BE RELEASED AFTER RECEIPT, INSPECTION AND ACCEPTANCE OF MATERIAL.

#### b) FOR TENDER VALUE MORE THAN US\$ 200,000:

PAYMENT TO THE CONTRACTOR/ BIDDER IN FOREIGN CURRENCY SHALL BE MADE BY ESTABLISHING IN FAVOR OF THE CONTRACTOR AN IRREVOCABLE LETTER OF CREDIT (HEREINAFTER CALLED THE L/C). 80 % PAYMENT (S) UNDER THE L/C WILL BE MADE FOR THE FOB/ CFR / CPT (AS THE CASE MAY BE) PRICE OF MATERIAL OF EACH SHIPMENT UPON SUBMISSION OF THE SHIPPING DOCUMENTS. BALANCE 20% PAYMENT WILL BE RELEASED AFTER RECEIPT, INSPECTION (IN ADDITION OF PRE-SHIPMENT INSPECTION) AND ACCEPTANCE OF MATERIAL.

#### 9) LIST OF BANKS FOR ISSUANCE OF BID BOND / PERFORMANCE BANK GUARANTEE:

Bid Bond and Performance Bank Guarantee issued by following banks are acceptable:-

Sr. No.		BANK NAME	
1	ALLIED BANK		
2	ASKARI BANK		
3	BANK AL HABIB		

All the Novo

#### TENDER NO. PROC-FB/CB/P&P-4618/2020 FOR OPERATIONAL SPARES FOR WAUKESHA GAS ENGINE FOR PIRKOH

4	BANK ALFALAH LTD
5	DUBAI ISLAMIC BANK
6	FAYSAL BANK
7	HABIB BANK LTD
8	HABIB METROPOLITAN BANK
9	MEEZAN BANK LIMITED'
10	MCB BANK
11	NATIONAL BANK OF PAKISTAN
12	STANDARD CHARTERED BANK
13	UNITED BANK LTD

Performance Bond / Bid Bond will not be acceptable with the banks whose market price per share is quoted below the par value at the Pakistan Stock Exchange.