

**OIL & GAS DEVELOPMENT COMPANY LIMITED**  
**PROCUREMENT DEPARTMENT, ISLAMABAD**  
**FOREIGN SECTION E**

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material ROSEMOUNT INSTRUMENT SPARES FOR UCH-II PLANT  
Tender Enquiry No PROC-FE/CB/P&P-4680/2020  
Due Date  
Evaluation Criteria FULL

**SCHEDULE OF REQUIREMENT**

Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any
1	AMS Trex Device Communicator, Model No.: TREX CHPKL9S1S OR EQUIVALENT	Number	1					
2	Electronic Card Assembly of Rosemount Radar Level Transmitter, Model: 5402AH2E54SPVCAM1C1Q4Q8, Serial #: 28594, Tag No. 300/310-LIT-019 OR EQUIVALENT	Number	2					
3	HART, LCD, ALUM COVER, UPGRADE KIT P/N: 03031-0020-3209 OR EQUIVALENT	Number	2					
4	KIT, O-RING, FLANGE, GLASS-FILLED PTFE P/N: 03031-0234-0001 (for both 2088 and 3051) Pack of 12 OR EQUIVALENT	Number	4					
5	KIT, PCB BBH (BARRIER BOARD HART) P/N: 05400-7005-0002 OR EQUIVALENT	Number	3					
6	KIT, PCB EB (EMC BOARD) P/N: 05400-7005-0001 OR EQUIVALENT	Number	3					
7	KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC STANDARD P/N: 02051-9005-0003 OR EQUIVALENT	Number	4					
8	KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC TRANSIENT P/N: 02051-9005-0004 OR EQUIVALENT	Number	2					
9	KIT, SPARES, SPAN/ZERO SCREW ASSY P/N: 03031-0293-0002 OR EQUIVALENT	Number	2					
10	KIT, TERMINAL BLOCK, HART STD P/N: 05400-7004-0001 OR EQUIVALENT	Number	2					
11	KIT, O-RING, ADAPTER, GLASS-FILLED PTFE P/N: 03031-0242-0001 (for both 2088 and 3051) Pack of 12 OR EQUIVALENT	Number	2					
12	KIT, SPARES, 2-LINE LCD DISPLAY W/ALUMINUM METER COVER, HART 7 P/N: 03031-0199-0011 OR EQUIVALENT	Number	2					
13	Rosemount 306 2-Valve Manifold Model: 0306RT22AA11SG P/N: -C30610-1125-0300 OR EQUIVALENT	Number	2					
14	Rosemount 644 Smart Temperature Transmitter Model: 644HAE5J5M5Q4 Calibration Range: 30-280FPT-100 3-Wire OR EQUIVALENT	Number	5					
15	Rosemount 8732 Transmitter Model: 8732EST2A2N0M4C1D1D1TYI, Serial No. 0374912 with Rosemount 8705 Magnetic Flowmeter Sensor Model: 8705TSA100S1W0N0B3D1Q4Q8DT, Cal # 1013105409886005, Serial No. 0244526, Tag: 300/310-FIT-005 OR EQUIVALENT	Number	1					
16	Rosemount Annubar Flowmeter Model: 3051SFADG140ZSHLS2R600052AA1B2Q8J5Q4E5M5, Cal Range: 0-47.042 in H2O, Housing Model: 300S1BAE5M5, Tag: 300/310-FIT-003, Serial No. 9397135 OR EQUIVALENT	Number	1					
17	Rosemount Radar Level Transmitter, Model: 5402AH2E54SPVCAM1C1Q4Q8, Serial #: 28594, Tag No. 300/310-LIT-019 OR EQUIVALENT	Number	1					
18	Rosemount Series 185 Thermocouple Model: 0185N303K1J0080N0680E5R Range: 0-1800F Same Model 214C has been quoted for RTDs as well. Please Clarify 214C is RTD or Thermocouples Please Quote complete String of Model Rather only Quoting 214C	Number	2					
19	Rosemount Series 185 Thermocouple Model: 0185N303K1J0080N1170E5R Range: 0-1000F Same Model 214C has been quoted for RTDs as well. Please Clarify 214C is RTD or Thermocouples Please Quote complete String of Model only Quoting 214C OR EQUIVALENT	Number	3					

**OIL & GAS DEVELOPMENT COMPANY LIMITED**  
**PROCUREMENT DEPARTMENT, ISLAMABAD**  
**FOREIGN SECTION E**

(To be completed, filled in, signed and stamped by the principal)

**ANNEXURE 'A'**

**Material** ROSEMOUNT INSTRUMENT SPARES FOR UCH-II PLANT  
**Tender Enquiry No** PROC-FE/CB/P&P-4680/2020  
**Due Date**  
**Evaluation Criteria** FULL

20	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0390A1E5 without thermowellRange: 30-380F OR EQUIVALENT	Number	5
21	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110D0420A1E5 without thermowellRange: 30-380F OR EQUIVALENT	Number	3
22	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0315A1E5 without thermowellRange: 30-370F OR EQUIVALENT	Number	1
23	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0440A1E5 without thermowellRange: -50C to 450C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	2
24	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0450A1E5 without thermowellRange: -50C to 450C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	2
25	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0565A1E5 without thermowellRange: -50C to 450C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	2
26	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N2175A1E5 without thermowellCalibration Range: 30-280F OR EQUIVALENT	Number	1
27	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0330 without thermowellRange: -321F to 1112F While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	3
28	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0380 without thermowellRange: -321F to 1112F While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	1
29	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0430 without thermowellRange: -321F to 1112F While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	3
30	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0530 without thermowellRange: -50C to 800C While Quoted Model 214C has Range of -196 to 300CPlease Quote complete String of Model Rather only Quoting 214C OR EQUIVALENT	Number	3
31	Rosemount Series 65 Platinum RTD Model: 0065N35J0080N0290A1E1 without thermowellRange: -50C to 450C OR EQUIVALENT	Number	1
32	Rosemount Smart DP Transmitter Model: 2051CD2A02A1BS5E5M5D4 with Integral Manifold Model: 0305RC52B11B4L4SG, 004/007/009/016/018/019/020/021/026.036A/B, 350-FT-001Calibration Range: 0-100 Inches H2O OR EQUIVALENT	Number	2
33	Rosemount Smart DP Transmitter Model: 2051CD3A02A1BS5E5M5D4 with Integral Manifold Model: 0305RC52B11B4L4SG ,Calibration Range: 0-15PSI OR EQUIVALENT	Number	2
34	Rosemount Smart Gauge Pressure Transmitter Model: 2088G4S22.A2M7D4B4E5Q4Q8S5Q15, Tag No. 300/310-PIT-004/030/033/053/073Calibration Range: 0-1500PSI OR EQUIVALENT	Number	1
35	Rosemount Smart Level Transmitter Model: 2051L2AG0XG11ABE1M5D4T1F8, Calibration Range: -0.6bar to 0.6Bar OR	Number	1

**OIL & GAS DEVELOPMENT COMPANY LIMITED**  
**PROCUREMENT DEPARTMENT, ISLAMABAD**  
**FOREIGN SECTION E**

(To be completed, filled in, signed and stamped by the principal)

**ANNEXURE 'A'**

**Material** ROSEMOUNT INSTRUMENT SPARES FOR UCH-II PLANT  
**Tender Enquiry No** PROC-FE/CB/P&P-4680/2020  
**Due Date**  
**Evaluation Criteria** FULL

EQUIVALENT			
36	Rosemount Smart Level Transmitter Model: 2051L2AG0XG11ABE1M5D4T1F8, Calibration Range: 0-2000 mm H2O OR EQUIVALENT	Number	1
37	SPARES KIT, 4-20mA, UBD #6, 3051, HART, NO SWITCHES P/N: 03031-0020-3100 OR EQUIVALENT	Number	2
38	SPARES KIT, 4-20mA, UBD #6, CONV TIER, LOI WITH DISPLAY P/N: 02021-0020-2139 OR EQUIVALENT	Number	3
39	STANDARD 4-20mA TERM BLOCK, SMT DESIGN P/N: 03031-0332-0015 OR EQUIVALENT	Number	4
40	STANDARD 4-20mA TERM BLOCK, SMT DESIGN P/N: 03031-0332-0015 OR EQUIVALENT	Number	3
41	KIT SAPRES 2-LINE , LCD METER HARDWARE IP# 03031-0193-0103 IASV OR EQUIVALENT	Number	2
42	LCD METER HARDWARE IP# 03031-0193-0103 OR EQUIVALENT	Number	2
43	DIFFERENTIAL SENSOR MODULE, ISOLATING DIAPHRAGM MATERIAL: 316L SST, FILL FLUID: SILICONE FILLED, RANGE: -250 TO +250/2.5 INCHES OF H2O/0.1 INCHES OF H2O FOR ROSEMOUNT 3051C TRANSMITTER, IP# 03031-1045-0022 , OR EQUIVALENT	Number	2
44	Rosemount Gauge Pressure Transmitter Model: 3051CG1A22A1BB4E5M5V5DF, Tag#: -900-PT-002/004/52.01A/B/C/D Calibration Range: -0.1 to 0.5PSI OR EQUIVALENT	Number	1


**Note:**

1. **Bid bond:** - US\$ 3,400/- (USD Three Thousand and Four Hundred only) or equivalent in Pak Rupees should be submitted with the technical bid.
2. **Evaluation Criteria:** FULL CONSIGNMENT WISE ON CFR BASIS KARACHI under Single Stage –Two Envelope Bidding Procedure
3. **Terms and conditions:**-Bidders are advised to carefully read all the terms and conditions of the Tender Document available at OGDCL website in the Master Set of Foreign Tender Document (Press-Single Stage Two Envelope)- Updated
4. **Delivery Period:** 22 Weeks

ATTAHMENT FOR INDNET NO. UCH-4640

FOR ALL THE ITEMS ( 1-44 No's)

1. BIDDER/OEM TO CONFIRM THAT ALL ITEMS ARE BRAND NEW WITH STANDARD WARRANTY/GUARANTEE.
2. BIDDER/OEM TO SUPPLY THE ITEMS IN STANDARD PACKING.

  
18/3/2020