REFERENCE DRAWING	
	DRAWING NO.



SECTION A-A



TYPICAL SECTION OF PLINTH PROTECTION

FINISHING SCHEDULE

FLOORING			FLOOR TILE FINISH FLOORING IN ALL ROOMS, VERANDAH, STEPS & RISERS OVER 50 Thk. PCC CONCRETE BED. PROVIDE 100 HIGH SKIRTING IN ROOMS, SKIRTING SHALL MATCH FLOOR FINISH.
PAINTING	INTERNAL	WALLS	MATT ENAMEL PAINT ON ALL INTERNAL WALLS (PRIMER + 3 COATS).
		CEILING	VINYL EMULSION ON CEILINGS (PRIMER + 3 COATS).
	EXTERNAL		PROVIDE WEATHER SHIED ON ALL OUTSIDE SURFACES.
	DOORS & GRILLS		ALL DOORS & GRILLS TO BE PAINTED WITH 1 COAT OF PRIMER AND 3 COATS OF SYNTHETIC ENAMEL PAINT OF APPROVED SHADE
PLASTERS	INTERNAL		PROVIDE 13mm THICK 1:4 CEMENT SAND PLASTER.
	EXTERNAL		PROVIDE 20mm THICK 1:4 CEMENT SAND PLASTER ON ALL SURFACES
TOILET	WALL		1800 HIGH GLAZED CERAMIC TILES ON WALLS OF ALL TOILETS.
	FLOORING		NON-SKID GLAZED CERAMIC TILES FLOORING IN TOILETS



GROUND FLOOR PLAN

SCHEDULE OF DOOR & WINDOW

TYPE	SIZE	DESCRIPTION
WD-1	1050 X 2100	SINGLE LEAF WOODEN FLUSH DOOR WITH STEEL DOOR FRAME & BEDDING
WD-2	900 X 2100	SINGLE LEAF WOODEN FLUSH DOOR WITH STEEL DOOR FRAME & BEDDING
WD-3	750 X 2100	SINGLE LEAF WOODEN FLUSH DOOR WITH STEEL DOOR FRAME & BEDDING
WD-4	670 X 2100	SINGLE LEAF WOODEN FLUSH DOOR WITH STEEL DOOR FRAME & BEDDING
AW-1	1200X1200	FULL GLAZED ALUMINIUM SLIDING WINDOW WITH FLY PROOF SHUTTER
AV-1	450X450	FULL GLAZED ALUMINIUM VENTILATOR

NOTES:-

1. ALL DIMENSIONS ARE IN mm UNLESS OTHERWISE STATED.
2. FIBER GLASS OVER HEAD TANK OF 500 GALLONS CAPACITY SHALL BE SUPPLIED & INSTALLED BY THE CONTRACTOR.
3. TERMITE PROOFING SHALL BE CARRIED OUT IN ACCORDANCE WITH SPECIFICATION FOR TERMITE CONTROL.
4. ALL TOILET DOOR SHOULD BE PROVIDED WITH ALUMINUM SHEET 1000mm HIGH.

RE-ISSUED FOR TENDER

REV.	DATE	DESCRIPTION OF REVISION	DRAWN	DESIGN	CHKD.	QC	APPR.
B	24-02-2022	RE-ISSUED FOR TENDER	MD	KM	KM	PM	SFA
A	07-01-2022	ISSUED FOR TENDER	MD	KM	KM	PM	SFA

ENAR PETROTECH SERVICES (PRIVATE) LIMITED
7-B, Sector 7-A Korangi Industrial Area, Karachi Pakistan
TEL: (9221) 5082791 E-mail: info@enar.com.pk
URL: www.enar.com.pk

Job No. 14-0258

OIL & GAS DEVELOPMENT COMPANY LTD.
OGDCL HOUSE TOWER-B, FIRST FLOOR PEER SOHAIL AREA, JINNAH AVENUE ISLAMABAD PAKISTAN
FAX : +92 51 2600000, PHONE: +92-51-2600000

Dwg. No. 0258-CD-7308

KPD-TAY COMPRESSION PROJECT
TAY- 09 GCS
GENERAL ARRANGEMENT
FC. LIVING FACILITY

COMPUTER CODE	0258-CD-7308
SHEET SIZE	A1
SCALE	1:40
REPLACES DWG. NO.	

THIS DOCUMENT IS THE PROPERTY OF ENAR & THE CONTENTS MUST BE TREATED AS CONFIDENTIAL