




REFERENCE DRAWING		DRAWING NO.
DESCRIPTION		



- 2 COAT OF HOT BITUMEN 10/20 @ 2.5kg./M<sup>2</sup>
- 2" THICK CLAY MIXED WITH RICE HUSK
- 2" THICK CLAY TILES SET IN CEMENT MORTAR 1:4
- 2 COAT OF HOT BITUMEN @ 2.5kg./M<sup>2</sup>
- COARSE SAND OVER BITUMEN COAT
- SCREEDING 50 THK. PCC CLASS-C (AVERAGE)
- TROVAL FINISH



SECTION A-A



TYPICAL SECTION OF  
PLINTH PROTECTION

FINISHING SCHEDULE

FLOORING	FLOOR TILE FINISH FLOORING IN ALL ROOMS, VERANDAH, STEPS & RISERS OVER 50mm THK. PCC CLASS-C CONCRETE BED. PROVIDE 100 mm. HIGH SKIRTING IN ROOMS, SKIRTING SHALL MATCH FLOOR FINISH.	
	INTERNAL	WALLS
PAINTING	CEILING	MATT ENAMEL PAINT ON ALL INTERNAL WALLS ( PRIMER + 3 COATS ).
	EXTERNAL	VINYL EMULSION ON CEILINGS ( PRIMER + 3 COATS ).
DOORS	EXTERNAL	PROVIDE WEATHER SHED ON ALL OUTSIDE SURFACES.
	DOORS	ALL DOORS & GRILLS TO BE PAINTED WITH 1 COAT OF PRIMER AND 3 COATS OF SYNTHETIC ENAMEL PAINT OF APPROVED SHADE
PLASTER	INTERNAL	PROVIDE 13mm THICK 1:4 CEMENT SAND PLASTER.
	EXTERNAL	PROVIDE 20mm THICK 1:4 CEMENT SAND PLASTER ON ALL SURFACES
ABUTMENT & TOILETS	WALLS	1800 HIGH GLAZED CERAMIC TILES ON WALLS OF BATH TOILET.
	FLOORING	NONSKID GLAZED CERAMIC TILES FLOORING IN ALL FLOOR OF TOILET.

SCHEDULE OF DOOR & WINDOW

TYPE	SIZE	DESCRIPTION
ADD-1	1200 X 2100	DOUBLE LEAF ALUMINIUM DOOR.
WD-1	900 X 2100	SINGLE LEAF WOODEN FLUSH DOOR WITH STEEL DOOR FRAME & BEDDING
WD-2	750 X 2100	SINGLE LEAF WOODEN FLUSH DOOR WITH STEEL DOOR FRAME & BEDDING
AW-1	1200X1200	FULL GLAZED ALUMINIUM SLIDING WINDOW WITH FLY PROOF SHUTTER
AV-1	450X450	FULL GLAZED ALUMINIUM VENTILATOR

NOTES:-

1. ALL DIMENSIONS ARE IN mm UNLESS OTHERWISE STATED.
2. FIBER GLASS OVER HEAD TANK OF 500 GALLONS CAPACITY SHALL BE SUPPLIED & INSTALLED BY THE CONTRACTOR.
3. TERMITE PROOFING SHALL BE CARRIED OUT IN ACCORDANCE WITH SPECIFICATION FOR TERMITE CONTROL.
4. ALL TOILET DOOR SHOULD BE PROVIDED WITH ALUMINIUM SHEET 1000mm HIGH.

RE-ISSUED FOR TENDER

C	14-05-2022	RE-ISSUED FOR TENDER	MD	NM	NM	NM	SFA
B	08-07-2022	RE-ISSUED FOR TENDER	MD	NM	NM	NM	SFA
A	07-01-2022	ISSUED FOR TENDER	MD	NM	NM	NM	SFA
REV	DATE	DESCRIPTION OF REVISION	MD	NM	NM	NM	SFA
ENAR PETROTECH SERVICES (PRIVATE) LIMITED			MD	NM	NM	NM	SFA
Job No. 14-0258			MD	NM	NM	NM	SFA
OIL & GAS DEVELOPMENT COMPANY LTD.			MD	NM	NM	NM	SFA
Dwg. No. 0258-CD-7202			MD	NM	NM	NM	SFA
KPD-TAY COMPRESSION PROJECT			MD	NM	NM	NM	SFA
THORA DEEP-3 GCS			MD	NM	NM	NM	SFA
GENERAL ARRANGEMENT			MD	NM	NM	NM	SFA
PRAYER HALL & ABLUTION			MD	NM	NM	NM	SFA
THIS DOCUMENT IS THE PROPERTY OF ENAR & THE CONTENTS MUST BE KEPT TREATED AS CONFIDENTIAL.			MD	NM	NM	NM	SFA