REFERENCE DRAWING	
DESCRIPTION	DRAWING NO.



DETAIL-X



SECTION 1-1



PLAN GULLY TRAP



SECTION 4-4



RCC TOP SLAB OF SEPTIC TANK



SECTION 3-3



SECTION 2-2

NOTE.:-

1. ALL DIMENSION ARE IN mm UNLESS OTHERWISE STATED
2. PROVIDE 20mm THK. WATER PROOF CEMENT PLASTER IN ALL INTERNAL SURFACES OF SEPTIC TANK, MANHOLES & GULLY TRAP.
3. DIMENSION MARKED ARE MINIMUM REQUIREMENT. ACTUAL SIZE SHALL BE DETERMINED BY THE CONTRACTOR AT THE TIME OF DETAIL ENGINEERING..
4. BRICK MASONRY SHALL BE SET IN 1:4 CEMENT SAND MORTAR



RCC BOTTOM SLAB OF SEPTIC TANK



PLAN

BRICK MASONRY MANHOLE



PLAN OF SOAK PIT

ISSUED FOR TENDER

REV.	DATE	DESCRIPTION OF REVISION	DRAWN	DESIGN	CHKD.	QC	APPR.
A	07-01-2022	ISSUED FOR TENDER	MD	KM	KM	PM	SFA

ENAR PETROTECH SERVICES (PRIVATE) LIMITED
7-B, Sector 7-A Korangi Industrial Area, Karachi Pakistan
TEL: (9221) 5062791 E-mail: info@enar.com.pk
URL:www.enar.com.pk

Job No. 14-0258

OIL & GAS DEVELOPMENT COMPANY LTD.
OGDCL HOUSE TOWER-B, FIRST FLOOR PAGHI, BLUE AREA, JINNAH AVENUE ISLAMABAD PAKISTAN
FAX : +92 51 2823033, PHONE: +92-51-2823035

Dwg. No. 0258-CD-7314

KPD-TAY COMPRESSION PROJECT
TAY- 03 GGS

STANDARD DRAWING
SANITARY DRAINAGE

COMPUTER CODE	0258-CD-7314
SHEET SIZE	A2
SCALE	1:20
REPLACES DWG. NO.	

THIS DOCUMENT IS THE PROPERTY OF ENAR & THE CONTENTS MUST BE TREATED AS CONFIDENTIAL