





REFERENCE DRAWING		DRAWING NO.
DESCRIPTION		




PLAN GULLY TRAP

SECTION 4-4


SECTION 1-1




RCC TOP SLAB OF SEPTIC TANK




SECTION 3-3




SECTION 2-2



RCC BOTTOM SLAB OF SEPTIC TANK



PLAN
BRICK MASONRY MANHOLE






PLAN OF SOAK PIT

NOTE:-

1. ALL DIMENSION ARE IN mm UNLESS OTHERWISE STATED
2. PROVIDE 20mm THK. WATER PROOF CEMENT PLASTER IN ALL INTERNAL SURFACES OF SEPTIC TANK, MANHOLES & GULLY TRAP.
3. DIMENSION MARKED ARE MINIMUM REQUIREMENT. ACTUAL SIZE SHALL BE DETERMINED BY THE CONTRACTOR AT THE TIME OF DETAIL ENGINEERING..
4. BRICK MASONRY SHALL BE SET IN 1:4 CEMENT SAND MORTAR

ISSUED FOR TENDER

A	07-01-2022	ISSUED FOR TENDER	MD	KM	PM	SFA
REV.	DATE	DESCRIPTION OF REVISION	DR	EN	CH	DC
<div><div>ENAR PETROTECH SERVICES (PRIVATE) LIMITED 7-B, Sector 7-A, Korangi Industrial Area, Karachi, Pakistan TEL: (9221) 5062791 E-mail: info@enar.com.pk URL: www.enar.com.pk</div></div>			Job No.			14-0258
<div><div>OIL & GAS DEVELOPMENT COMPANY LTD. CHAKRA 10, KARACHI TOWNSHIP, PHASE 1, KARACHI, PAKISTAN JAMUNA AVENUE, B-1/MAJID PAKISTAN P.O. : BOX 11, SEWEEAN, PUNJAB - 160-01 - SEWEEAN</div></div>			Dwg. No.			
<div><div>KPD-TAY COMPRESSION PROJECT THORA DEEP-3 CGS STANDARD DRAWING SANITARY DRAINAGE</div></div>			COMPUTER CODE	0258-CD-7209	A2	
			SHEET SIZE		1:20	
			REVISIONS			
THIS DOCUMENT IS THE PROPERTY OF ENAR & THE CONTENTS MUST BE TREATED AS CONFIDENTIAL						