

**CLARIFICATION NO. 1**

**CLARIFICATION NO.1 AGAINST TENDER ENQUIRY NO. PROC-SERVICES/CB/PROD-2094/2017 FOR  
HIRING OF 10K DST SERVICES (10K SURFACE AND 10K DOWNHOLE) WITH FLEX TEST**

The following clarifications/amendments to the TOR have been made and the same are given below for information of all prospective bidders:

<b>S.No</b>	<b>Tender/TOR Text</b>	<b>Zone</b>	<b>To be read as following instead of existing</b>
1	Page No. 15/42, TOR Clause 1.3, “ <b>04 sets (08 strings)</b> ”  Page No. 15/42, TOR Clause 1.3, “(02 sets of flex test equipment)”	Zone -1(KPK and Punjab)	04 DST Strings  02Nos. of flex test equipment
2	Page No. 15/42, TOR Clause 1.3, “ <b>04 sets (08 strings)</b> ”  Page No. 15/42, TOR Clause 1.3, “(02 sets of flex test equipment)”	Zone -2(Sindh and Baluchistan)	04 DST Strings  02Nos. of flex test equipment
3	Page No. 15/42, TOR Clause 1.3, “ <b>08 sets (16 strings)</b> ”  Page No. 15/42, TOR Clause 1.3, “(02 sets of flex test equipment)”	Both Zones	08 DST Strings  04Nos. of flex test equipment
4	<b>Page No. 15/42, TOR Clause 1.3</b> Bidders having less than “ <b>08 DST sets and 04 sets of Flex Test equipment with them</b> ”	08 DST strings and 04 nos. of Flex Test	
5	<b>Page No. 20/42, Evaluation Criteria Clause 4</b> 04 sets (08 strings) for 10K DST (One set each for 9-5/8”, 5” and Two sets for 7” casing sizes) with 02 sets of flex test equipment.	04DST strings for 10K surface and down hole conditions (One DST string each for 9-5/8”, 5” and Two DST strings for 7” casing sizes) with 02Nos. of flex test equipment.	
6	<b>Page No. 21/42, Evaluation Criteria Clause 4</b> 04 sets (08 strings) for 10K DST (One set each for 9-5/8”, 5” and Two sets for 7” casing sizes) with 02 sets of flex test equipment.	04DST strings for 10K surface and down hole conditions (One DST string each for 9-5/8”, 5” and Two DST strings for 7” casing sizes) with 02Nos. of flex test equipment.	
7	<b>Page No. 23/42, Financial Bid Format Clause X</b> 01 to 07 days are required to be quoted as <b>minimum</b> mobilization period notice	01 to 07 days are required to be quoted as <b>maximum</b> mobilization period/notice	
8	<b>Page No. 23/42, Financial Bid Clause Xiii</b> 08 sets (16 strings) of DST and 04 sets for Flex test and crew in Pakistan.	08 strings of DST and 04 nos. Flex test equipment and crew in Pakistan.	