

CLARIFICATION NO.1

TENDER ENQUIRY NO.PROC-SERVICES/CB/DO-3095-A/2018
HIRING OF CASING RUNNING SERVICES

Following revised rate format may be considered against the subject Tender Inquiry instead of the existing for submission of bid proposal.

RATE FORMAT (REVISED)

Sr. No.	Description	Equipment & Crew member list for each hole size	Day Rate For Each Tool (US\$)		Day Rate On Package Basis (US\$)	
			Operating	Standby	Operating	Standby
1.	Daily operating & standby rates for equipment i) 24-1/2" casing ii) 20" casing iii) 18-5/8" casing iv) 14"/13-3/8" casing v) 9-5/8"/9-7/8" casing vi) 7" casing/Liner vii) 5" casing/Liner viii) Rates of JAM System for premium thread connection for ix) 9-5/8", 7" and 5" casing	The rates of following standard tools shall be quoted only for each whole sizes: i. Power unit ii. Power tong with torque gauge as per OGDCL Casing torque requirement iii. Spider slip / Spider elevator as per requirement iv. Side door elevator as per requirement v. Single joint elevator as per requirement vi. Hand slip vii. Thread protectors viii. Stabbing guide ix. Fill up circulating tool for casings in North, south and center region with respect to available casing thread connections. x. Bucking frame				

2.	i. Daily operating & standby rates for Crew consisting 03 members. ii. Daily operating & standby rates for Crew consisting 04 members. iii. Daily operating & standby Rate of JAM Technician					
3.	Mobilization / de-mobilization charges on the basis of distance per KM. (Equipment & Personnel)					
4	API Modified casing dope rate/pail (25 Pound) (US\$)					
5	API Modified thread locking compound rate/pail (08 ounce) (US\$)					
6.	Other rates for additional items.					

Note

1. Operating rate of equipment will be applicable during casing running job only & standby rate will apply during waiting on at well site. The day rate will cease after release of equipment & personnel from the well site.
2. Back up of all tools including Hydraulic power tong with complete power unit and Spider slip of respective casing size for casing running in will be made available on rig site during job however there will be no rental applicable for all back up tools in operating and stand by conditions.
3. In case OGDCL provides transport, Mob/demob of equipment will be zero.
4. The day rate will be applicable after arrival of equipment & crew members at OGDCL well site.
5. Maximum 03 Crew members consisting one supervisor and two operators for 24-1/2",20",18-5/8",casing and 04 crew members consisting one supervisor and three operators for 14"/13-3/8",9-7/8"/9-5/8",7" and 5" casing are allowed at well site for each size casing job.

6. API modified casing dope and Thread locking compound will be provided by bidder on as and when required basis. The casing dope and thread locking rate will be quoted in the bid separately.
7. Package (day rate) and each tool rates to be provided separately. In package offer all tools/items with back up tools will be included for each casing size. During evaluation preference will given to day rate offer on package basis. No additional cost/rate will be payable to contractor after acceptance of day rate package.
8. Evaluation for North, South and Centre Zone will be made separately. The bidder offering services for North zone should have base in Islamabad and the bidder offering services for south zone should have base in Karachi. Distance from each zone to respective base will be 300KM.If bidder offering services in both zone should have bases in Islamabad and Karachi. If the bidder offering services for center region, then bidder can provide services from any one base and 700Km distance will be considered for mob/de-mob charges from both Islamabad and Karachi bases.
9. In case the service provider for one zone is not able to supply the services, the second zone service provider will be asked to take the job and the cost difference will be recovered from the first service company contracted for that zone.
10. The bidder will provide JAM (Joint analyzer Make up) system for premium thread connection for 9-5/8", 7" and 5" casing.
11. Equipment should capable to torque up premium thread i.e JFE BEAR, JFE FOX, VAM TOP etc
12. Filling of rates in this format is mandatory requirement.

All the remaining terms and conditions of TOR are same.