

KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-1

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.680 1.770 1.980	12.0	5.00 6.00 12.00	0.47



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-2

DEPTH (m) 0.1 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.820 1.990	12.0	5.00 6.00 13.00	0.59



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-3

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.730 1.840 1.990	12.0	5.00 8.00 12.00	0.72



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-4

DEPTH (m) 0.06 - 0.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.720	12.0	5.00	0.69
1.860		9.00	
1.980		13.00	



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-5

DEPTH (m) 0.06 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.720	12.0	5.00	0.69
1.860		9.00	
1.980		13.00	



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-6

DEPTH (m) 0.25 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.850 1.990	12.0	6.00 9.00 12.00	0.49



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-7

DEPTH (m) 0.0 - 0.8

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.720 1.840 1.970	12.0	6.00 7.00 12.00	0.58



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-8

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.680 1.770 1.980	12.0	6.00 9.00 12.00	0.47



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-9

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.730 1.840 1.990	12.0	5.00 8.00 12.00	0.7



KGI-2007-495

May, 2007


PROJECT: QADIRPUR GAS COMPRESSION PROJECT

TEST PIT NO. TP-10

DEPTH (m) 0.0- 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.820 1.990	12.0	6.00 7.00 13.00	0.57



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-11

DEPTH (m) 0.0- 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.750 1.860 2.010	12.0	8.00 12.00 19.00	0.32



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-12

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.720 1.850 2.000	12.0	5.00 8.00 12.00	0.71



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-13

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.830 1.970	12.0	5.00 8.00 13.00	0.65



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-14

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.820 1.990	12.0	6.00 9.00 13.00	0.59



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-15

DEPTH (m) 0.0 - 0.9

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.760 1.870 2.080	10.0	8.00 13.00 19.00	0.38



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT

May, 2007


TEST PIT NO. TP-16

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.720 1.850 1.990	12.0	5.00 7.00 12.00	0.5

CBR - DENSITY CURVE
(ASTM D 1883)



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-17

DEPTH (m) 0.2 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.830 1.970	12.0	5.00 8.00 13.00	0.65



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-18

DEPTH (m) 0.0- 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.750 1.860 2.040	10.0	8.00 13.00 19.00	0.29



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-19

DEPTH (m) 0.0- 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.760 1.870 2.080	10.0	5.00 8.00 14.00	0.31



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-20

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.850 1.985	12.0	4.00 9.00 12.00	0.71



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-21

DEPTH (m) 0.0- 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.750 1.860 2.040	10.0	8.00 14.00 22.00	0



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-22

DEPTH (m) 0.0- 1.0

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.740	10.0	8.00	0
1.840		13.00	
2.010		21.00	



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-23

DEPTH (m) 0.0- 1.0

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.750 1.860 2.040	10.0	8.00 11.00 17.00	0



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-24

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.830 2.010	12.0	5.00 8.00 13.00	0.62



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-25

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.830 1.970	12.0	5.00 8.00 13.00	0.65



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-26

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.720 1.830 1.980	12.0	5.00 9.00 14.00	0.64



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-27

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.840 1.980	12.0	5.00 9.00 13.00	0.72



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-28

DEPTH (m) 0.3 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.705	12.0	6.00	0.72
1.845		10.00	
1.975		14.00	



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT


May, 2007

TEST PIT NO. TP-29

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.710 1.840 1.980	12.0	5.00 9.00 13.00	0.59



KGI-2007-495

PROJECT: QADIRPUR GAS COMPRESSION PROJECT

May, 2007

TEST PIT NO. TP-30

DEPTH (m) 0.0 - 1.5

CALIFORNIA BEARING RATIO TEST

DRY DENSITY (gm/cc)	OPTIMUM MOISTURE CONTENT (%)	SOAKED CBR	SWELL (%)
1.725	12.0	6.00	0.55
1.835		9.00	
1.975		14.00	

