



OIL & GAS DEVELOPMENT COMPANY LIMITED

Request for Quotation (Imports)

ANNEXURE 'A':

OGDCL House, Jinnah Avenue, Islamabad, Pakistan

Description: 2-7/8", 6.4 PPF, L-80, 3% CHROME SEAMLESS PRODUCTION TUBING ALONGWITH PUP JOINTS & X-OVERS
Tender Enquiry No: OGDCL-SCM-FB-CB-PROD-6200000029-2022
Delivery Period: 05-06 MONTHS CFR BY SEA BASIS
Mode of Shipment: CFR BY SEA
Mode of Procurement: COMPETITIVE BIDDING (PRESS TENDER)
Evaluation Criteria: FULL CONSIGNMENT WISE
Bid Bond Value: NIL
Bid Validity: 180 DAYS FROM TENDER OPENING DATE
Bidding Procedure: PRE-QUALIFICATION
Purchase Req: 20000088
Attachments: COMPLETE DESCRIPTION / DETAIL TORs ARE ATTACHED
Other Terms & Conditions: BIDDER TO SUBMIT ALL ANNEXURES OF TENDER DOCUMENTS UN-PRICED WITH THE BID. NO FINANCIAL BID REQUIRED.
FOR SUPPLY OF MATERIAL TENDER DOCUMENTS UPLOADED ON OGDCL'S WEBSITE UNDER TAB "SINGLE STAGE-ONE ENVELOPE"
BIDDING PROCEDURE) WILL BE APPLICABLE. TENDER ENQUIRIES WILL BE ISSUED TO PRE-QUALIFIED BIDDERS ONLY.

SR NO	Material No	Material Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price (CFR)	Total Price (CFR)	Deviation From Tender Spec. If Any
1.	30-01023	Seamless Production Tubing 2-7/8", 6.4 lbs/ft, GR L-80 3% chrome material (80,000 psi min yield Strength) with CAL-IV tested premium thread connections, threaded and coupled (Box) x (Pin).	M	30,000					
2.	30-00796	Pup Joint, 2 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	NO	20					
3.	30-00797	Pup Joint, 3 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material, with quoted tubing thread Connections (Box) x (Pin)	NO	20					
4.	30-00798	Pup Joint, 5 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	NO	20					

Tender Enquiry No: OGDCL-SCM-FB-CB-PROD-620000029-2022									
SR NO	Material No	Material Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price (CFR)	Total Price (CFR)	Deviation From Tender Spec. If Any
5.	30-00799	Pup Joint, 7 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	NO	20					
6.	30-00973	Pup Joint, 10 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	NO	25					
7.	30-00174	X-Over, (Box) 3-1/2" , 13.3 lbs/ft, IF threads x (Pin) , 2-7/8", 6.4 lbs/ft, quoted tubing threads GR L-80 material. Min Length : 2 feet	NO	8					
8.	30-00453	X-Over, (Box), 2-7/8", 6.5 lbs/ft, EUE Threads x (Pin) 3-1/2" 10.3 lbs/ft Hydril "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	NO	12					
9.	30-00341	X-Over, (Box), 2-7/8", 6.5 lbs/ft, Hydril "CS" or equivalent Thread (100% Interchangeable without the use of any X-Over) x (Pin) 3-1/2" 10.3 lbs/ft Hydril "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	NO	12					
10.	30-00130	X-Over, (Box), 2-7/8", 6.5 lbs/ft, EUE Threads x (Pin) 2-7/8" 6.5 lbs/ft Hydril "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	NO	12					
11.	30-00452	X-Over, (Box), 2-7/8", 6.4 lbs/ft, quoted tubing Threads x (Pin) 2-7/8" 6.5 lbs/ft EUE Threads. GR L-80 3% chrome material Min Length: 2 feet	NO	12					
12.	30-00392	X-Over, (Box), 2-7/8" 6.5 lbs/ft EUE threads x (Pin) 2-7/8", 6.4 lbs/ft, quoted tubing threads. GR L-80 3% chrome material Min Length: 2 feet	NO	12					

Tender Enquiry No: OGDCL-SCM-FB-CB-PROD-620000029-2022

SR NO	Material No	Material Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price (CFR)	Total Price (CFR)	Deviation From Tender Spec. If Any
13.	30-00127	X-Over, (Box) 2-7/8", 6.4 lbs/ft quoted tubing Threads x (Pin) 2-7/8", 6.5 lbs/ft, Hydril's "CS" or equivalent Threads (100% Interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	NO	12					
14.	30-00124	X-Over, (Pin) 2-7/8", 6.4 lbs/ft tubing quoted Threads x (Pin) 2-7/8", 6.5 lbs/ft, EUE Threads GR L-80 3% chrome material. Min Length: 2 feet	NO	10					
15.	30-00123	X-Over, (Pin) 2-7/8", 6.4 lbs/ft quoted tubing Threads x (Pin) 2-7/8", 6.5 lbs/ft, Hydril's "CS" or equivalent Thread (100% Interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	NO	12					
16.	30-00451	X-Over, (Pin) 2-7/8", 6.4 lbs/ft quoted tubing Threads x (Pin) 3-1/2", 10.3 lbs/ft, Hydril "CS" or equivalent Threads (100% Interchangeable without the use of any X-Over). GR L-80 3% Chrome Material. Min Length: 2 feet	NO	5					
17.	30-00133	X-Over, (Box), 2-7/8", 6.4 lbs/ft, quoted tubing threads x (Pin) 3-1/2" 10.3 lbs/ft Hydril "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	NO	5					
18.	30-00455	X-Over, (Box) 3-1/2" 10.3 lbs/ft Hydril "CS" or equivalent Threads (100% interchangeable without the use of any X-Over) x (Pin) 2-7/8", 6.4 lbs/ft, quoted tubing Threads. GR L-80 3% chrome material. Min Length: 2 feet	NO	5					
19.	30-00131	X-Over, (Box) 2-7/8", 6.5 lbs/ft, Hydril "CS" or equivalent Thread (100% Interchangeable without the use of any X-Over) x (Pin) 2-7/8", 6.4 lbs/ft quoted tubing Threads GR L-80 3% chrome material. Min Length: 2 feet	NO	5					

Tender Enquiry No: OGDCL-SCM-FB-CB-PROD-6200000029-2022

SR NO	Material No	Material Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price (CFR)	Total Price (CFR)	Deviation From Tender Spec. If Any
20.	30-00085	Loose couplings (Box connection) of the quoted tubing Threads. GR L-80 3% chrome material	NO	30					

One Time Prequalification and Procurement of Seamless Production Tubing 2-7/8 inch, 6.4 lbs/ft, Grade L-80 3% Chrome Material CAL – IV Tested Premium Threads Connections (Threaded & Coupled) PSL-1 Range R-2 along with Necessary Pup Joints X-Overs and. All Items must be of Grade L-80 3% Chrome Material and Minimum Yield Strength 80,000 Psi unless specified otherwise

Sr. No	DESCRIPTION	UOM	QTY	Cost in US \$
1	Seamless Production Tubing 2-7/8", 6.4 lbs/ft, GR L-80 3% chrome material (80,000 psi min yield Strength) with CAL-IV tested premium thread connections, threaded and coupled (Box) x (Pin). Bidders are strictly advised to submit chemical composition and physical properties of their quoted tubing along with their technical proposals	Meters	30,000	

List of Associated Pup Joints and X-Overs. The Bidder Quoting Item No1 (Seam less Production Tubing) must quote all the X-overs / Pup Joints.

2	Pup Joint, 2 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	Nos	20	
3	Pup Joint, 3 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material, with quoted tubing thread Connections (Box) x (Pin)	Nos	20	
4	Pup Joint, 5 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	Nos	20	
5	Pup Joint, 7 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	Nos	20	
6	Pup Joint, 10 feet length, 2-7/8", 6.4 lbs/ft GR L-80 3% chrome material with quoted tubing thread Connections (Box) x (Pin)	Nos	25	
7	X-Over, (Box) 3-1/2" , 13.3 lbs/ft, IF threads x (Pin) , 2-7/8", 6.4 lbs/ft, quoted tubing threads GR L-80 or equivalent material. Min Length : 2 feet	Nos	8	
8	X-Over, (Box), 2-7/8", 6.5 lbs/ft, EUE Threads x (Pin) 3-1/2" 10.3 lbs/ft Hydril's "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	Nos	12	
9	X-Over, (Box), 2-7/8", 6.5 lbs/ft, Hydril "CS" or equivalent Thread (100% Interchangeable without the use of any X-Over) x (Pin) 3-1/2" 10.3 lbs/ft Hydril's "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	Nos	12	
10	X-Over, (Box), 2-7/8", 6.5 lbs/ft, EUE Threads x (Pin) 2-7/8" 6.5 lbs/ft Hydril's "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	Nos	12	
11	X-Over, (Box), 2-7/8", 6.4 lbs/ft, quoted tubing Threads x (Pin) 2-7/8" 6.5 lbs/ft EUE Threads. GR L-80 3% chrome material Min Length: 2 feet	Nos	12	

12	X-Over, (Box), 2-7/8" 6.5 lbs/ft EUE threads x (Pin) 2-7/8", 6.4 lbs/ft, quoted tubing threads. GR L-80 3% chrome material Min Length: 2 feet	Nos	12	
13	X-Over, (Box) 2-7/8", 6.4 lbs/ft quoted tubing Threads x (Pin) 2-7/8", 6.5 lbs/ft, Hydril's "CS" or equivalent Threads (100% Interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	Nos	12	
14	X-Over, (Pin) 2-7/8", 6.4 lbs/ft tubing quoted Threads x (Pin) 2-7/8", 6.5 lbs/ft, EUE Threads GR L-80 3% chrome material. Min Length: 2 feet	Nos	10	
15	X-Over, (Pin) 2-7/8", 6.4 lbs/ft quoted tubing Threads x (Pin) 2-7/8", 6.5 lbs/ft, Hydril's "CS" or equivalent Thread (100% Interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	Nos	12	
16	X-Over, (Pin) 2-7/8", 6.4 lbs/ft quoted tubing Threads x (Pin) 3-1/2", 10.3 lbs/ft, Hydril "CS" or equivalent Threads (100% Interchangeable without the use of any X-Over). GR L-80 3% Chrome Material. Min Length: 2 feet	Nos	5	
17	X-Over, (Box), 2-7/8", 6.4 lbs/ft, quoted tubing threads x (Pin) 3-1/2" 10.3 lbs/ft Hydril's "CS" or equivalent Threads (100% interchangeable without the use of any X-Over). GR L-80 3% chrome material. Min Length: 2 feet	Nos	5	
18	X-Over, (Box) 3-1/2" 10.3 lbs/ft Hydril's "CS" or equivalent Threads (100% interchangeable without the use of any X-Over) x (Pin) 2-7/8", 6.4 lbs/ft, quoted tubing Threads. GR L-80 3% chrome material. Min Length: 2 feet	Nos	5	
19	X-Over, (Box) 2-7/8", 6.5 lbs/ft, Hydril "CS" or equivalent Thread (100% Interchangeable without the use of any X-Over) x (Pin) 2-7/8", 6.4 lbs/ft quoted tubing Threads GR L-80 3% chrome material. Min Length: 2 feet	Nos	5	
20	Loose couplings (Box connection) of the quoted tubing Threads. GR L-80 3% chrome material	Nos	30	

Terms and Conditions:
Every bidder must comply the following conditions in order to be considered for Technical Evaluation. All the required supporting documents must be submitted where applicable. Bidders failing to fulfil any of the requirements mentioned below would not be considered for further Evaluation and Technically Disqualified without seeking any Clarifications.

Bidder to comply /confirm the following in the Table and provide necessary documents accordingly

1	Technical Proposals Bidder are required to submit technical proposals in single envelope. Financial bids will be obtained from the prequalified bidders only			
2	Authority Letters In case the bidder and pipe manufacturer are different, than the bidder must provide an original authority letter/OEM certificate from the pipe manufacturer. The authority letter must be on company letter head, showing the name and contact details official E-mail of the signing authority			

2.1	In case the pipe manufacturer and threader are different, than the bidder must provide an original authority letter/OEM certificate from the pipe manufacturer in favor of threader. The authority letter must be on company letter head, showing the name and contact details official E-mail of the signing authority.	
2.2	The bidder will also provide a similar letter in case they have their local agent in Pakistan. The authority letter must be on company letter head, showing the name and contact details official E-mail of the signing authority	
3	Manufacturing Plant (s) API Certificates Bidders are required to submit API-5CT licenses of its quoted manufacturing plant (s) for this specific tender must be active at the time of bid submission certified by API under Specs. 5CT & Q1 for the last ten (10) years, for the date of tender opening. The bidder to provide copies of the relevant API certificates as a proof.	
4	Financial Statements In case bidder has not supplied chrome material tubular to OGDCL than it is required to submit original print of the annual audited accounts reports for the last 03 consecutive years (along-with attested English Copies) in order to verify its liquidity position, revenues, profitability of the company	
4.1	In case manufacturer/threader has not supplied chrome material tubular to OGDCL then it is required to submit original print of the annual audited accounts reports for the last 03 consecutive years (along-with attested English Copies) in order to verify its liquidity position, revenues, profitability of the company.	
4.2	In case of weak financial statement the bid will not be acceptable	
5	<u>Supply record and performance certificates of the chrome material CAL IV Tested premium threads tubing (Threaded and coupled)</u>	
5.1	Manufacturer must have manufactured & supplied CAL IV tested premium threads production tubing (threaded and coupled) Chrome or higher to the renowned multinational E&P companies and (not belonging to the manufacturer's country) in excess of 500,000 meters supply to the E & P companies operating in Pakistan will also be considered like PPL, Mari, POL, UEPL, etc. The supply record must confirm this fact. The supply record must be independently verifiable i.e. the latest contact details (name, designation, official e-mail etc.) of the relevant persons in all the major customer organizations must be mentioned	
5.2	In case the bidder is not the pipe manufacturer than the bidder has also to provide its own supply record of chrome material tubing from the quoted manufacturer (s) in order to ascertain its experience in this field.	
5.3	Bidder must also provide the supply record of the threader(s), in case it is (are) different from the tubing manufacturer(s). The threader must have cut and supplied at least 200,000 end Joints chrome grades CAL IV tested premium threads tubing to different multinational E&P companies or other renowned E & P companies (not belonging to the manufacturer's country)	
5.4	Supply record comprising the chrome tubing sold to supply houses will not be considered.	

5.5	<p>In case the Bidder/Manufacturer/Threader has not already supplied threaded and coupled premium threads tubing with chrome material to OGDCL then certificates of satisfactory performance in favor of bidder/pipe manufacturer(s)/threader(s) issued by authorized officials of at least 03 different multinational E&P companies (not belonging to the manufacturer's country) or Pakistan based E & P companies like PPL, Mari, POL, UEPL regarding the quoted threads must be provided with the bid. The certificates must on the company letterhead hard copy or official email should indicate the Name and Designation of the signing authority along with his complete contact details in order to verify the same are acceptable</p> <p>It is suggested that the certificates should preferably of a pattern providing the following information:</p> <ul style="list-style-type: none"> i. Delivery period compliance ii. Performance of supplied chrome material tubing iii. Performance of supplied CAL IV tested premium threads of tubing 	
5.6	Certificates/Emails issued by supply houses etc. will not be considered	
6	<p><u>Delivery Requirements</u></p> <p>The desired delivery period is 5-6 months maximum C&F by sea Karachi from the date of LC establishment.</p>	
7	<u>Quoted Tubing and Pup Joints CAL IV tested Premium Threads Connections</u>	
7.1	<p>The manufacturer/threader must have capability to provide thread connections which are tested in compliance with ISO-13679 2002 or API 5C5 2017 Application Level CAL-IV test. Test report for the quoted premium thread tubing covers the range of the quoted thread/weight/size report showing the compatibility of the testing/qualification records with extrapolation/interpolations rules of ISO-13679 2002 ANNEX G or API 5C5 2017 must be submitted. ('Petroleum and natural gas industries —Procedures for testing casing and tubing connections').</p>	
7.2	<p>The Tensile, Burst & Collapse rating of the Quoted Premium Thread Connections must be equal to or exceed those of the Pipe body ratings whereas the compression rating of the quoted threads should not be less than 80% of the pipe body compression rating. Documents supporting the requirement should be provided along with the technical bid</p>	
8	<u>General Requirements</u>	
8.1	<p>Bidder is required to submit the technical data sheets of the quoted tubing confirming the material grade, size, thread name, OD, ID, drift ID, range, yield Strength, tensile strength, burst & collapse pressure ratings etc.</p>	
8.2	<p>Running / Pulling, handling procedures & required torque values for the quoted tubing is to be submitted along with the bid.</p>	
8.3	<p>For X-overs only EUE and Hydril "CS" threads or equivalent Grant Prideco's "RTS-8", TPS Technitube "TS-8", Hunting's "TS-HP", Tenaris "TSH CS" which are 100% interchangeable with Hydril CS connections are acceptable</p>	
8.4	<p>The bidder to confirm tubing tally specifying the length of individual joint is to be provided along with the shipping documents</p>	
8.5	<p>The bidder to confirm clearly in the bid documents that the material test certificates will be provided with the shipping documents</p>	
8.6	<p>Bidder must provide the detailed technical literature/documents for the manufacturing/threading company.</p>	

8.7	The quoted premium thread connections must be tested as per ISO-13679 2002 or API 5C5 Application Level (CAL-IV). (Petroleum and natural gas industries —Procedures for testing casing and tubing connections). Literature/drawings of the quoted premium threads should be provided	
9	<u>THIRD PARTY INSPECTION (TPI)</u> OGDCL will arrange Third Party Inspection (TPI), the tentative scope of inspection is as follows. Bidder is required to confirm that they will timely inform the relevant TPI company and provide the necessary assistance during the inspection.	
9.1	Review of Mill Test Certificates to confirm the metallurgy and chemical composition of the material as per purchase order Grade L-80 3% chrome, 80,000 psi minimum yield strength	
9.2	Third Party Inspector to confirm that the Tubing is brand new/unused	
9.3	Visual and dimensional inspection of body on-spot basis covering at least 10% of the complete lot.	
9.4	Visual and dimensional inspection of Thread on-spot basis covering at least 10% of the complete lot.	
9.5	Verification of complete dimensions and specifications for all the material as per Purchase Order e.g. ODs, IDs, Lengths etc.	
9.6	Preparation of Inspection report in light of the Certificates and Tally sheets.	
9.7	Vetting of marking, packing/bundling and quantity as per purchase order	
9.8	Inspection may require at least 7 to 8 or more visits to the manufacturing plants and may involve 12 to 15 Man days or more.	
9.9	<u>Submission of Inspection Report/Inspection Release Note</u> Submission of Final Inspection report: Place the signature /stamp on inspection release note/inspection report electronically in the original pdf files of inspection release note and inspection report. Mention OGDCL purchase order number in the first page of final inspection report/Inspection release note	
10	<u>General Specifications of the Production Tubing. Bidder is required to confirm</u>	
10.1	Tubing, pup joints & X-over ends should be provided with proper thread protectors and protected against rust during shipment by application of proper compound on threads per API recommendations for Grade L-80 3 %chrome tubing	
10.2	Tubing, pup joints & X-overs should be of seamless steel.	
10.3	Tubing joints should be provided in range R-2	
10.4	The length of every X-over should not be less than 2 feet.	
10.5	If requested by the bidder a delivery allowance of +0 & -3% for tubing can be allowed, however the payment will be made as per the actual quantity of tubing supplied.	

11	Other Terms and Conditions	
11.1	Manufacturer/Bidder to submit all annexures (un-priced) with their bid duly filled signed/stamped by the manufacturer/bidder.	
11.2	Contact details i.e. Complete Postal/Street Address, E-mails, Phone / Fax Numbers of concerned persons to be provided in the bid.	
11.3	Tender Documents uploaded on OGDCL's website for "Single Stage-One Envelope" on the date of issuance of Tender Enquiry will be applicable.	
11.4	Shipment from ACU Member Countries: In case of Shipment from ACU Member Countries, the LC beneficiary should be of that particular country from where the consignment is being shipped	
11.5	<p>Foreign Procurement Payment Terms (Competitive Bidding, Pre-qualification and Proprietary Mode of Procurement): Following payments methods have been approved for Competitive Bidding/Press Tender, Prequalification and Proprietary mode of procurement effective from February 27, 2018.</p> <p><u>i. Tender value less than or equal to US\$ 200,000:</u></p> <p>Payment to the Contractor/ bidder in foreign currency shall be made by establishing in favor of the Contractor an irrevocable Letter of Credit (hereinafter called the L/C). 70 % Payment (s) under the L/C will be made for the FOB/ CFR / CPT (as the case may be) price of material of each shipment upon submission of the shipping documents. Balance 30% Payment will be released after receipt, inspection and acceptance of material.</p> <p><u>ii. Tender value more than US\$ 200,000:</u></p> <p>Payment to the Contractor/ bidder in foreign currency shall be made by establishing in favor of the Contractor an irrevocable Letter of Credit (hereinafter called the L/C). 80 % Payment (s) under the LC will be made for the FOB/ CFR / CPT (as the case may be) price of material of each shipment upon submission of the shipping documents. Balance 20% Payment will be released after receipt, inspection (in addition of pre-shipment inspection) and acceptance of material.</p>	