



OIL AND GAS DEVELOPMENT COMPANY LIMITED
NASHPA OIL AND GAS FIELD

Date: 11-08-2022

SCHEDULE OF REQUIREMENT

TENDER ENQUIRY # NOF/INST/012/2022

Procurement of Compression fittings for Wali Dehydration Plant

S#	Description	Reference #	Rate	Total rate (inclusive of all Taxes)	Deviation
1	As per attached below list				

Compression fittings for Wali Dehydration Plant			
Sr.#	Description	Qty	Unit
1	Seamless Tube Size: 1/4" OD x 0.028" WT., Material : SS 316L 1 Length = 6 Meter (20 Feets)	140	Length
2	Seamless Tube Size: 3/8" OD x 0.065" WT., Material : SS 316L 1 Length = 6 Meter (20 Feets)	140	Length
3	Seamless Tube Size: 1/2" OD x 0.065" WT., Material : SS 316L 1 Length = 6 Meter (20 Feets)	100	Length
4	Ball Valve Size: 1/4" NPT Female. Material: SS 316., Pressure: 6000 Psi.	5	Nos.
5	Ball Valve Size : 1/2" Female, Material: SS 316., Pressure: 6000 Psi.	5	Nos.
6	Ball Valve Size : 3/8" NPT Female., Material : SS 316., Pressure : 6000 Psi.	5	Nos.
7	Ball Valve = 1000 Psi Size: 1/4" NPTF., Material: SS 316., Pressure: 1000 Psi.	6	Nos.
8	Ball Valve = 1000 Psi Size: 1/2" NPTF., Material: SS 316., Pressure: 1000 Psi.	6	Nos.
9	Ball Valve Size: 3/4" NPT Female Material: SS 316., Pressure: 1000 Psi	6	Nos.
10	High Pressure Bar Stock Needle Valve. Size: 1/4" NPT Female Material: SS 316., Pressure: 6000 Psi.	6	Nos.
11	Needle Valve Size: 3/8" NPT Female., Material: SS 316., Pressure: 6000 Psi.	6	Nos.
12	Needle Valve Size: 1/2" NPT Female Material: SS 316., Pressure: 6000 Psi.	6	Nos.
13	Male Connector Size: 1/4" OD x 1/4" NPTM., Material: SS 316.	20	Nos.

14	Male Connector Size: 3/8" OD x 1/4" NPTM., Material: SS 316	20	Nos.
15	Male Connector Size: 3/8" OD x 1/2" NPTM., Material: SS 316.	16	Nos.
16	Male Connector Size: 3/8" OD x 3/4" NPTM., Material: SS 316.	12	Nos.
17	Male Connector Size: 3/8" OD x 1" NPTM., Material: SS 316.	5	Nos.
18	Male Connector Size: 1/4" OD x 1/2" NPTM., Material: SS 316.	15	Nos.
19	Male Connector Size: 1/4" OD x 1/8" NPTM., Material: SS 316.	5	Nos.
20	Male Connector Size: 3/8" OD x 1/8" NPTM., Material: SS 316.	5	Nos.
21	Hex Bushing. Size: 1/2" NPTM x 1/4 NPTF., Material: SS 316.	8	Nos.
22	Adapter Size : 1/4" NPTM x 1/2" NPTF., Material : SS 316.	8	Nos.
23	Reducing Nipple. Size: 3/8" x 1/4" NPT Male., Material : SS316	8	Nos.
24	Hex Nipple. Size: 1/4" NPTM., Material: SS 316	8	Nos.
25	Hex Nipple. Size: 1/2" NPTM., Material: SS 316	10	Nos.
26	Hex Reducing Bush 1/4" NPTM x 1/8" NPTF	5	Nos.
27	Female Tee Size : 1/4" NPTF., Material : SS 316	5	Nos.
28	Female Tee Size : 3/8" NPTF., Material : SS 316.	5	Nos.
29	Female Tee Size : 1/2" NPTF., Material : SS 316.	5	Nos.
30	Female Tee Size : 3/4" NPTF., Material : SS 316	5	Nos.
31	Union. Size : 1/4" Tube O.D., Material: SS 316.	12	Nos.

32	Union. Size : 3/8" Tube O.D., Material: SS 316.	15	Nos.
33	Union Tee. Size : 1/4" OD., Material: SS 316.	5	Nos.
34	Union Tee. Size : 1/2" Tube O.D., Material: SS 316.	5	Nos.
35	Female Branch Tee Size : 1/4" OD x 1/4" NPTF., Material : SS 316	5	Nos.
36	Female Branch Tee. Size: 3/8" OD x 3/8" NPTF., Material: SS 316	5	Nos.
37	Female Branch Tee Size : 1/2" OD x 1/2" NPTF., Material : SS 316	5	Nos.
38	Hex Long Nipple Size : 1/4" NPTM - Length : 4.0", Material : SS 316.	3	Nos.
39	Hex Long Nipple Size : 1/2" NPTM - Length : 4.0", Material : SS 316.	3	Nos.
40	Hex Long Nipple Size : 3/4" NPTM - Length : 4.0", Material : SS 316.	3	Nos.
41	Ferrule Set (Fornt & Back Ferrule) Size : 1/4" OD., Material : SS 316	20	Nos.
42	Ferrule Set (Fornt & Back Ferrule) 3/8" OD., Material : SS 316.	20	Nos.
43	Back & Front Ferrule. Size: 1/2" OD - Material: SS 316 / 316L	10	Nos.
44	Dead Plug Size : 1/4" NPTM., Material : SS 316	10	Nos.
45	Dead Plug Size : 1/2" NPTM, Material : SS 316.	15	Nos.
46	Dead Plug Size : 3/4" NPTM., Material : SS 316.	6	Nos.
47	Dead Plug Size : 3/8" NPTM., Material : SS 316.	6	Nos.
48	Cap. Size: 1/4" OD., Material: SS 316	10	Nos.
49	Cap. Size: 1/2" OD Material: SS 316	5	Nos.

50	Cap. Size: 3/8" OD., Material: SS 316	12	Nos.
51	90° Elbow Male. Size: 1/4" Tube OD x 1/4" NPTM., Material: SS 316.	5	Nos.
52	90° Elbow Male. Size: 3/8" Tube OD x 3/8" NPTM., Material: SS 316.	5	Nos.
53	Pipe Elbow Size: 1/4" FNPT, Material: SS	12	Nos.
54	Pipe Elbow Size: 1/2" FNPT, Material: SS	12	Nos.

TERMS AND CONDITIONS:

1. The spares will be delivered at Nashpa Oil Field, the delivery charges to Nashpa Oil Field be borne by the supplier/ bidder.
2. Service bulletin issued by the OEM for any updated part number to be provided with the bid.
3. Any required technical clarification/details regarding spares mentioned above must be cleared before submission of bid. No change in substance of bid will be entertained after bid submission date.
4. Certificate of conformance (COC) to be provided along with Warranty period.
5. Material will be accepted after final inspection and functional test at site, and payment will be made as per OGDCL procedures.
6. The firm should have valid NTN and GST no's and have active status on FBR website.
7. The Firm should have active Professional tax certificate of concerned Excise office where operating business
8. Tax submission Certificate(Annex-C) will be provided along with Invoice.
9. BOE, GD or SRO to be submitted along with invoice for Income tax/GST exemption if any.
10. Manufacturer must have 15 years of manufacturing of such type of material.