

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION B

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material MANUAL TONGS ALONG WITH SPARES
Tender Enquiry No PROC-FB/CB/D-4265/2019
Due Date
Evaluation Criteria FULL

1/10

SCHEDULE OF REQUIREMENT

Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any
1	MANUAL TONG, TYPE 'SDD'(BJ)/HT-100 OR EQUIVALENT COMPLETE SET (LESS LUG JAWS) FOR 4" - 17" OD, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
2	LUG JAW ASSEMBLY (4" - 8-1/2") HT-100, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
3	LUG JAW ASSEMBLY (8-1/2" - 12") HT-100, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
4	LUG JAW ASSEMBLY (12" - 15") HT-100, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
5	LUG JAW ASSEMBLY (15-3/4") HT-100, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
6	LUG JAW ASSEMBLY (16" - 17") HT-100, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
7	HINGE JAW ASSEMBLY (8-1/2" - 17") HT-100, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
8	COMPLETE SET OF SPARES INCLUDING ATTACHED SPARES (SR # 01 TO 45) BUT SHOULD NOT BE LIMITED TO THESE&MUST INCLUDE ALL NECESSARY SPARES REQUIRED FOR 01 YEAR OPERATION OF QUOTED HT-100 TONGS AGAINST SR #01 OF SOR.DETAIL DESCRIPTION ATTACHED.	Sets	1					
9	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5-7/8"	Number	2000					
10	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5"	Number	500					
11	MANUAL TONG, TYPE 'B' (BJ)/HT55 OR EQUIVALENT WITH LONG LEVER COMPLETE SET (LESS LUG JAWS) FOR 3-1/2"- 13-3/8" OD, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
12	LUG JAW ASSEMBLY (3-1/2" - 5") HT55, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
13	LUG JAW ASSEMBLY (5" - 6-3/4") HT55 , (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
14	LUG JAW ASSEMBLY (6-5/8" - 9") HT55, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
15	LUG JAW ASSEMBLY (9" - 10-3/4") HT55, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
16	LUG JAW ASSEMBLY (11-3/4") HT55 , (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
17	LUG JAW ASSEMBLY (12") HT55, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
18	LUG JAW ASSEMBLY (12-3/4" - 13") HT55, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4					
19	LUG JAW ASSEMBLY (13-3/8") HT55, (02 EACH = 1 SET, DETAIL DESCRIPTION ATTACHED.)	Sets	4					
20	COMPLETE SET OF SPARES INCLUDING ATTACHED SPARES (SR # 01 TO 53) BUT SHOULD NOT BE LIMITED TO THESE&MUST INCLUDE ALL NECESSARY SPARES REQUIRED FOR 01 YEAR OPERATION OF QUOTED HT-55 TONGS AGAINST SR #11 OF SOR.DETAIL DESCRIPTION ATTACHED.	Sets	1					
21	MANUAL TONG, TYPE 'C' (BJ)/HT-35 OR EQUIVALENT WITH LONG	Sets						

Verified as per approved int. out. (Signature)

**OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION B**

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'


Material MANUAL TONGS ALONG WITH SPARES
Tender Enquiry No PROC-FB/CB/D-4265/2019
Due Date
Evaluation Criteria FULL

2/10

	LEVER COMPLETE SET (LESS LUG JAWS) FOR 2-3/8" - 7" - 10-3/4" OD, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.		
22	LUG JAW ASSEMBLY (2-3/8" - 3.668") HT-35, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4
23	LUG JAW ASSEMBLY (2-7/8" - 4-1/4") HT-35, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4
24	LUG JAW ASSEMBLY (3-1/2" - 5-1/4") HT-35, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4
25	LUG JAW ASSEMBLY (5-1/4" - 7") HT-35, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4
26	HINGE AND LUG JAW ASSEMBLY (7" - 8-5/8") HT-35, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4
27	HINGE AND LUG JAW ASSEMBLY (9-5/8" - 10-3/4") HT-35, (02 EACH = 1 SET), DETAIL DESCRIPTION ATTACHED.	Sets	4
28	COMPLETE SET OF SPARES INCLUDING ATTACHED SPARES (SR # 01 TO 44) BUT SHOULD NOT BE LIMITED TO THESE&MUST INCLUDE ALL NECESSARY SPARES REQUIRED FOR 01 YEAR OPERATION OF QUOTED HT-35 TONGS AGAINST SR #21 OF SOR.DETAIL DESCRIPTION ATTACHED.	Sets	1

Note:

vetted as per approved indent.


ZAHID NAYAB
 Sr. Engineer (DMP)
 Ext: 2365
 6/2/19

TERMS AND CONDITIONS FOR T.E # PROC-FB/CB/D-4265/2019

3/10

- 1) PURSUANT TO TENDER CLAUSE # 2.2, 11.4, 13 & 35.3.2, BID BOND(S) AMOUNTING TO US\$ 13,000/- OR EQUIVALENT TO PAK RUPEES MUST BE SUBMITTED WITH THE TECHNICAL BID AND VALID FOR 150 DAYS FROM THE DATE OF OPENING OF THE BID:
 - 2) EVALUATION CRITERIA: **FULL CONSIGNMENT WISE ON CFR KARACHI BASIS.**
 - 3) TERMS AND CONDITIONS: BIDDERS ARE ADVISED TO CAREFULLY READ ALL THE TERMS AND CONDITIONS OF THE TENDER DOCUMENT AVAILABLE AT OGDCL WEBSITE IN THE MASTER SET OF TENDER DOCUMENT.
 - 4) SHIPMENT FROM ACU MEMBER COUNTRIES: IN CASE OF SHIPMENT FROM ACU MEMBER COUNTRIES, THE LC BENEFICIARY SHOULD BE OF THAT PARTICULAR COUNTRY FROM WHERE THE CONSIGNMENT IS BEING SHIPPED.
 - 5) SUMMARY REJECTION CRITERIA: THE SUMMARY REJECTION CRITERIA CLAUSE # 35 OF OGDCL MASTER SET OF TENDER DOCUMENT MAY ALSO BE EXAMINED CAREFULLY. ANY BID NOT MEETING THE CRITERIA SPELLED IN THE CLAUSE # 35 SHALL BE SUMMARILY REJECTED WITHOUT ANY RIGHT OF APPEAL.
 - 6) DELIVERY PERIOD: THE DELIVERY PERIOD OF THE QUOTED PRODUCT SHOULD NOT BE MORE THAN 180 DAYS AFTER OPENING OF LETTER OF CREDIT (LC).
 - 7) PAYEMNT:
- a) FOR TENDER VALUE LESS THAN OR EQUAL TO US\$ 200,000:**

PAYMENT TO THE CONTRACTOR/ BIDDER IN FOREIGN CURRENCY SHALL BE MADE BY ESTABLISHING IN FAVOR OF THE CONTRACTOR AN IRREVOCABLE LETTER OF CREDIT (HEREINAFTER CALLED THE L/C). 70 % PAYMENT (S) UNDER THE L/C WILL BE MADE FOR THE FOB/ CFR / CPT (AS THE CASE MAY BE) PRICE OF MATERIAL OF EACH SHIPMENT UPON SUBMISSION OF THE SHIPPING DOCUMENTS. BALANCE 30% PAYMENT WILL BE RELEASED AFTER RECEIPT, INSPECTION AND ACCEPTANCE OF MATERIAL.

b) FOR TENDER VALUE MORE THAN US\$ 200,000:


PAYMENT TO THE CONTRACTOR/ BIDDER IN FOREIGN CURRENCY SHALL BE MADE BY ESTABLISHING IN FAVOR OF THE CONTRACTOR AN IRREVOCABLE LETTER OF CREDIT (HEREINAFTER CALLED THE L/C). 80 % PAYMENT (S) UNDER THE L/C WILL BE MADE FOR THE FOB/ CFR / CPT (AS THE CASE MAY BE) PRICE OF MATERIAL OF EACH SHIPMENT UPON SUBMISSION OF THE SHIPPING DOCUMENTS. BALANCE 20% PAYMENT WILL BE RELEASED AFTER RECEIPT, INSPECTION (IN ADDITION OF PRE-SHIPMENT INSPECTION) AND ACCEPTANCE OF MATERIAL.

SCHEDULE OF REQUIREMENT (SOR) FOR MANUAL TONGS

4/10

1. MANUAL TONG, TYPE 'SDD'(BJ)/HT-100 OR EQUIVALENT COMPLETE SET (LESS LUG JAWS) FOR 4"- 17" OD = QTY 04 SETS, (02 EACH = 1 SET)
2. LUG JAW ASSEMBLY (4" - 8-1/2") HT-100 = QTY 04 SETS, (02 EACH = 1 SET)
3. LUG JAW ASSEMBLY (8-1/2" - 12") HT-100 = QTY 04 SETS, (02 EACH = 1 SET)
4. LUG JAW ASSEMBLY (12" - 15") HT-100 = QTY 04 SETS, (02 EACH = 1 SET)
5. LUG JAW ASSEMBLY (15-3/4") HT-100 = QTY 04 SETS, (02 EACH = 1 SET)
6. LUG JAW ASSEMBLY (16" - 17") HT-100 = QTY 04 SETS, (02 EACH = 1 SET)
7. HINGE JAW ASSEMBLY (8-1/2"-17") HT-100 = QTY 04 SETS, (02 EACH = 1 SET)
8. 01 COMPLETE SET OF RECOMMENDED SPARES FOR 01 YEAR OPERATION INCLUDING THE BELOW SPARES (FROM SR # 01 TO 45) BUT SHOULD NOT BE LIMITED TO THESE & SHOULD INCLUDE ALL THE NECESSARY SPARES REQUIRED FOR 01 YEAR SMOOTH OPERATION OF THE QUOTED SDD/HT-100 MANUAL TONG AGAINST SR # 01.

SR. NO.	DESCRIPTION (SPARES REQUIRED FOR MANUAL TONG TYPE "SDD" BJ/HT-100)	QUANTITY REQUIRED FOR 01 YEAR SMOOTH OPERATION
A.	<u>LEVER ASSY</u>	
1.	TONG LINE RETAINER	1
2.	TONG LINE RETAINER BOLT	1
3.	COTTER PIN 1/8" X 1	1
4.	GREASE FITTING 1/8" NPT	2
5.	HANGER BOLT	1
6.	SLOTTED HEX HANGER BOLT NUT	1
7.	COTTER PIN	1
B.	<u>HANGER ASSY</u>	
8.	BALANCING SCREW	1
9.	HEX HEAD CAPSCREW 3/4-10 X 12 BALANCING SCREW BOLT	1
10.	SLOTTED HEX NUT ,BALANCING SCREW BOLT NUT	1
11.	COTTER PIN	1
12.	HANGER SUSPENSION RING	1
13.	HANGER ADJUSTMENT SCREW	1
14.	HEX HANGER JAM NUT 7/8	2
C.	<u>LONG JAW ASSY</u>	
15.	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5"	2
16.	DIE RETAINING PIN	4
17.	COTTER PIN	4
18.	HEX HEAD CAPSCREW 3/4-10 X 7	1
19.	NUT, HEX STANDARD, 3/4 UNC, CAD PLATTED STEEL	1
D.	<u>SHORT JAW ASSY</u>	
20.	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5"	2
21.	DIE RETAINING PIN	4
22.	COTTER PIN	4
23.	BOLT	1
24.	HEX NUT	1
E.	<u>LATCH ASSY</u>	
25.	LATCH SPRING PLUNGER	1
26.	PLUNGER PIN	1
27.	GREASE FITTING, 1/8" NPT	1
28.	LATCH SPRING	1
29.	HINGE PIN	4


 ZAMR...
 Sr. Engineer
 Date: 2010

30.	HINGE PIN NUT	4
31.	COTTER PIN	4
32.	FLAT WASHER, NARROW	1
F.	<u>LUG JAW ASSY</u>	
33.	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5"	1
34.	DIE RETAINING PIN	2
35.	COTTER PIN	2
36.	GREASE FITTING, 1/8" NPT	2
G.	<u>HINGE JAW ASSY</u>	
37.	GREASE FITTING, 1/8" NPT	3
38.	HINGE PIN	1
39.	HINGE PIN NUT	1
40.	COTTER PIN	1
H.	<u>GRIP POINT SPARES</u>	
41.	SCREW CAP HEX HEAD (UNC-2A) HANDLE BOLT	1
42.	HOSE , HT TONG HANDLE GRIP	1
43.	NUT, HEX SELF LOCKING, 5/8-11 ZINC	1
44.	HT TONG SAFETY CAP	2
45.	WASHER FLAT	2

5/10

9. TONG DIE, BLUE DIAMOND 1/2"X1-1/4"X 5-7/8", QUANTITY = 2000 NOS
10. TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5", QUANTITY = 500 NOS
11. MANUAL TONG, **TYPE 'B' (BJ)/HT55 OR EQUIVALENT** WITH **LONG LEVER** COMPLETE SET (LESS LUG JAWS) FOR 3-1/2"- 13-3/8" OD = QTY 04 SETS, (02 EACH = 1 SET)
12. LUG JAW ASSEMBLY (3-1/2" – 5") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
13. LUG JAW ASSEMBLY (5" – 6-3/4") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
14. LUG JAW ASSEMBLY (6-5/8" – 9") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
15. LUG JAW ASSEMBLY (9" – 10-3/4") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
16. LUG JAW ASSEMBLY (11-3/4") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
17. LUG JAW ASSEMBLY (12") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
18. LUG JAW ASSEMBLY (12-3/4" – 13") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
19. LUG JAW ASSEMBLY (13-3/8") HT55 = QTY 04 SETS, (02 EACH = 1 SET)
20. 01 COMPLETE SET OF RECOMMENDED SPARES FOR 01 YEAR OPERATION INCLUDING THE BELOW SPARES (FROM SR # 01 TO 53) BUT SHOULD NOT BE LIMITED TO THESE & SHOULD INCLUDE ALL THE NECESSARY SPARES REQUIRED FOR 01 YEAR SMOOTH OPERATION OF THE QUOTED TYPE "B"/HT55 MANUAL TONG AGAINST SR # 11 (LONG LEVER) OF SOR.

SR. NO.	DESCRIPTION (SPARES REQUIRED FOR MANUAL TONG TYPE "B"/HT55 LONG LEVER)	QUANTITY REQUIRED FOR 01 YEAR SMOOTH OPERATION
A.	<u>LEVER ASSY (LONG)</u>	
1.	TONG LINE PIN	1
2.	TONG LINE PIN RETAINER	1
3.	KIT, REWORK, HT-55 LEVER REWORK	1
4.	GREASE FITTING, 1/8" NPT	2
5.	HANGER BOLT	1
6.	SLOTTED HEX NUT 3/4, HANGER BOLT NUT	1
7.	COTTER PIN	1
B.	<u>HANGER ASSY</u>	
8.	BALANCING SCREW	1
9.	HEX HEAD CAP SCREW 3/4-10 X 12, BALANCING SCREW BOLT	1
10.	SLOTTED HEX NUT 3/4, BALANCING SCREW BOLT NUT	1
11.	COTTER PIN	1


 ZAHEDI & SONS
 10, FORT STREET (D.M.P.)
 S.Y. 2015

12.	HANGER SUSPENSION RING	1
13.	HANGER ADJUSTMENT SCREW	1
14.	HANGER HEX JAM NUT 7/8	2
C.	<u>LONG JAW ASSY</u>	
15.	ADJUSTABLE STOP	1
16.	ADJUSTABLE STOP PLUNGER	1
17.	ADJUSTABLE STOP SPRING	1
18.	ADJUSTABLE STOP BOLT	1
19.	LINK BLOCK NUT, ADJUSTABLE STOP BOLT NUT	1
20.	COTTER PIN, 12" X 1.75"	1
21.	BOOSTER PLUNGER	1
22.	BOOSTER PLUNGER SPRING	1
23.	HEX SOCKET PIPE PLUG 1, BOOSTER SPRING RETAINING PLUG	1
24.	TONG DIE, BLUE DIAMOND 1/2"X1-1/4"X 5-7/8"	4
25.	DIE RETAINING PIN	2
26.	COTTER PIN	2
27.	HINGE PIN NUT	2
28.	GROOVED STRAIGHT PIN 3/8 X 1	4
D.	<u>SHORT JAW ASSY</u>	
29.	TONG DIE, BLUE DIAMOND 1/2"X1-1/4"X 5-7/8"	4
30.	DIE RETAINING PIN	4
31.	COTTER PIN	4
32.	HINGE PIN NUT	2
33.	GROOVED STRAIGHT PIN 3/8 X 1	2
E.	<u>LATCH JAW ASSY</u>	
34.	TONG DIE, BLUE DIAMOND 1/2"X1-1/4"X5-7/8"	2
35.	DIE RETAINING PIN	2
36.	COTTER PIN	2
37.	GREASE FITTING 1/8" NPT	2
F.	<u>LATCH ASSY</u>	
38.	HINGE PIN NUT	1
39.	GROOVED STRAIGHT PIN 3/8 X 1	2
40.	DOOR CATCH/LATCH SPRING	2
41.	HINGE PIN BLOCK	1
42.	HINGE PIN THREADED	5
43.	DOWEL PIN	5
44.	COTTER PIN	5
G.	<u>LUG JAW ASSY</u>	
45.	TONG DIE, BLUE DIAMOND 1/2"X1-1/4"X 5-7/8"	4
46.	DIE RETAINING PIN	2
47.	COTTER PIN	2
48.	GREASE FITTING 1/8" NPT	1
H.	<u>GRIP POINT SPARES</u>	
49.	SCREW CAP HEX HEAD (UNC-2A), HANDLE BOLT	1
50.	HOSE, HT TONG HANDLE GRIP	1
51.	NUT, HEX-SELF LOCKING, 5/8-11 ZINC	1
52.	HT TONG SAFETY CAP	2
53.	WASHER, FLAT	2

6/10

21. MANUAL TONG, **TYPE 'C' (BJ)/HT-35 OR EQUIVALENT** WITH **LONG LEVER** COMPLETE SET (LESS LUG JAWS) FOR 2-3/8"- 7"-10-3/4" OD = QTY 04 SETS, (02 EACH = 1 SET)
22. LUG JAW ASSEMBLY (2-3/8" – 3.668") HT-35 = QTY 04 SETS, (02 EACH = 1 SET)
23. LUG JAW ASSEMBLY (2-7/8" – 4-1/4") HT-35 = QTY 04 SETS, (02 EACH = 1 SET)

[Handwritten Signature]
 CAPED LAYAT
 6, Jalan...
 2305

7/10

- 24. LUG JAW ASSEMBLY (3-1/2" – 5-1/4") HT-35 = QTY 04 SETS, (02 EACH = 1 SET)
- 25. LUG JAW ASSEMBLY (5-1/4" – 7") HT-35 = QTY 04 SETS, (02 EACH = 1 SET)
- 26. HINGE AND LUG JAW ASSEMBLY (7" – 8-5/8") HT-35 = QTY 04 SETS, (02 EACH = 1 SET)
- 27. HINGE AND LUG JAW ASSEMBLY (9-5/8" – 10-3/4") HT-35 = QTY 04 SETS, (02 EACH = 1 SET)
- 28. 01 COMPLETE SET OF RECOMMENDED SPARES FOR 01 YEAR OPERATION INCLUDING THE BELOW SPARES (FROM SR # 01 TO 44) BUT SHOULD NOT BE LIMITED TO THESE & SHOULD INCLUDE ALL THE NECESSARY SPARES REQUIRED FOR 01 YEAR SMOOTH OPERATION OF THE QUOTED TYPE "C"/HT-35 (LONG LEVER) MANUAL TONG AGAINST SR # 21 OF SOR.

SR. NO.	DESCRIPTION (SPARES REQUIRED FOR MANUAL TONG TYPE "C"/HT-35 LONG LEVER)	QUANTITY REQUIRED FOR 01 YEAR SMOOTH OPERATION
A.	<u>LEVER ASSY (LONG)</u>	
1.	TONG LINE PIN	1
2.	TONG LINE PIN RETAINER	1
3.	KIT, REWORK, HT-35 LEVER REWORK	1
4.	SCREW, CAP MODIFIED, HEX HEAD, DRILLED SHANK, SAFETY LINE BOLT	1
5.	SLOTTED HEX NUT 3/4, SAFETY LINE BOLT NUT	1
6.	COTTER PIN	1
7.	GREASE FITTING 1/8" NPT	2
8.	HEX HEAD CAPSCREW 3/4-10 X 7, HANGER BOLT	1
9.	NUT, HEX STANDARD, 3/4 UNC, CAD PLATED STEEL, HANGER BOLT NUT	1
10.	COTTER PIN	1
B.	<u>HANGER ASSY</u>	
11.	BALANCING SCREW	1
12.	HEX, HEAD CAPSCREW 3/4-10 X 12, BALANCING SCREW BOLT	1
13.	SLOTTED HEX NUT 3/4, BALANCING SCREW BOLT NUT	1
14.	COTTER PIN	1
15.	HANGER SUSPENSION RING	1
16.	HANGER ADJUSTMENT SCREW	1
17.	HEX JAM NUT 7/8, HANGER JAM NUT	2
C.	<u>LONG JAW ASSY</u>	
18.	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5"	1
19.	DIE RETAINING PIN	2
20.	COTTER PIN	2
21.	HINGE PIN NUT	1
22.	GROOVED STRAIGHT PIN 3/8 X 1	2
D.	<u>SHORT JAW ASSY</u>	
23.	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5"	2
24.	DIE RETAINING PIN	4
25.	COTTER PIN	4
26.	HINGE PIN NUT	2
27.	GROOVED STRAIGHT PIN 3/8 X 1	4
E.	<u>LATCH ASSY</u>	
28.	HINGE PIN NUT	1
29.	GROOVED STRAIGHT PIN 3/8 X 1	2
30.	DOOR CATCH/LATCH SPRING	2
31.	HINGE PIN BLOCK	1
32.	HINGE PIN	4
33.	DOWEL PIN	4


[Handwritten Signature]
 S. J. ...
 ...



34.	COTTER PIN	4
E.	<u>LUG JAW ASSY</u>	
35.	TONG DIE, BLUE DIAMOND 1/2" X 1-1/4" X 5-7/8"	1
36.	DIE RETAINING PIN	2
37.	COTTER PIN	2
38.	GREASE FITTING 1/8"NPT	2
G.	<u>GRIP POINT SPARES</u>	
39.	SCREW CAP HEX HEAD (UNC-2A), HANDLE BOLT	1
40.	SCREW CAP HEX HEAD (UNC-2A), HANDLE BOLT (LONG JAW)	1
41.	HOSE, HT TONG HANDLE GRIP	1
42.	NUT, HEX-SELF LOCKING , 5/8-11 ZINC	1
43.	HT TONG SAFETY CAP	2
44.	WASHER, FLAT	2

8/10



ZAHID HAYAT
 Sr. Engineer (D-4P)
 No: 2365



TERMS & CONDITIONS (MANUAL TONGS)


9/10

1. The manufacturer of Manual Tongs must have an approval of API specs 7K for the last Fifteen (15) years as Manual Tongs manufacturer. In this regard latest & consecutive (Without any breaks) fifteen (15) years back API 7K certificates or authentic proof from API official website for the same to be submitted with the technical offer.
2. The Manual Tongs must be brand new & un-used. Confirmation to this effect is required in the technical offer.
3. The successful bidder will be required to furnish mill inspection certificate for quoted Manual Tongs with shipping documents. Confirmation to this effect must be provided in the technical offer.
4. Authority letter in original from the manufacturer(s) covering Warranty/Guarantee for offered Manual Tongs for a period of 18 Months from date of shipment with tender enquiry number must be furnished with the technical offer.
5. Authority letters in original from the manufacturer(s) to bidder and from bidder to local agent for offered Manual Tongs with tender enquiry number must be furnished with the technical offer. The authority letter must be on company letter head, showing the name and contact details (E-mail & fax number) of the signing authority.
6. Original Brochure or brochure on CD/USB format of the manufacturer(s) containing technical literature/specs sheets specifying physical/performance properties of quoted Manual Tongs must be submitted with the technical offer.
7. The manufacturer must have minimum Fifteen (15) years' experience in the manufacturing of Manual Tongs and have supplied Manual Tongs each year during last 10 years to the major international E & P companies like Saudi Aramco, PDO, KOC, Shell, BP, Total, ENI, MOL, OMV or equivalent and drilling contractors company like Schlumberger, Weatherford, Exalo etc. In this regard bidder(s)/ manufacturer should provide last 10 (ten) years comprehensive detailed supply record containing detail of offered and similar Manual Tongs, quantity, name of customers other than manufacturer's own country should be submitted with the technical offer. The supply record must be on the company letterhead and should indicate the Name & Designation of the signing authority along with his complete contact details phone & fax numbers and his official email address.
8. If manufacturer has not already supplied Manual Tongs to OGDCL then Bidder/Manufacturer must submit with technical bid, unpriced copies of at least 10 different purchase orders (for different clients) for quoted Manual Tongs being supplied to the major international E & P companies like PDO, KOC, Shell, BP, Total, ENI, MOL, OMV or equivalent and drilling contractors company like Schlumberger, Weatherford, Exalo or equivalent in other than manufacturer's own country. (Documentary evidence to prove the equivalent stature of E & P Company/ Drilling contractors other than specified above will be required along with technical bid, to ascertain the equivalency of E & P Company/ Drilling contractors other than specified above will be OGDCL sole discretion).


6/12/19
Dr. Engineer (DMP)
Ext: 2365



- 10/10
9. If manufacturer has not already supplied Manual Tongs to OGDCL then certificates of satisfactory performance of quoted Manual Tongs only issued by authorized official(s) of at least 5 (Five) different renowned international E&P companies like PDO, KOC, Shell, BP, Total, ENI, MOL, OMV or equivalent and drilling contractor companies like Schlumberger, Weatherford, Exalo etc other than manufacturer's own country in favour of manufacturer to be submitted with the technical offer. If manufacturer has already supplied Manual Tongs to OGDCL then its performance will be evaluated on in house report. The certificates must be on the company letterhead and should indicate the Name & Designation of the signing authority along with his complete contact details phone & fax numbers and his official email address. However above certificate(s) issued by joint ventures and supply/trading house(s) will not be accepted. (Documentary evidence to prove the equivalent stature of E & P Company/ Drilling contractors other than specified above will be required along with technical bid, to ascertain the equivalency of E & P Company/ Drilling contractors other than specified above will be OGDCL sole discretion).
10. Evaluation criteria will be Full consignment wise.
11. Bidder(s) must ensure to provide required specification/information/documents mentioned above. OGDCL can verify any documents provided and in case of non-verification and non-provision of any required documents bid(s) will be rejected during technical evaluation.
12. **Delivery required:** - Within **180 days** after establishment of letter of credit C&F Karachi by sea.
13. Third party inspection by internationally reputed inspection company is required as per oil industry practice. TPI will be arranged by OGDCL from any of the following parties (i) M/S SGS Pakistan (Private) Limited, Pakistan (ii) M/S Bureau VERITAS Pakistan (Pvt) Ltd, Pakistan (iii) M/S TUV Austria Bureau of inspection & certification (Pvt) Ltd, Pakistan (iv) M/s TUV Rheinland Arabia LLC, Pakistan (v) M/S Velosi, Pakistan .Bidder will assist and make necessary arrangement for TPI. Bidder to confirm that the Third Party Inspection (TPI) report verified by OGDCL will be provided with the shipping documents for LC encashment.
- Scope of work for TPI will be as follows but will not be limited to these:**
- Full Process inspection from the day 1st of manufacturing as per industry standard & API 7K Specifications.
 - Verification of All Raw material certificates including Forgings etc for confirmation of country of origin of Raw Materials. All Raw materials including forging preferably should be of Western Europe & American origin.
 - Verification of full body ultrasonic inspection where applicable.
 - Visual inspection for any defects
 - Verification of mill test certificates.
 - Verification that all equipment is brand new and unused.
 - Verification that all the materials (quantity & specifications) & documents are in accordance with Purchase order.
 - Verification that all Manual Tongs & accessories are manufactured as per API specs 7K.


6/2/19
ZAHED NAWAZ
Sr. Engineer (DMP)
Ext: 2365

