

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION B

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material SPARES OF M/S. CONTROL FLOW USA BOP's

Tender Enquiry No PROC-FB/CB/DRLG/D-4821/2020

Due Date

Evaluation Criteria FULL

SCHEDULE OF REQUIREMENT

Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any
1	PACKER, VARIABLE BORE RAM ASSY, 2-7/8" TO 5" PIPE, FOR 13-5/8", 3000 THRU 10000 PSI W.P.# 64508901 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	8					
2	TOP SEAL, VARIABLE BORE RAM ASSY., 2-7/8" TO 5" PIPE FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 6422302 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	8					
3	PIPE RAM ASSEMBLY,SIZE 7" FOR 13-5/8", 3000 THRU 10000 PSI W.P.# 905232 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
4	PACKER, 7" PIPE RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422419 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
5	TOP SEAL, 7" PIPE RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422301 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
6	PIPE RAM ASSEMBLY,SIZE 9-5/8", FOR 13-5/8", 3000 THRU 10000 PSI W.P.# 905233 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
7	PACKER, 9-5/8" PIPE RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422424 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
8	TOP SEAL, 9-5/8", PIPE RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422301 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
9	BLIND RAM ASSEMBLY, FOR 13-5/8", 3000 THRU 10000 PSI W.P.# 905234 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	4					
10	PACKER, BLIND RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422401 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	12					
11	TOP SEAL, BLIND RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422301 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	12					
12	SHEAR RAM ASSEMBLY, FOR 13-5/8", 3000 THRU 10000 PSI W.P.# 905309 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	2					
13	PACKER, SHEAR RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 46715101 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	10					
14	TOP SEAL, SHEAR RAM ASSEMBLY, FOR 13 5/8", 3000 THRU 10000 PSI W.P.# 64422401 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-10K,"CONTROL FLOW" OR EQUIVALENT	Number	10					
15	PACKER, VARIABLE BORE RAM ASSEMBLY, 2-7/8" TO 5" OD PIPE, FOR 13-5/8", 3000 THRU 15000 PSI W.P.# 64508903 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K,"CONTROL FLOW" OR EQUIVALENT	Number	2					
16	TOP SEAL, VARIABLE BORE RAM ASSEMBLY 2-7/8" -5", FOR 13 5/8", 15000 PSI W.P.# 64422602 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K,"CONTROL FLOW" OR EQUIVALENT	Number	2					

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION B

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material	SPARES OF M/S. CONTROL FLOW USA BOP's		
Tender Enquiry No	PROC-FB/CB/DRLG/D-4821/2020		
Due Date			
Evaluation Criteria	FULL		
17	BLIND RAM ASSEMBLY, FOR 13-5/8" 15,000 PSI, IP# 905203 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K, "CONTROL FLOW" OR EQUIVALENT	Number	2
18	PACKER, BLIND RAM ASSEMBLY, FOR 13-5/8" ,15000 PSI,IP# 64422701 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K, "CONTROL FLOW" OR EQUIVALENT	Number	4
19	TOP SEAL, BLIND RAM ASSEMBLY, FOR 13 5/8", 15000 PSI,IP# 64422601 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K, "CONTROL FLOW" OR EQUIVALENT	Number	4
20	SHEAR RAM ASSEMBLY, FOR 13-5/8" ,15000 PSI,IP# 905243 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K, "CONTROL FLOW" OR EQUIVALENT	Number	2
21	PACKER, SHEAR RAM ASSEMBLY, FOR 13 5/8", 15000 PSI,IP# 4675105 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K, "CONTROL FLOW" OR EQUIVALENT	Number	4
22	TOP SEAL, SHEAR RAM ASSEMBLY, FOR 13 5/8", 15000 PSI,IP# 64422601 IASY BOP,TYPE "U",TRIPLE RAM,13-5/8"-15K, "CONTROL FLOW" OR EQUIVALENT	Number	4
23	BONNET SEAL FOR 13-5/8"-10K CONTROL FLOW BOP.P#644197-03. OR EQUIVALENT	Number	12
24	BONNET SEAL FOR 13-5/8"-15K CONTROL FLOW BOP.P#644196-01. OR EQUIVALENT	Number	6
25	5" PIPE RAM ASSEMBLY, FOR 13-5/8" ,3000 THRU 10000 PSI W.P,TYPE "U",TRIPLE RAM,13-5/8"-10K, "CONTROL FLOW" BOP COMPLETE WITH PACKERS & TOP SEALS.P#905235. OR EQUIVALENT	Number	8
26	5" PIPE RAM ASSEMBLY, FOR 13-5/8" ,15000 PSI W.P,TYPE "U",TRIPLE RAM,"CONTROL FLOW" BOP COMPLETE WITH PACKERS & TOP SEALS.P#905116. OR EQUIVALENT	Number	2
27	5" PIPE RAM PACKER FOR 13-5/8" ,10000 PSI W.P,TYPE "U",TRIPLE RAM,"CONTROL FLOW" BOP.P#644224-14. OR EQUIVALENT	Number	4
28	TOP SEAL FOR 5" PIPE RAMS FOR 13-5/8" ,10000 PSI W.P,TYPE "U",TRIPLE RAM,"CONTROL FLOW" BOP.P#644223-01. OR EQUIVALENT	Number	4
29	PACKER 5" PIPE RAMS FOR 13-5/8" ,15,000 PSI W.P,TYPE "U",TRIPLE RAM,"CONTROL FLOW" BOP.P#644227-11. OR EQUIVALENT	Number	2
30	TOP SEAL FOR 5" PIPE RAMS FOR 13-5/8" ,15,000 PSI W.P,TYPE "U",TRIPLE RAM,"CONTROL FLOW" BOP.P#644226-01. OR EQUIVALENT	Number	2

- Note:**
- i. BID BOND OF US \$ 6600/- OR EQUIVALENT PAK RUPEES MUST BE SUBMITTED WITH THE TECHNICAL BID WITH VALIDITY OF 180 DAYS BEYOND OPENING DATE.
 - ii. BID VALIDITY IS 150 DAYS BEYOND OPENING DATE.
 - iii. BIDDING PROCEDURE IS "SINGLE STAGE TWO ENVELOPE" MASTER SET OF TENDER DOCUMENT IS AVAILABLE ON OGDCL'S WEBSITE.
 - iv. EVALUATION CRITERIA IS FULL CONSIGNMENT WISE ON CFR KARACHI.
 - v. DELIVERY PERIOD IS WITH IN 03 MONTHS AFTER ESTABLISHMENT OF LC.

PROCUREMENT OF M/S CONTROL FLOW INC, USA BOP SPARES

GENERAL TERMS & CONDITIONS.

1. All the quoted spare parts must have the same part numbers as per SOR. In case of different part numbers quoted, Letter from OEM (M/s Control Flow, USA) to be provided that these part numbers are updated and is exactly for the same item as per SOR (Schedule of requirement).
2. All the quoted spares parts must be brand new & un-used. Bidders to provide Manufacturing date against each quoted item.
3. Genuine parts of OEM i.e. M/s Control Flow, USA are to be quoted from OEM or authorized distributors. Valid Authorized distributor letter to be submitted with the Bid.
4. In case Bidder/Manufacturer quote equivalent spares parts with different part numbers then Manufacturer/Bidder have to provide Five (05) numbers satisfactory performance certificates in favour of quoted Manufacturer for each quoted spare issued by authorized official(s) of at least 5 (Five) different renowned international E&P companies like PDO, KOC, Shell, BP, Total, ENI, MOL, OMV or equivalent E & P company working in other than manufacturer's own country. The submitted Performance certificates should have the wording from the issued E & P Company that they have used quoted equivalent spares in M/s Control Flow, USA BOP's without any installation & performance issues. The Provided Performance certificates must be on the E & P company letterhead and should indicate the Name & Designation of the signing authority along with his complete contact details phone & fax numbers and his official email address. However above certificate(s) issued by joint ventures and supply/trading house(s) will not be accepted. (Documentary evidence to prove the equivalent stature of E & P Company other than specified above will be required along with technical bid, to ascertain the equivalency of E & P Company other than specified above will be OGDCL sole discretion).
5. The Manufacturer will be required to furnish mill inspection certificate for quoted spare parts with shipping documents. Confirmation to this effect must be provided in the offer.
6. Warranty/Guarantee letter for offered spare parts to be provided for a period of 18 months from date of shipment.
7. Third party inspection by internationally reputed inspection company is required before shipment of consignment. TPI will be arranged by OGDCL from any of the following parties (i) M/S SGS Pakistan (Private) Limited, Pakistan (ii) M/S Bureau VERITAS Pakistan (Pvt) Ltd, Pakistan (iii) M/S TUV Austria Bureau of inspection & certification (Pvt) Ltd, Pakistan (iv) M/s TUV Rheinland Arabia LLC, Pakistan (v) M/S Velosi, Pakistan. Bidder will assist and make necessary arrangement for TPI. Bidder to confirm that the Third Party Inspection (TPI) report will be provided with the shipping documents for LC encashment.
Scope of work for TPI will be as follows.
 - (i) Verification of ultrasonic inspection reports of spares where applicable.
 - (ii) Visual inspection for any defect.
 - (iii) Verification for brand new & un-used spare parts.
 - (iv) Verification that Rubber elements & seals are Oil base Mud resistant & having temperature rating upto 165 °C.
 - (v) Verification of mill test certificates.
8. Delivery required: - Within Three (03) months after establishment of letter of credit on C&F Karachi by sea basis.

