

**PROCUREMENT DEPARTMENT, ISLAMABAD  
FOREIGN SECTION**

(To be completed, filled in, signed and stamped by the principal)

**ANNEXURE 'A'**

Material                      SPARES REQUIRED FOR NITROGEN PUMPER;MODEL:OGDCL HRCH360NF  
Tender Enquiry No        PROC-FE/CB/DS-4962/2021  
Due Date  
Evaluation Criteria        FULL

**SCHEDULE OF REQUIREMENT**

| Sr No | Description                                                                                                            | Unit   | Quantity | Unit Price (FOB) | Total Price (FOB) | Unit Price C & F BY SEA | Total Price C & F BY SEA | Deviated From Tender Spec. If Any |
|-------|------------------------------------------------------------------------------------------------------------------------|--------|----------|------------------|-------------------|-------------------------|--------------------------|-----------------------------------|
| 1     | KIT, SPARE PARTS, 2.000CE, LMPD "T"; P.NO.A10-01423; NEW P.NO.21A010026 OR EQUIVALENT                                  | Number | 1        |                  |                   |                         |                          |                                   |
| 2     | AIR DRYER CATRIDGE; 107796BXW REP; P.NO.249534 OR EQUIVALENT                                                           | Number | 2        |                  |                   |                         |                          |                                   |
| 3     | AIR RIDE SPRING LARGE; KENWORTH TRUCK OR EQUIVALENT                                                                    | Number | 2        |                  |                   |                         |                          |                                   |
| 4     | AIR RIDE SPRING SMALL; KENWORTH TRUCK OR EQUIVALENT                                                                    | Number | 2        |                  |                   |                         |                          |                                   |
| 5     | BALL VALVE PACKING KIT SMALL; P.NO.10CRK44PMR7 OR EQUIVALENT                                                           | Number | 1        |                  |                   |                         |                          |                                   |
| 6     | BALL VALVE PACKING KIT; P.NO.20CRK44PMR7 OR EQUIVALENT                                                                 | Number | 1        |                  |                   |                         |                          |                                   |
| 7     | BOOST PUMP (CENTRIFUGAL PUMP); 1.5"X2.5"X6"; C/W LIP SEAL; P.NO.A10-0078 ALONG WITH 08 NOS. REDRESS KITS OR EQUIVALENT | Number | 1        |                  |                   |                         |                          |                                   |
| 8     | CAT NO.131-6679; SERIAL .NO.181309T116; PC.NO.5001523; BENDIX PRODUCT ASSY OR EQUIVALENT                               | Number | 1        |                  |                   |                         |                          |                                   |
| 9     | CLAMP, 0.5625TS; P.NO.A90-00040 OR EQUIVALENT                                                                          | Number | 10       |                  |                   |                         |                          |                                   |
| 10    | CLAMP, HD, POLY PROP, 1.900 ID; P.NO.A90-00047 OR EQUIVALENT                                                           | Number | 6        |                  |                   |                         |                          |                                   |
| 11    | DISCH, U, AUTOCLAVE, 1.00 X 9.00 X 11.5; P.NO.4N250127 OR EQUIVALENT                                                   | Number | 2        |                  |                   |                         |                          |                                   |
| 12    | DISPLAY, ENGINE PARAMETER, LCD, POWERVIEW; P.NO.A40-00568 OR EQUIVALENT                                                | Number | 1        |                  |                   |                         |                          |                                   |
| 13    | GAUGE, DIFFERENTIAL, 0-100WC, 6.00IN "T"; P.NO.A40-00052 OR EQUIVALENT                                                 | Number | 2        |                  |                   |                         |                          |                                   |
| 14    | GAUGE, PRESS, 0-100 P/K, 2.50, 0.25MNPT, GF; P.NO.A40-00043 OR EQUIVALENT                                              | Number | 2        |                  |                   |                         |                          |                                   |
| 15    | GAUGE, PRESS, 0-100 PSI, 2.50, PANEL, GF; P.NO.A40-00096 OR EQUIVALENT                                                 | Number | 2        |                  |                   |                         |                          |                                   |
| 16    | GAUGE, PRESS, 0-200 P/K, 2.50, 0.25MNPT, GF; P.NO.A40-00044 OR EQUIVALENT                                              | Number | 2        |                  |                   |                         |                          |                                   |
| 17    | GAUGE, TEMP, 130-250F, 2.00, 30FT, H-LIMIT; PUMP LUBE OIL TEMP.; P.NO.A40-00253 OR EQUIVALENT                          | Number | 1        |                  |                   |                         |                          |                                   |
| 18    | GAUGE, TEMP, 140-300F, 2.00, 16FT; AUX ENGINE TEMP; P.NO.A40-00069 OR EQUIVALENT                                       | Number | 1        |                  |                   |                         |                          |                                   |
| 19    | GAUGE, TEMP, 250F, 2.00, SILVER BRUSH CHASSIS ENGINE TEMP; P.NO.A40-00567 OR EQUIVALENT                                | Number | 1        |                  |                   |                         |                          |                                   |
| 20    | GAUGE, TEMP, 250F, 2.50, 20FT, 0.50MNPT "T"; HYD OIL TEMP.; P.NO.A40-00030 OR EQUIVALENT                               | Number | 1        |                  |                   |                         |                          |                                   |
| 21    | Guage, press, 0-20000 P/B, 4.00, 0.25 HPAC, GF; P.NO.A40-00040 OR EQUIVALENT                                           | Number | 1        |                  |                   |                         |                          |                                   |
| 22    | HYDRAULIC FILTER; P.NO.A50-00086 OR EQUIVALENT                                                                         | Number | 4        |                  |                   |                         |                          |                                   |
| 23    | INDICATOR, ROTARY POSITION, 2 SWITCH; P.NO.A10-00339 OR EQUIVALENT                                                     | Number | 2        |                  |                   |                         |                          |                                   |
| 24    | KIT, MTG, DANFOSS, DAMCOS, BRC 012; P.NO.A10-00532 OR EQUIVALENT                                                       | Number | 2        |                  |                   |                         |                          |                                   |
| 25    | METER, TACH / HOUR DIGITAL; P.NO.A40-00077 OR EQUIVALENT                                                               | Number | 2        |                  |                   |                         |                          |                                   |
| 26    | METER, RATE, HORNER, STD PGM, MDTOTCO REPM; P.NO.AN760076 OR EQUIVALENT                                                | Number | 2        |                  |                   |                         |                          |                                   |

**PROCUREMENT DEPARTMENT, ISLAMABAD  
FOREIGN SECTION**

(To be completed, filled in, signed and stamped by the principal)

**ANNEXURE 'A'**

**Material** SPARES REQUIRED FOR NITROGEN PUMPER;MODEL:OGDCL HRCH360NF  
**Tender Enquiry No** PROC-FE/CB/DS-4962/2021  
**Due Date**  
**Evaluation Criteria** FULL

|    |                                                                                                              |        |   |
|----|--------------------------------------------------------------------------------------------------------------|--------|---|
| 27 | MOTOR,LSHT,4.00,SAE-B2,1.000KEYED "T"; P.NO.A50-00984 OR EQUIVALENT                                          | Number | 1 |
| 28 | PNEUMATIC DISCHARGE VALVE ACTUATER; P.NO.WO294933 OR EQUIVALENT                                              | Number | 1 |
| 29 | RE-PACKING KIT FOR VLV,BALL,4.00 150#,EXT STEM,SS (TANK MAIN VALVE); P.NO.P-10-01213 OR EQUIVALENT           | Number | 1 |
| 30 | REDRESS KIT OF BALL VALVE, WORCESTER :P.NO.1C441SPMSE;R & CWP 1000,M07,2.00FNPT,EXT STEM BRASS OR EQUIVALENT | Number | 3 |
| 31 | REPAIR KIT,1.0 BALL; P.NO.A10-00395 OR EQUIVALENT                                                            | Number | 2 |
| 32 | REPAIR KIT,2.0 BALL VLV;P.NO.A10-00397 OR EQUIVALENT                                                         | Number | 2 |
| 33 | REPAIR KIT,4.0 BALL VLV; P.NO.A10-00428 OR EQUIVALENT                                                        | Number | 2 |
| 34 | TAG, T-STYLE, QUICK PRIME TO ATMOSPHERE; P.NO.4N710062 OR EQUIVALENT                                         | Number | 2 |
| 35 | TAG, T-STYLE, ROAD RELIEF VALVE;P.NO.4N710091 OR EQUIVALENT                                                  | Number | 1 |
| 36 | Throttle Control DDEC (Series 60) CW;P.NO.A70-00140 OR EQUIVALENT                                            | Number | 2 |
| 37 | VALVE BODY,LINEMOUNT,6 FOR,ALUM; P.NO.A50-0164 OR EQUIVALENT                                                 | Number | 1 |
| 38 | VALVE, 4- WAY, ROTARY, 3- POS, CLOSE CENTER, SAE-6;P.NO.A50-00044 OR EQUIVALENT                              | Number | 2 |
| 39 | VAPORIZER ASSEMBLY- 40 TUBE BASE MOUNT;P.NO.4N490033 OR EQUIVALENT                                           | Number | 1 |
| 40 | VIKING PUMP;MODEL.NO.A20-00159 ALONG WITH ONE SET OF SEAL KIT;P.NO.A20-00007 OR EQUIVALENT                   | Number | 1 |
| 41 | VLV, BALL, 0.50 FNPT, BRASS;P.NO.A10-00393 OR EQUIVALENT                                                     | Number | 2 |
| 42 | VLV, BALL, 1.00 FNPT, EXT STEM, BRASS;P.NO.A10-00388 OR EQUIVALENT                                           | Number | 2 |
| 43 | VLV, RELIEF, 1.00 FNPT, 60-175 PSI(YELLOW);P.NO.A50-00447 OR EQUIVALENT                                      | Number | 2 |
| 44 | VLV, RELIEF, STEAM, 2.00 FNPT-2.5 0FNPT;P.NO.A20-00028 OR EQUIVALENT                                         | Number | 1 |
| 45 | VLV,BALL,1.00 FNPT,BRASS;P.NO.A10-00392 OR EQUIVALENT                                                        | Number | 1 |
| 46 | VLV,BALL,2.00 FNPT,EXT STEM,BRASS; P.NO.A10-00390 OR EQUIVALENT                                              | Number | 2 |
| 47 | VLV,BODY,#6FOR,90DEG,T-10A; P.NO.A50-00161 OR EQUIVALENT                                                     | Number | 2 |
| 48 | VLV,CART,FLOW CTRL,FIXED,0.5 GPM; P.NO.A50-00976 OR EQUIVALENT                                               | Number | 2 |
| 49 | VLV,CERT,RELIEF,PO,25GPM,100-3000PSI "T";P.NO.A50-00175 OR EQUIVALENT                                        | Number | 2 |
| 50 | VLV,CHECK,DART,STD,2.00,W/O HANDLE,FXM"T; P.NO.A10-01224 OR EQUIVALENT                                       | Number | 2 |
| 51 | VLV,CHECK,SWING,1.0FNPT,BRASS "T";P.NO.A10-00757 OR EQUIVALENT                                               | Number | 2 |
| 52 | VLV,CHECK,SWING,2.00FNPT,BRASS; P.NO.A10-00334 OR EQUIVALENT                                                 | Number | 2 |
| 53 | VLV,RELIEF,5800 PSI,#4FORB,PANEL;P.NO.A50-00137 OR EQUIVALENT                                                | Number | 1 |

**OIL & GAS DEVELOPMENT COMPANY LIMITED**  
**PROCUREMENT DEPARTMENT, LAMABAD**  
**FOREIGN SECTION**

(To be completed, filled in, signed  
and stamped by the principal)

**ANNEXURE 'A'**

**Material** SPARES REQUIRED FOR NITROGEN PUMPER;MODEL:OGDCL HRCH360NF  
**Tender Enquiry No** PROC-FE/CB/DS-4962/2021  
**Due Date**  
**Evaluation Criteria** FULL

|    |                                                                                                                                          |        |   |
|----|------------------------------------------------------------------------------------------------------------------------------------------|--------|---|
| 54 | GAUGE, WATER TEMPERATURE. IP# A40-00030 IASY TRUCK MOUNTED NITROGEN PUMPING UNIT "KENWORTH" C-500 CHASSIS OR EQUIVALENT                  | Number | 1 |
| 55 | VALVE, D.P GAUGE GAS. IP# 6610 IASY 'LN2 TANK/FITTING' TRUCK MOUNTED NITROGEN PUMPING UNIT "KENWORTH" C-500 CHASSIS OR EQUIVALENT        | Number | 1 |
| 56 | VALVE, D.P GAUGE EQUILIZING. IP# 6611 IASY 'LN2 TANK/FITTING' TRUCK MOUNTED NITROGEN PUMPING UNIT "KENWORTH" C-500 CHASSIS OR EQUIVALENT | Number | 2 |
| 57 | FILTER, RETURN TANK. IP# MR63014A IASY 'HYDRAULICS' TRUCK MOUNTED NITROGEN PUMPING UNIT "KENWORTH" C-500 CHASSIS OR EQUIVALENT           | Number | 4 |
| 58 | KIT, GUPD DRIVE. IP# NPN IASY ENGINE, GAS "CATERPILLER" MODEL '3406'. OR EQUIVALENT                                                      | Number | 1 |
| 59 | KITS, SEAL. IP# NPN IASY ENGINE, GAS "CATERPILLER" MODEL '3406'. OR EQUIVALENT                                                           | Number | 1 |

- 1. Bid Validity:** Bid must be valid for 120 days from the date of Technical Bid Opening
- 2. Bid Bond Amount:** USD 3,400/= (United States Dollar Three Thousand Four Hundred only) or equivalent Pak Rupees valid for 150 days from the date of Technical Bid Opening
- 3. Evaluation Criteria:** - Full Consignment wise on CFR by sea Karachi
- 4. Delivery Period:** 90 Days from establishment of LC
- 5.** Bidders are advised to carefully read all the terms and conditions of the Tender Document "Master Set of Foreign Tender Document (Press-Single Stage Two Envelop) - Updated" available on OGDCL website which is an integral part of this Schedule of Requirement.
- 6.** "BIDDERS QUOTING EQUIVALENT PARTS MUST PROVIDE A CERTIFICATE FROM AT LEAST THREE WELL RENOWNED/E&P COMPANIES OF FOREIGN JURISDICTION OTHER THAN BIDDERS/MANUFACTURERS OWN COUNTRY, STATING THAT EQUIVALENT (QUOTED PARTS) ARE USED BY THEM AND PERFORMANCE OF SUCH PARTS IS FOUND SATISFACTORY. COPIES OF PURCHASE ORDERS (UNPRICED) MUST ALSO BE PROVIDED. THE CERTIFICATE(S) / SALE RECORD IS MANDATORY AND DUE TO NON-SUBMISSION THEREOF, THE BID WILL BE REJECTED."