



**OIL AND GAS DEVELOPMENT COMPANY LIMITED
NASHPA OIL & GAS FIELD**

Date: 02-07-2019

SCHEDULE OF REQUIREMENT

TENDER ENQUIRY # TE/NOF/M/007/2019

Procurement of Material Required for Modification Jobs during ATA-2019 at Nashpa LPG Plant

S#	Description	Reference #	Rate	Total rate (inclusive of all Taxes)	Deviation
1	As per attached list				

MATERIAL LIST FOR MODIFICATION JOBS DURING ATA-2019 AT NASHPA LPG PLANT						
S. No	Size	Description	Rating	Standard	Material	Qty.
1	10"	Ball Valve RF	600#	API 6D	A-216 Gr. WCB	1
2	4" x 3"	Concentric Reducer BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	2
3	2"	Elbow 45` BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	1
4	4"	Elbow 90 BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	2
5	10"	Elbow 90 BW	Sch. 80	ANSI 16.9	A-234 Gr. WPB	3
6	2"	Elbow 90` BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	2
7	1"	Elbow 90` SW	6000#	ANSI 16.11	A-234 GR. WPB	9
8	2"	Equal Tee BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	1
9	4"	Equal Tee BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	2
10	10"	Equal Tee BW	Sch. 80	ANSI 16.9	A-234 Gr. WPB	2
11	3"	Flange RF WN	300#	ANSI 16.5	A-105	2
12	2"	Flange RF WN	300#	ANSI 16.5	A-105	4
13	4"	Flange RF WN	300#	ANSI 16.5	A-105	6
14	10"	Flange RF WN	600#	ANSI 16.5	A-105	2
15	1"	Flange RF WN	600#	ANSI 16.5	A-105	10
16	4"	Gasket SW	300#	ANSI 36.21	SS- 304	9
17	10"	Gasket SW	600#	ANSI 36.21	SS-304	3
18	1"	Gasket SW	600#	ANSI 36.21	SS-304	14
19	3"	Gasket SW	300#	ANSI 36.21	SS-304	4
20	2"	Gasket SW	300#	ANSI 36.21	SS-304	8
21	4"	Gate Valve RF	300#	API 600	ASTM A216 Gr. WCB	3
22	1"	Gate Valve RF	600#	ISO 15761	A-105	1

S. No	Size	Description	Rating	Standard	Material	Qty.
23	1"	Gate Valve RF	600#	API 600	A-105	2
24	3"	Globe Valve RF	300#	ASME B16.34	A-216 Gr. WCB	1
25	2"	Globe Valve RF	300#	ASME B16.34	A-216 Gr. WCB	2
26	4"	Pipe BE (m)	Sch. 40	ANSI 36.10	A-106 GR.6	8
27	10"	Pipe BE (m)	Sch. 80	ANSI 36.10	A-106	8
28	1"	Pipe BE (m)	Sch. 80	ANSI 36.10	A-106	6
29	1"	Pipe BE (m)	Sch. 120	ANSI 36.10	A-106	48
30	2"	Pipe BE (m)	Sch. 40	ANSI 36.10	A-106	24
31	4" x 2"	Reducing Tee BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	1
32	3" x 2"	Reducing Tee BW	Sch. 40	ANSI 16.9	A-234 Gr. WPB	1
33	M20	Stud L = 110/ Nut			A-193-GR.B7/ A-194-GR.2H	10
34	M20	Stud L = 115/ Nut			A-193-GR.B7 / A- 194-Gr.2H	60
35	M16	Stud L = 85 /Nut			A-193-GR.B7 / A- 194-GR.2H	42
36	M20	Stud L = 90/ Nut			A-320 GR. L7/ A-194-GR.7	21
37	M33	Stud L= 215/Nut			A-193-GR.B7 / A- 194-GR.2H	42
38	M16	Stud L= 95/Nut			A-193-GR.B7 / A- 194-GR.2H	10
39	10" x 1"	Weldolet	6000#	ANSI 16.9	A-234 Gr. WPB	2
40	4" x 1"	Weldolet	6000#	ANSI 16.9	A-234 GR. WPB	1

TERMS AND CONDITIONS:

1. Delivery period for spares will be 02 weeks from the date of issuance of purchase order.
2. The material will be delivered at Nashpa Oil Field, the delivery charges to Nashpa Oil Field to be borne by the supplier/ bidder.
3. MTC of the material along with valid heat number must be provided.
4. Any required technical clarification/details regarding material to be supplied must be cleared before submission of bid. No change in submitted bid will be entertained after bid submission date.
5. Material will be accepted after final inspection at site, and payment will be made through Cross cheque thereof
6. The firm should have valid NTN and GST number and have active status on FBR website.
7. The Firm should have active Professional tax certificate of concerned Excise office where operating business
8. Tax submission Certificate(Annex-C) will be provided along with Invoice
9. BOE, GD or SRO to be submitted along with invoice for Income tax/GST exemption if any.
10. OGDCL may change the quantity of material. The variation in quantity at the time of order placement will not change the unit cost of material.

