

Material: INDUSTRIAL MATERIAL (GASKETS, VALVES, FITTING ETC)

Due Date:

Tender Enquiry No: PROC-LD/P&P/17659/19

Bid Bond Value: 130000

EVALUATION WILL BE CARRIED OUT ON FULL

Attachment(if any): NO

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
1	ANCHOR, HARBISON, Walker Style, "VS-50" Material: SS304, Dia. 8mm or Equivalent	150		Number					
2	BLANKET, CERAMIC, FIBER 2" THICK, width 3 feet. 05 Meter= 01 Roll	8		Rolls		<u>.</u> ,			
3	ELBOW, 90 DEG,2",SCH 40,A-234,WPB,BW,B16.9	13		Number					
4	ELBOW,,90 DEG,3",SCH 80,,A-420,WPL6,BW,,	10	· -	Number					
5	ELBOW,,90 DEG,4",SCH 80,,A-234,WPB,,,	13		Number					
6	Elbow 3/4", SW, 3000#, SS-304/309	5		Number					
7	FLANGE,CS,,3",RTJ,300#,,SCH 80,,A-105	2		Number			<u></u>		
8	FLANGE,CS,SW,1",RF,600#,,SCH 80,,A-105,,,B16.5	12		Number					
9	FLANGE,CS,WN,3",RF,150#,SCH 40,A-105	4		Number					
10	FLANGE,CS,WN,4",RF,150#,,SCH 80,,A-105	2		Number	.				
11	FLANGE,CS,WN,4",RF,600#,SCH 80,A-105(S)	2		Number		,			
12	GASKET 1 1/2"-150 4.5 MM THK.SWG.WSS316 FLEX GRAPHITE. P# ASY GASKET (RING).	16		Number				 -	
13	GASKET 1", 600# RTJ OCTAGONAL (R16)316LSS, SOFT IRON, ANSI B 16.20 NACE COMPLIANCE ASY. GASKET	28		Number					
14	GASKET 1-1/2", 600# RTJ OCTAGONAL RING TYPE "R" (R20) AS PER ANSI B16.20.1 SOFT IRON,	19	· -	Number					
15	GASKET 16", 600# FOR RTJ FLANGE, OCTAGONAL RING TYPE "R". (R65) SOFT IRON, AS PER ANSI B16.20	12		Number					
16	GASKET 18", 150 # SPIRAL WOUND , 18"X 1/8" 304SS. with SS Inner/Outer Ring	4		Number		·····			



Material: INDUSTRIAL MATERIAL (GASKETS, VALVES, FITTING ETC)

Due Date:

Tender Enquiry No: **PROC-LD/P&P/17659/19**

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
17	GASKET 3", 600# RTJ OCTAGONAL (R31)316LSS, SOFT IRON, ANSI B 16.20 NACE COMPLIANCE ASY. GASKET	38		Number		· ·			
18	GASKET 6", 600# RTJ FLANGE, OCTAGONAL RING TYPE "R". (R45) SOFT IRON, AS PER ANSI B16.20	38		Number					
19	GASKET 8", 600# RTJ OCTAGONAL (R49)316LSS, SOFT IRON, ANSI B 16.20 NACE COMPLIANCE ASY. GASKET	44		Number					
20	GASKET, 2" 600# SPIRAL WOUND 4.5MM THICKNESS TYPE 316SS WITH FLEXIBLE GRAPHITE FILLER AND 3.2MM THICKNESS CARBON STEEL EXTERNAL GUIDE RING B 16.21	26		Number				<u>-</u>	
	GASKET, 3/4" 600# RTJ OCTAGONAL (R13) 316LSS, SOFT IRON, ANSI B16.20	6		Number					
22	GASKET, OCTAGONAL, R-37, SIZE 4" # 900, RING TYPE JOINT, SOFT IRON, ASY GASKET.	4		Number					
23	GASKET, SPIRAL WOUND 150, 4"X 1/8" 304SS.	4		Number					
24	GASKET, SPIRAL WOUND SIZE 20 MM (3/4" APPROX) LR 316SS 150.	6		Number					***************************************
25	GASKET, SPIRAL WOUND, 25MM (1" APPROX) 150#.	42		Number					
26	GASKET, SPIRAL WOUND, 25MM (1 APPROX) CR, 316/GRAPH, 300/600.	12		Number					
27	GASKET, SPIRAL WOUND, COMPRESSED 18", 600 LBS,ASME B16.20, WITH OUTER RING C.S.	1		Number					
28	GASKET,SPIRAL WOUND,1-1/2",CLASS 600, 4.5MM THK,CS,SS316,API 601	12		Number					
29	GASKET,SPIRAL WOUND,2",CLASS 150,CS,4.5MM THK,SS316,API 601. P# ASY GASKET SPIRAL WOUND	75		Number					
30	GASKET,SPIRAL WOUND,3",CLASS 150,CS,SS316,API 601.	46		Number					
31	GASKET,SPIRAL WOUND,3",CLASS 300,CS,SS316,API 601.	3		Number	<u></u>				
32	GASKET,SPIRAL WOUND,8",CLASS 600,OUTER RING CS,SS316,	4		Number					



Material: INDUSTRIAL MATERIAL (GASKETS, VALVES, FITTING ETC)

Due Date:

Tender Enquiry No: PROC-LD/P&P/17659/19

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
33	Gasket , 18" Octagonal R69D (Soft Iron). P# ,R69D ASY Gasket (Ring).	7		Number					
34	Gasket , 2" Octagonal R23D (Soft Iron). P# ,R23D ASY Gasket (Ring).	104		Number					
35	Gasket , 20" Octagonal R73D Soft Iron	4		Number					
36	Gasket , 26" Octagonal R93D (Soft Iron). P# ,R93D ASY Gasket (Ring).	2		Number					
37	Gasket , 36" Octagonal R98D (Soft Iron). P# ,R98D ASY Gasket (Ring).	2		Number					<u> </u>
38	Green Lite Refractory Material 45L-GR, Make: UK (01 Bag= 20 kg)	50		Bags			-		· · · · · · · · · · · · · · · · · · ·
39	Hex Bolt, M10 x 110 mm, Half Threaded, Material: SS, with double nut & washer	50		Number					
40	Hex Bolt, M12 x 110 mm, Half Threaded, Material: SS, with double nut & washer	150		Number	-				
41	NIPPLE,,PIPE,3/4",,SCH 80,,NPT,,,,H.P.	20		Number					
42	Non Asbestos Gasket Sheet, Tck: 1 mm Minimum Size 4x4 Feet	16		Square Feet				<u> </u>	
43	Non Asbestos Gasket Sheet, Tck: 1.5 mm Minimum size 4x4 feet	32		Square Feet					
44	Non Asbestos Gasket Sheet, Tck: 2.5 mm Minimum Size 4x4 feet	64	<u> </u>	Square Feet					
45	POLYTHENE SHEET 7" WIDE TRANSPARENT	2		Meter					
46	ROPE,GLASS FIBER, 12 MM	15		Meter				<u> </u>	
47	ROPE,GLASS FIBER,22 MM	20		Meter		<u></u>			



Material: INDUSTRIAL MATERIAL (GASKETS, VALVES, FITTING ETC)

Due Date:

Tender Enquiry No: PROC-LD/P&P/17659/19

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
48	Reducer Threaded 2" x 1" Sch 80, (Outer NPT Threaded)	3		Number					
49	SHEET,RUBBER,Width:3", Tck:4mm . MINIMUM LENGHT 50 FEET P# ASY	100		Feet				·	
50	SOCKOLET,,3/4" X 4",3000#,,,,A-105,B16.11	1		Number					<u> </u>
51	STUD BOLT WITH OUT NUTS M16 X 90 MM.,, P #,, ASY STUD BOLTS WITHOUT NUTS .,,	124		Number					
52	STUD BOLTS WITH 2 HEX NUTS, M20 X125MM LONG (CADIUM PLATED), ASTM A 193-B7/A-194-2H ASY. STUD BOLTS.	100		Number	-				
53	STUDBOLT CAD. PLATED, (1-1/8") M27 X 175MM + 2NUTS B72H. P#, ASY BOLTS & NUTS, STUD BOLTS & NUTS	108	-	Number					
54	Gasket 16", 600lb, SPIRAL WOUND CG Type, Inner: CS, Outer: Graphite/CS	15		Number					
55	GASKET 10" 600lb ,SPIRAL WOUND 4.5MM THK. SS316 , Type: CG	32		Number			·		
56	TEE,CS,EQUAL,3",SCH 80,A-234,GR. WPB,BW,B16.9	3		Number				-	
57	UNION,,,3/4",,SCH 20,NPT,SS304,,,	1	·····	Number			· · · · · · · · · · · · · · · · · · ·		
58	VALVE,BALL 1",800#,SW,FULL BORE,TRUNION MOUNTED BALL,SEAT/STEM SS316,BOLTED BODY,BODY A105,BALL SS316,LEVER OPERATED,FIRE SAFE. P# ASY BALL VALVES	2		Number					
59	VALVE,BALL,4" RF,600# FLANGED END,TOP ENTRY,FULL PORT,FIRE SAFE,NATURAL GAS SERVICE,BODY CS ASTM A216 GR.WCB,TRIM ENP,API 6D,NACE MR0175. P# ASY BALL VALVES	3		Number					
60	VALVE,GATE,3", RTJ, 600 # API 600,OS&Y, BOLTED BONNET & GLAND SOLID WEDGE RENEWABLE SEATS, HAND-WHEEL, BODY: ANSI B16.5. P# ASSY VALVE, GATE.	2		Number					
61	Valve Ball, 1" Threaded 300# Brass Body	3		Number					
62	Valve Ball, 6" RTJ 600lb (High Temp) FULL BORE,TRUNION MOUNTED BALL,SEAT/STEM SS316, FORGED BODY,BALL SS316, GEAR OPERATED,FIRE SAFE	2		Number					



Material :INDUSTRIAL MATERIAL (GASKETS, VALVES, FITTING ETC)

Due Date:

Tender Enquiry No: PROC-LD/P&P/17659/19

EVALUATION WILL BE CARRIED OUT ON FULL

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	Tender Spec. If
63	Valve Gate 2" 150# Socket Weld, Body: WCB, RISING STEM, API 600	1		Number		— <u>—, ——, —</u>			
64	WIRE, MESH 20, Wire: 0.46MM X 0.81MM Opening, Single Piece Mesh DIA 2595MM, SS 316L	3		Number					
65	WIRE, MESH 8, Wire: 1.19MM, Opening: 1.98 MM, Single Piece Mesh DIA 2585MM, Material: SS 316L.	6		Number					

Special Note: The prospective bidders also download the master set of Tender Document

- The prospective bidders may keep in touch with OGDCL web site for downloading the clarifications/amendments (if any) issued by OGDCL.
- BID VALIDITY: 180 DAYS FROM TECHNICAL BID OPENING. DELIVERY LOCATION: QADIRPUR PLANT, DELIVERY TIME: 120 DAYS, PAYMENT TERMS: 100% AFTER DELIVERY

Discount (if any) shall only be entertained on Schedule of Requirement of Bidding Document (Financial Proposal). If the discount is mentioned elsewhere in the bid, the same shall not be entertained.



Mandatory Checklist

Please confirm the compliance of the following mandatory information along with the bid(s) (failing which bids(s) will not be accepted)

Documents	To be Attached with the Technical/Financial Bids	Compliance				
Original Bid Bond	Technical Bid	Yes 🗌	No 🗆			
Copy of NTN Certificate	Technical Bid	Yes	No 🗆			
Copy of GST Certificate	Technical Bid	Yes	No 🗌			
Confirmation that the Firm is appearing on FBR's Active Taxpayer List	Technical Bid	Yes 🗆	No 🗀			
Duly signed and stamped Annexure-A (Un-priced)	Technical Bid	Yes	No 🗀			
Duly filled, signed and stamped Annexure-B	Technical Bid	Yes	No 🗆			
Duly filled, signed and stamped Annexure-D	Technical Bid	Yes 🗀	No 🗆			
Duly filled, signed and stamped Annexure-L on Company's Letterhead	Technical Bid	Yes	No 🗆			
Duly signed and stamped Annexure-M on Company's Letterhead	Technical Bid	Yes	No 🗆			
Duly signed and stamped Annexure-N on Non-Judicial Stamp Paper duly attested by Notary Public	Technical Bid	Yes	No 🗀			
Duly filled, signed and stamped Annexure-A (Priced)	Financial Bid	Yes	No .			
Duly filled, signed and stamped Annexure-C	Financial Bid	Yes	No .			
Duly filled, signed and stamped Annexure-E	Financial Bid	Yes	No 🗆			



For the Vendors/Contractors who opt to submit Bank Draft/Call Deposit/Pay order against Bid Bond/Performance Bond, our Accounts Department has finalized an arrangement for online payment to such Vendors/Contractors, which will be processed through (IBFT & LFT) for which following information is required:

i.	IBAN No. (International Bank Account Number 24 Digits)	
ii.	Vendor Name as per Title of their Bank Account	
iii.	Contact No.of Company's CEO/ Owner (Mobile & Landline)	
iv.	Bank Name.	
v.	Bank Branch Name and Code	

Name, Sign and Stamp of the authorized official of the Bidder(s)	
--	--