



## **OIL & GAS DEVELOPMENT COMPANY LIMITED** PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD **SCHEDULE OF REQUIREMENT**

Material :CARTRIDGE FILTERS FOR AMINE & GLYCOL UNITS AT DAKHNI **PLANT** 

**Due Date:** 

Tender Enquiry No: PROC-LE/17687

Bid Bond Value: RS. 49000/-

Attachment(if any): YES

**EVALUATION WILL BE CARRIED OUT ON FULL** 

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
1	FILTER CARTRIDGE, AQUA CLEAR, CORD NO.A33B-5I-S36, LENGTH: 33-5/8", OD 75MM, ID35.8MM, 5-MICRON (NOMINAL), STAINLESS STEEL CORE, 100% POLYPROPYLENE. As per drawing # PP-DKN-479 and TOR	200		Number					
2	FILTER CARTRIDGE, AQUA CLEAR, CORD NO. A36B-5I-S36/A36B-5I-S38, LENGTH: 36.5", OD 75MM, ID 35.8MM/37MM, 5-MICRON (NOMINAL), STAINLESS STEEL CORE, 100% POLYPROPYLENE. As per drawing # PP-DKN-480 and TOR	1200		Number					

Special Note: The prospective bidders also download the master set of Tender Document

- The prospective bidders may keep in touch with OGDCL web site for downloading the clarifications/amendments (if any) issued by OGDCL.
- I. MATERIAL TO BE DELIVERED AT DAKHNI PLANT WITH IN 90 DAYS AFTER LPO. BID VALIDITY IS 180 DAYS FROM TECH. OPENIN PAYMENT TERM AFTER DELIVERY

Discount (if any) shall only be entertained on Schedule of Requirement of Bidding Document (Financial Proposal). If the discount is mentioned elsewhere in the bid, the same shall not be entertained.





# OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

## **Mandatory Checklist**

Please confirm the compliance of the following mandatory information along with the bid(s) (failing which bids(s) will not be accepted)

Documents	To be Attached with the Technical/Financial Bids	Compliance			
Original Bid Bond	Technical Bid	Yes	No 🗆		
Copy of NTN Certificate	Technical Bid	Yes 🔲	No 🗀		
Copy of GST Certificate	Technical Bid	Yes	No 🗆		
Confirmation that the Firm is appearing on FBR's Active Taxpayer List	Technical Bid	Yes	No 🗔		
Duly signed and stamped Annexure-A (Un-priced)	Technical Bid	Yes	No 🗆		
Duly filled, signed and stamped Annexure-B	. Technical Bid	Yes	No 🗆		
Duly filled, signed and stamped Annexure-D	Technical Bid	Yes 🗆	No 🗀		
Duly filled, signed and stamped <b>Annexure-L</b> on Company's Letterhead	Technical Bid	Yes 🗌	No 🗆		
Duly signed and stamped Annexure-M on Company's Letterhead	Technical Bid	Yes	No 🗆		
Duly signed and stamped <b>Annexure-N</b> on Non-Judicial Stamp Paper duly attested by Notary Public	Technical Bid	Yes	No 🗆		
Duly filled, signed and stamped Annexure-A (Priced)	Financial Bid	Yes	No 🗆		
Duly filled, signed and stamped Annexure-C	Financial Bid	Yes	No 🗆		
Duly filled, signed and stamped <b>Annexure-E</b>	Financial Bid	Yes	No 🗆		






## OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT


For the Vendors/Contractors who opt to submit Bank Draft/Call Deposit/Pay order against Bid Bond/Performance Bond, our Accounts Department has finalized an arrangement for online payment to such Vendors/Contractors, which will be processed through (IBFT & LFT) for which following information is required:

i.	IBAN No. (International Bank Account Number 24 Digits)	
ii.	Vendor Name as per Title of their Bank Account	
iii.	Contact No.of Company's CEO/ Owner (Mobile & Landline)	
iv.	Bank Name.	
٧.	Bank Branch Name and Code	

Name, Sign and Stamp of the authorized official of the Bidder(s)



### PLAN



item No: 2 Drawing = PP-DKN-480

#### NOTE:-

- 1. ALL DIMENSION ARE IN MILLIMETER OTHER WISE NOTED
  2. FILTER SHOULD BE 5 MICRON NOMINAL.
- 3. CORE MATERIL STAINLESS STEEL
- 4. MEDIA POLYPROPYLICAE


2.04.2	62-65-7019			
Rev. J	Lenge Fea Manufacturing	T		
R/w.0	Incus Per Approvel	-		
Beriti	Revision Meen.	CADET	Classified By	Approved By




4256

### OIL & GAS DEVELOPMENT COMPANY LTD. PROCESS & PLANT DEPARTMENT Dakhni Gas Processig Plant

CARTRIDGE FILTER DETAIL (36")							
CAD BY M. Waqus Khali/ Mooh (Draughts Mon)	CHBCKED BY Bital Khochid J.B (bioch.)	APPROVED BY Yanga Tajvord Float Manager	DRAWING NO. FT-DEN-479				
esale: NTS	Occupator Codo	Rev. 2	Dute A4 12 2014				



PLAN



### NOTE:-

- 1. ALL DIMENSION ARE IN MILLIMETER OTHER WISE NOTED
- FILTER SHOULD BE 5 MICRON NOMINAL.
   CORE MATERIL STAINLESS STEEL
- 4. MEDIA POLYPROPYLEDIE

B.697, 2.	62-Q3-2019			
Rov. 1	leane For Manufacturing			
9,47.0	Issus For Approved.			
Barith	Navision Non.	CADBY	Chardeol By	Approved By



TITLE

OIL & GAS DEVELOPMENT COMPANY LTD. PROCESS & PLANT DEPARTMENT Dakhni Gas Processig Plant

mue.	CARTRIDGE FIL	TER DETAIL (:	37)
CAD BY M. Waqos Ebelid Mach. (Doughts Man)	CERCEND BY Bilel Khartid J.B (Moth.)	APPROVED BY Yaliya Tajawal Plant Managar	DRAWING NO
assle: NTS	Compater Cods 274 J.5	Bar. 2	Dute 94-12-3016

Terms of Reference (TOR) for Cartridge Filters ( akhni Plant:

- 1. Delivery period for material is 90 days from the date of issuance of Purchase order.
- 12. Manufacturer must have 5 years of experience in manufacturing and supply of Filters in Pakistan. Verifiable list (supported by documentation such as purchase orders) must be provided for the supply of Filters, besides unpriced copy of contract, purchase order with name and full contact details to be provided in technical bid.
  - 3. Technical brochure of filters must be provided in Technical Bid.
  - 4. The bidder should strictly adhere to the specifications of Filters.
  - 5. The variation in quantity at the time of order placement will not change the unit cost of material.
  - 6. Standard Guarantee / Warrantee for filters to be confirmed by the bidder. 7. Bidder will be responsible for supply of Filters up to Dakhni Plant, City Jand, District Attock.
  - 8. Parts must be new & free from any defect.
  - 9. Inspection of material will be carried out at Dakhni plant and after successful inspection, material will be accepted.
  - 10. Any damaged/ rejected Cartridge Filter found during inspection will have to be replaced by the supplier without any extra charges.