

OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Material :TAPE DRIVES

Due Date:

Tender Enquiry No: PROC-LD/SYSTEM/17691

Bid Bond Value: 36966

EVALUATION WILL BE CARRIED OUT ON FULL Attachment(if any):

YES

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
1 1	_TO-6 External Tape Drive (Specification Attached)	1		Number					
2 1	_TO-8 External Tape Drive (Specification Attached)	1		Number			*		

Special Note: The prospective bidders also download the master set of Tender Document

- The prospective bidders may keep in touch with OGDCL web site for downloading the clarifications/amendments (if any) issued by OGDCL.
- BID VALIDITY: 120 DAYS AFTER TECHNICAL BID OPENING DELIVERY LOCATION: BASE STORE, ISLALMABAD, DELIVERY PERIOD: WEEKS AFTER ISSUANCE OF LPO, PAYMENT TERM: 100% AFTER DELIVERY

Discount (if any) shall only be entertained on Schedule of Requirement of Bidding Document (Financial Proposal). If the discount is mentioned elsewhere in the bid, the same shall not be entertained.



OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Mandatory Checklist

Please confirm the compliance of the following mandatory information along with the bid(s) (failing which bids(s) will not be accepted)

Documents	To be Attached with the Technical/Financial Bids	Compliance			
Original Bid Bond	Technical Bid	Yes	No		
Copy of NTN Certificate	Technical Bid	Yes	No		
Copy of GST Certificate	Technical Bid	Yes	No		
Confirmation that the Firm is appearing on FBR's Active Taxpayer List	Technical Bid	Yes	No 🗆		
Duly signed and stamped Annexure-A (Un-priced)	Technical Bid	Yes	No		
Duly filled, signed and stamped Annexure-B	Technical Bid	Yes	No .		
Duly filled, signed and stamped Annexure-D	Technical Bid	Yes	No		
Duly filled, signed and stamped Annexure-L on Company's Letterhead	Technical Bid	Yes	No		
Duly signed and stamped Annexure-M on Company's Letterhead	Technical Bid	Yes	No		
Duly signed and stamped Annexure-N on Non-Judicial Stamp Paper duly attested by Notary Public	Technical Bid	Yes	No 🗆		
Duly filled, signed and stamped Annexure-A (Priced)	Financial Bid	Yes	No		
Duly filled, signed and stamped Annexure-C	Financial Bid	Yes	No		
Duly filled, signed and stamped Annexure-E	Financial Bid	Yes	No 🗆		



OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

For the Vendors/Contractors who opt to submit Bank Draft/Call Deposit/Pay order against Bid Bond/Performance Bond, our Accounts Department has finalized an arrangement for online payment to such Vendors/Contractors, which will be processed through (IBFT & LFT) for which following information is required:

i.	IBAN No. (International Bank Account Number 24 Digits)	
ii.	Vendor Name as per Title of their Bank Account	
iii.	Contact No.of Company's CEO/ Owner (Mobile & Landline)	
iv.	Bank Name.	
V.	Bank Branch Name and Code	

Name, Sign and Stamp of the authorized official of the Bidder(s)

LTO-6 External Tape Drive Specifications:

Capacity per cartridge (native): 2500GB (2.5TB) Capacity per cartridge (compressed): 6250GB (6.25TB) Transfer rate per drive (native): 160MB/s

Transfer rate per drive (compressed): 400MB/s

Interface: 6Gb SCSI/SFF 8088 Dimensions (inches): 4 in x 4.15 in x .85 in

Read/Write Compatibility Write: LTO-6, LTO-5

MTBF (mean time between failure) 250,000 hours @ 100% duty cycle

Buffer Size: 512 MB

Temperature (operating): 10C to 38C Humidity (operating): 10 to 80% (non-condensing)

LTO-8 External Tape Drive Specifications:

Capacity per cartridge (native): 12000GB (12.0TB)

Capacity per cartridge (compressed): 3000GB (30.0TB) Transfer rate per drive (native): 360MB/s

Transfer rate per drive (compressed): 900MB/s

Interface: 6Gb SCSI/SFF 8088

Dimensions (inches): 4 in x 4.15 in x .85 in

Read/Write Compatibility Write: LTO-7, LTO-6

MTBF (mean time between failure) 250,000 hours @ 100% duty cycle

Buffer Size: 1 GB

Temperature (operating): 10C to 45C

Humidity (operating): 20 to 80% (non-condensing)