

### OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Material : Procurement of different valves for Routine Maintenance at Qadirpur Plant.

Due Date:

Tender Enquiry No: 18650/2021

Bid Bond Value: RS.95,000/-

Attachment(if any): YES

EVALUATION WILL BE CARRIED OUT ON FULL PKG.

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
1	BUTTERFLY VALVE 4" CLASS 150# RF, BODY DUCTILE IRON DISC SS316, SEAT: BUNAN STEM SS416, MANUAL LEVER OPERATED, API 609, ALONG WITH COMPANION FLANGE A105 AND STUD NUTS	12		Number					
2	A193 B7/ A194 2H "GATE VALVE 2" ANSI 800lb NPT (ASME B1, 20.1) NACE Compliant Body: ASTM A105/F6 Bolted Bonnet (100–600F) Stem: A182 F6 Packing: Graphite OS&Y Rising Stem Stud Bolts ASTM A193 GR B8 Nuts: ASTM A194 GR B8, API 602	4		Number					
3	Valve, Ball, 8" RTJ (ANSI B16.5) 600# Bolted Body, Full Bore Trunion Mounted Ball, Gear Operated, ANTI Static, Fire Safe, API 6D. Material Carbon Steel body, A216 WCC, BALL STEM SEAT SS316., NACE	1		Number					
4	COMPLIANT IP# IASY BALL VALVES VALVE, GATE, 3/4" 800#, SW, HAND-WHEEL, BODY: ASTM A-350 GR. LF2 TRIM AISI, DESIGN STD. API602, NACE COMPLIANT	12	- 44	Number			·		
5	VALVE, GATE, "SHANGHAI" 2" S.W. 800 # API 602, OS&Y, BOLTED, BONNET & GLAND SOLID WEDGE RENEWABLE SEATS, HAND- WHEEL, BODY: ASTM A-105 NORMALIZED DISC STEAM & SEAT RINGS 13% CR, HF SEAT, NACE COMPLIANT JASSY VALVE, GATE	4		Number					
6	VALVE, GLOBE 4" ST. PATTRÉN RF 150# B.S. 1873, OS&Y, BOLTED BONNET & GLAND RENEWABLE PARABOLIC TYPE DISC / SEAT BING, HWHEEL, BODY: ASTM A-216 GR. WCB TRIM: 13% CR (A-182	1		Number		٠.	***		
7	GR.F6) HF S, NACE COMPLIANT JASSY VALVES GLOBE.  VALVE, GATE, "PETROLVALVE" 6" CLASS 600,BODY WCB A-216.  JP# JASY VALVE, GATE, "PETROLVALVE", NACE COMPLIANT	1		Number					Address of the second s
8	VALVE,GATE 1",800# SOCKET WELD TO ANSI B16.11,BS-5352/API 602,BODY BOLTED BONNET & GLAND,OS&Y,TRIM SOLID WEDGE,CS LOW TEMP,FORGED ASTM A350 GRLF2,HAND WHEEL,REINFORCED GRAPHITE ASBESTOS,SPIRAL WOUND SS.	12		Number					
9	IP# IASY GATE NACE COMPLIANT  VALVE, CHECK 4" RF 150#, API-594, WAFER TYPE, METAL TO METAL  SEATS, DUAL PLATE, TO SUIT ANSI B16.5, BODY: CS, ASTM A-216  GR. WCB TRIM: ST STEEL TYPE 316/410, DISC: ASTM A216 GRWCB;  SPRING: INCONEL X, NACE COMPLIANT JASSY VALVE, CHECK			Number					· · · · · · · · · · · · · · · · · · ·
. 10	O VALVE, GATE, 4", CLASS 300, FLANGED RF TO ANSI B16.5, BS1414/AP 600, BOLTED BONNET, OS&Y, RISING STEM, SOLID FLEXIBLE WEDGE, BODY TO A216 WCB, TRIM 13% CR STELLITED SEAT, RENEWABLE BODY SEAT RING, GASKET SS SW, BOLTING TO ASTM A193B., NACE COMPLIANT	٠		- Number				- -	



### OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Material: Procurement of different valves for Routine Maintenance at Qadirpur Plant.

Due Date:

Tender Enquiry No: 18650/2021

EVALUATION WILL BE CARRIED OUT ON FULL PKG.

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
11	VALVE,GATE 1",CLASS ANSI 800,BS5352 OR API602,END CONNECTION THREADED,BODY BOLTED BONNET & GLAND OS&Y,TRIM FLEXIBLE WEDGE RENEWABLE SEATS BODY CS FORGED TO ASTM A105 NORMALIZED,TRIM 13%CR  P#  ASY GATE	18		Number					
	VALVE NACE COMPLIANT  VALVE,BALL 1",800#,SW,FULL BORE,TRUNION MOUNTED  BALL,SEAT/STEM SS316,BOLTED BODY,BODY A105,BALL  SS316,LEVER OPERATED,FIRE SAFE.  P#  ASY BALL VALVES, NACE  COMPLIANT	2		Number					
	VALVE,BALL,2" RTJ (ANSI B15.5) 600# BOLTED BODY,FULL BORE,FLOATING BALL,LEVER OPERATED,ANTI STATIC,FIRE SAFE,API 6D,MATERIAL CARBON STEEL FORGED ASTM A 105/ A216 GB WCB 316 SS/ENP IP# JASY BALL VALVES, NACE COMPLIANT		11000	Number			, , , , , , , , , , , , , , , , , , , ,		
	GATE VALVE, 1–1/2", 800 LBS, NPT DESIGN API-602, A-105 BODY, HANDWHEEL, TRIM AISI 316. DESIGN STD. API 602, NACE	12		Number					
15	BALL VALVE SIZE 1", NPT (ANSI B16.11), 800#, BOLTED BODY, FULL BORE, BODY BRASS OR BRONZE, FLOATING BALL, LEVER OPERATED, ASTM B584C84400, ANTI STATIC FIRE SAFE, 6G5 [ASY, VALVES	18		Number					
16	BALL VALVE SIZE 3/4", SW (ANI B16.11), 800#, BOLTED BODY, FULL BORE, FLOATING BALL, LEVER OPERATED, ANTI STATIC FIRE SAFE, API 6D, 6A6 WITH NACE COMPLIANCE, A105N, 316	18		Number					· .
17	BORE, FLOATING BALL, LEVER OPERATED, ANTI STATIC FIRE SAFE, API 6D, 6A6 WITH NACE COMPLIANCE, A105N, 316	18		Number					
18	RPTFE, ASY. VALVES  GATE VALVE SIZE 3/4", NPT (ANI B16.11),800# OS&Y, BOLTED  BONNET & GLAND, SOLID WEDGE & RENEWABLE SEATS, HANDWHEEL, API602, IAS WITH NACE COMPLIANCE, FULL BORE,	6		Number					· · · · · · · · · · · · · · · · · · ·
	ASTM, A105N, 13%CR CR/STL, F6 JASY, VALVES  CHECK VALVE SIZE 2", WAFER TYPE, RF (ANI B16.5), 150# METAL SEATS, DUAL PLATE, API594, REFR. SPEC 4A WITH NACE COMPLIANCE, FULL BORE, WCB, 316 JASY, VALVES			Number	-	<del></del> .	÷	•	
20	VALVE, BALL, 3", 150#, RF, API 6D, BOLTED BODY, FULL BORE, TRUNION MOUNTED BALL, LEVER OPERATED ANTI STATIC, FIRE SAFE, BODY A105/A216 WCB BALL DISC, STEM, SEAT ENP/RPTFE, NACE COMPLIANT JASY. VALVES	3		Number					



### OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD **SCHEDULE OF REQUIREMENT**

Material: Procurement of different valves for Routine Maintenance at Qadirpur Plant.

Due Date:

Tender Enquiry No: 18650/2021

EVALUATION WILL BE CARRIED OUT ON FULL PKG.

Sr No	Description	Quantity	Make/Brand offered	Unit	Unit Price (PKR) Inclusive Of All Taxes Except GST	Unit Price (PKR) Inclusive of GST	Total Price (PKR) Inclusive of GST	Delivery Period Offered	deviation from Tender Spec. If Any
	VALVE, BALL, 3", 600#, RTJ, API 6D, BOLTED BODY, FULL BORE, TRUNION MOUNTED BALL, LEVER OPERATED ANTI STATIC, FIRE SAFE, BODY A105/A216 WCB BALL DISC, STEM, SEAT ENP/RPTFE, , NACE COMPLIANT JASY. VALVES	2		Number			TO COMPANY TO LABOR CONTROL OF THE C	-	
22	VALVE, BALL, 4", 600#. RTJ, API 6D, BOLTED BODY, FULL BORE, TRUNION MOUNTED BALL, LEVER OPERATED ANTI STATIC, FIRE SAFE, BODY A352 LCB / A350 LF2 BALL DISC, STEM, SEAT ENP/RPTFE, , NACE COMPLIANT JASY. VALVES	2		Number					
23	VALVE, BALL, 2", 150#, RF, API 6D, BOLTED BODY, FULL BORE, FLOATING BALL, LEVER OPERATED ANTI STATIC, FIRE SAFE, BODY A105/A216 WBC, BALL DISC, STEM, SEAT ENP/ RPTFE, NACE COMPLIANT IASY. VALVES	3		Number					
24	BALL VALVE 6" RTJ (ANSI B16.5), 600# BOLTED BODY, BODY MATERIAL CS, FULL BORE TRUNION MOUNTED BALL, GEAR OPERATED, ANTI STATIC FIRE SAFE, API 6D, NACE COMPLIANCE, A105/A216 GR WCB 13% CR A182 HFSIASY, PIPE FITTINGS HIGH PRESSURE	. 1		Number			- 1, 1		
25	VALVE, BALL, 3/4", 800#, FULL BORE, SOCKET WELD, A-350 LF2, AS PER API-6D, FLOATING BALL MOUNTED, FIRE SAFE TO API 607/6FA, P# JASSY VALVE, BALL, NACE COMPLIANT	12		Number		·			
26	VALVE, GATE, 4", CLASS 150, FULL BORE, FLANGED RF, API 6D, BOLTED BONNET, NON RISING STEM, SINGLE SLAB GATE, HANDWHEEL OPERATED, BODY MAT: CS A216 Gr WCB, TRIM MAT: GATE,STEM,SEAT RING: ASTM A182 F316, SEAT INSERT: RPTFE, NACE MR 0175.			Number					
27	VALVE,CHECK 3",150#,RF,API-594,WAFER TYPE,TRIM METAL TO METAL SEATS,DUAL PLATE,BODY CS CAST ASTM A216 GRWCB,DISC ASTM A216 GRWCB,TRIM SS316,END CONNECTION TO SUIT ANSI B16.5 RF., NACE COMPLIANT  P#  ASSY VALVE, CHECK	6		Number		•			
28	VALVE, GATE, ASME B16.34,3", 150#, RF, BOLTED BODY, OS & Y, MATERIAL & GRADE BODY A216 WCB, STEM MATERIAL A182 F6A, SEAT MATERIAL A182 F6A, WEDGE MATERIAL A216 WCB, MANUALLY OPERATED, NACE COMPLIANT	12		Number	•	•		• • 	
29	VALVE, GATE, ASME B16.34,2",150#, RF, BOLTED BODY, OS & Y, MATERIAL & GRADE BODY A216 WCB, STEM MATERIAL A182 F6A, SEAT MATERIAL A182 F6A, WEDGE MATERIAL A216 WCB, MANUALLY OPERATED, NACE COMPLIANT	12		Number		<del>-</del>		-	. •



## OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Special Note: The prospective bidders also download the master set of Tender Document

- The prospective bidders may keep in touch with OGDCL web site for downloading the clarifications/amendments (if any) issued by OGDCL.
- BID VALIDITY: 180 DAYS FROM TECHNICAL BID OPENING, DELIVERY PERIOD:120 DAYS AFTER ISSUANCE OF LPO. PAYMENT: AFTER DELIVERY & INSPECTIONS

### **Mandatory Checklist**

Please confirm the compliance of the following mandatory information along with the bid(s) (failing which bids(s) will not be accepted)



# OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

Documents	To be Attached with the Technical/Financial Bids	Compliance				
Original Bid Bond	Technical Bid	Yes 🗀	No 🗆			
Copy of NTN Certificate	Technical Bid	Yes 🗌	No 🗀			
Copy of GST Certificate	Technical Bid	Yes 🗌	No 🗀			
Confirmation that the Firm is appearing on FBR's Active Taxpayer List	Technical Bid	Yes 🗀	No 🗀			
Duly signed and stamped Annexure-A (Un-priced)	Technical Bid	Yes 🗀	No 🗀			
Duly filled, signed and stamped Annexure-B	Technical Bid	Yes	No 🗆			
Duly filled, signed and stamped Annexure-D	Technical Bid	Yes	No 🗀			
Duly filled, signed and stamped Annexure-L on Company's Letterhead	Technical Bid	Yes 🗌	No 🗀			
Duly signed and stamped Annexure-M on Company's Letterhead	Technical Bid	Yes	No 🗀			
Duly signed and stamped Annexure–N on Non–Judicial Stamp Paper duly attested by Notary Public	Technical Bid	Yes 🗌	No 🗀			
Duly filled, signed and stamped Annexure-A (Priced)	Financial Bid	Yes	No 🗆			
Duly filled, signed and stamped Annexure-C	Financial Bid	Yes 🗌	No.			
Duly filled, signed and stamped Annexure-E	Financial Bid	Yes 🗀	No 🗔			



# OIL & GAS DEVELOPMENT COMPANY LIMITED PROCUREMENT DEPARTMENT (LOCAL), ISLAMABAD SCHEDULE OF REQUIREMENT

For the Vendors/Contractors who opt to submit Bank Draft/Call Deposit/Pay order against Bid Bond/Performance Bond, our Accounts Department has finalized an arrangement for online payment to such Vendors/Contractors, which will be processed through (IBFT & LFT) for which following information is required:

i.	IBAN No. (International Bank Account Number 24 Digits)	
ii.	Vendor Name as per Title of their Bank Account	
iii.	Contact No.of Company's CEO/ Owner (Mobile & Landline)	
iv.	Bank Name.	
٧.	Bank Branch Name and Code	

Name.	Sign and Stamp	of the auth	orized officia	I of the Bidde	ır(s)	 <u></u>

# TERMS OF REFERENCE - QP-13220

# FOR SUPPLY OF DIFFERENT VALVES FOR ROUTINE MINTENANCE AT QADIRPUR PLANT

- Verifiable list (supported by documentation such as purchase orders) must be provided for the supply of valves besides unpriced copy of contract, purchase order with name and full contact The Supplier must have 05 years of experience in supply of valves in oil and gas details to be provided in technical bid.
- The supplier should strictly adhere to the specifications mentioned in the tender enquiry and the TOR's.
- the statement "All the supplied items are Brand New and Free from Defect, if any material All valves to be supplied must be newly manufactured. Separate letter must be provided found refurbished will be replaced within 10 days of inspection"
- The manufacturer should have a valid API certification for the design / inspection standards and must be certified. The bidder to provide copy of these certificates.
- The offered Country of Origin and Make/Brand cannot be changed at the time of supply for Firm Country of Origin and Make/Brand for each item must be mentioned in the Technical bid any of the item.
- 6. Bidder to provide MTC's with the material.
- Bidder should submit traceable documents for batch/lot no, manufacturer details with supply
- All the technical and other terms and conditions mentioned here should be clearly confirmed in the technical bid
- 9. Delivery period: 120 days from purchase order.
- οţ satisfactory inspection Payment Terms: 100% after complete delivery and subject to 10.
- 11. Delivery Location: Qadirpur Gas Field, OGDCL.
- Complete compliance of TOR should be submitted with the bid duly signed by the bidder, otherwise bid will not be evaluated further and will be considered technically non-responsive.