

Oil & Gas Development Company Limited
PROCUREMENT DEPARTMENT ISLAMABAD
FOREIGN SECTION E

1/5
 (To be completed, filled in, signed
 and stamped by the principal)

ANNEXURE 'A'

Material PROCUREMENT OF SPARES FOR ROSE MPUNT TRANSMITTERS FOR UCH-II PLANT
 Tender Enquiry No PROC-FE/CB/P&P/UCH-4083A/2019
 Due Date
 Evaluation Criteria FULL

SCHEDULE OF REQUIREMENT

Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From: Tender Spec. If Any
1	18" Contact and Thermocouple Replacement Assembly P/N: 3534B56G08 for above oxygen transmitter, MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
2	18" Heater Strut Assembly P/N: 3D39645G01 for above oxygen transmitter, MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
3	ANSI 18" Cell Replacement Kit P/N: 4847B61G02 for above oxygen transmitter MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
4	Electronic Assembly P/N: 3D39861G01 for above oxygen transmitter MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
5	Emerson 475 Field Communicator Model: 475HP1EKLUGM9S MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
6	HART, LCD, ALUM COVER, UPGRADE KIT P/N: 03031-0020-3209 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
7	KIT, O-RING, FLANGE, GLASS-FILLED PTFE P/N: 03031-0234-0001 (for both 2088 and 3051) Pack of 12 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
8	KIT, PCB BBH (BARRIER BOARD HART) P/N: 05400-7005-0002 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
9	KIT, PCB EB (EMC BOARD) P/N: 05400-7005-0001 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
10	KIT, SPARES 2-LINE LCD METER ASSY P/N: 03031-0193-0103 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
11	KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC STANDARD P/N: 02051-9005-0003 MAKE: FISHER OR EQUIVALENT	Number	3					
12	KIT, SPARES TERMINAL BLOCK HART IMPROVED EMC TRANSIENT P/N: 02051-9005-0004 MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
13	KIT, SPARES, 2-LINE LCD METER ASSY P/N: 03031-0193-0103 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
14	KIT, SPARES, SPAN/ZERO SCREW ASSY P/N: 03031-0293-0002 MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
15	KIT, TERMINAL BLOCK, HART STD P/N: 05400-7004-0001 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
16	KIT, O-RING, ADAPTER, GLASS-FILLED PTFE P/N: 03031-0242-0001 (for both 2088 and 3051) Pack of 12 MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
17	KIT, SPARES, 2-LINE LCD DISPLAY W/ALUMINUM METER COVER, HART 7 P/N: 03031-0199-0011 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
18	MODULE ASSY RG 2, SST, SIL, CHARACTER, D/G P/N: 03031-1045-0022, Tag: 900-LT-002/004, 900-FT-001/002/009/010/014A/B/C/D/11.01A/B/C/D MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
19	Rosemount 306 2-Valve Manifold Model: 0306RT22AA11SG P/N: -C30610-1125-0300 MAKE: ROSEMOUNT OR EQUIVALENT	Number	2					
20	Rosemount 8732 Transmitter Model: 8732EST2A2NOM4C1D1DT, Serial No. 0374912 with Rosemount 8705 Magnetic Flowmeter Sensor Model: 8705TSA100S1W0N0B3D1Q4Q8DT, Cal # 1013105409886005, Serial No. 0244526, MAKE ROSEMOUNT OR EQUIVALENT	Number	1					
21	Rosemount Annubar Flowmeter Model: 3051SFADG140ZSHLS2R600052AA1B2Q8J5Q4E5M5, Cal Range: 0-47.042 in H2O, Housing Model: 300S1BAE5M5, Tag: 300/310-FIT-003, Serial No. 9397135 MAKE: ROSEMOUNT OR EQUIVALENT	Number	1					
22	Rosemount Oxymitter 4000 Oxygen Transmitter Model: OXT4CNF-2-0-1-1-	Number						

Oil & Gas Development Company Limited
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION E

2/5

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

Material PROCUREMENT OF SPARES FOR ROSE MPUNT TRANSMITTERS FOR UCH-II PLANT
Tender Enquiry No PROC-FE/CB/P&P/UCH-4083A/2019
Due Date
Evaluation Criteria FULL

22-2-1-00-00 MAKE:ROSEMOUNT OR EQUIVALENT				
23	Rosemount Series 185 Thermocouple Model: 0185N303K1J0080N0680E5 MAKE: ROSEMOUNT OR EQUIVALENT	Number		2
24	Rosemount Series 185 Thermocouple Model: 0185N303K1J0080N1170E5 MAKE:ROSEMOUNT OR EQUIVALENT	Number		3
25	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0390A1E5 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		5
26	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0315A1E5 without thermowell MAKE:ROSEMOUNT OR EQUIVALENT	Number		1
27	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0420A1E5 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		3
28	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0440A1E5 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		2
29	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0450A1E5 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		2
30	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N0565A1E5 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		2
31	Rosemount Series 65 Platinum 3-Wire RTD Model: 0065N35J0110N2175A1E5 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		1
32	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0380 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		1
33	Rosemount Series 65 Platinum RTD Model: 0065N33J0080N0530 without thermowell MAKE: ROSEMOUNT OR EQUIVALENT	Number		3
34	Rosemount Smart Gauge Pressure Transmitter Model: 2088G4S22A2M7D4E5, Tag No. 300/310-PIT-004/030/033/053/073 MAKE: ROSEMOUNT OR EQUIVALENT	Number		1
35	Rosemount Smart Level Transmitter Model: 2051L2AG0XG11ABE1M5D4T1F8, Tag: 300/310-LIT-031/032/033/034, 400/410-LIT-010/011 MAKE: ROSEMOUNT OR EQUIVALENT	Number		1
36	SPARES KIT, 4-20mA, UBD #6, 3051, HART, NO SWITCHES P/N: 03031-0020-3100 MAKE: ROSEMOUNT OR EQUIVALENT	Number		2
37	SPARES KIT, 4-20mA, UBD #6, CONV TIER, LOI WITH DISPLAY P/N: 02021-0020-2139 MAKE: ROSEMOUNT OR EQUIVALENT	Number		2
38	STANDARD 4-20mA TERM BLOCK, SMT DESIGN P/N: 03031-0332-0015 MAKE: FISHER OR EQUIVALENT	Number		3
39	STANDARD 4-20mA TERM BLOCK, SMT DESIGN P/N: 03031-0332-0015 MAKE: ROSEMOUNT OR EQUIVALENT	Number		4
40	Snubber Diffuser P/N: 4843B37G01 for above oxygen transmitter MAKE:ROSEMOUNT OR EQUIVALENT	Number		1
41	Termination Block Transient Protected P/N: 08732-0002-0002 for above oxygen transmitter MAKE: ROSEMOUNT OR EQUIVALENT	Number		3
42	TRANSMITTER, TEMPERATURE "ROSEMOUNT" MODEL: 644HAE5X AJ5M5Q4, 0065N33J0080N0530XA, SCALE -50'800F L=400, TAG# 900-TT-002 FOR HOT OIL SYSTEM UCH PLANT. MAKE: ROSEMOUNT OR EQUIVALENT	Number		3
43	TRANSMITTER, TEMPERATURE "ROSEMOUNT" MODEL: 644HAE5X AJ5M5Q4, 0065N33J0080N0330XA, SCALE -50'800F L=200, TAG# 900-TT-20.10A FOR HOT OIL SYSTEM UCH PLANT. MAKE: ROSEMOUNT OR EQUIVALENT	Number		3

1. : **Bid bond:** - Pursuant to tender clause # 2.2, 11.4, 13 & 35.3.2, bid bond amounting to USD 3000/- (USD Three Thousand only) or equivalent in Pak Rupees should be submitted with the technical bid.
2. **Bid Bonds & Performance Bank Guarantees:** List of Banks for Bid Bonds & Performance Bank Guarantees is available in Foreign Tender Document on OGDCL website. Bid Bonds & Performance Bank Guarantees submitted from other than the mentioned Banks are not acceptable.
3. **Evaluation Criteria:** FULL CONSIGNMENT WISE ON C&F BY SEA KARACHI BASIS.
4. **Delivery Period: 16 weeks**
5. **Shipment from ACU member Countries:** In case of shipment from ACU member countries, the LC beneficiary should be of that particular country from where the consignment is being shipped.
6. **Terms and conditions:** -Bidders are advised to carefully read all the terms and conditions of the Tender Document available at OGDCL website in the master tender document and attached technical Terms & Conditions.
7. **Foreign Procurement Payment Terms (Competitive Bidding)**
Following payments methods will be applied;

i. **Tender value less than or equal to US\$ 200,000:**

Payment to the Contractor/ bidder in foreign currency shall be made by establishing in favor of the Contractor an irrevocable Letter of Credit (hereinafter called the L/C). 70 % Payment (s) under the L/C will be made for the FOB/ CFR / CPT (as the case may be) price of material of each shipment upon submission of the shipping documents. Balance 30% Payment will be released after receipt, inspection and acceptance of material.

ii. **Tender value more than US\$ 200,000:**

Payment to the Contractor/ bidder in foreign currency shall be made by establishing in favor of the Contractor an irrevocable Letter of Credit (hereinafter called the L/C). 80 % Payment (s) under the L/C will be made for the FOB/ CFR / CPT (as the case may be) price of material of each shipment upon submission of the shipping documents. Balance 20% Payment will be released after receipt, inspection (in addition of pre-shipment inspection) and acceptance of material.

Signature

TERMS & CONDITIONS FOR INDENT NO: UCH-209
FOR ALL THE ITEMS.

Page 5/5

- 1) ALL ITEMS SHOULD BE BRAND NEW AND IN ORIGINAL OEM PACKING.
- 2) STANDARD WARRANTY /GURANTTEE FOR ALL ITEMS SHOULD BE PROVIDED.
- 3) OEM AUTHORITY LETTER MUST BE PROVIDED.
- 4) EQUIVALNT WILL ONLY BE ACCEPTABLE IF COMPATIBLE WITH THE EXISTING SYSTEM LIKE
BASE/SHAPE/DESIGN/CONFIGURATION.