

Annexure-A

Schedule of Requirement

Tender Enquiry No. PROC-WT/UCH-I&II/ATA-2023/MECH-12/2023

"SUPPLY OF HEAT EXCHANGER'S GASKETS FOR UCH-I & UCH-II PLANT ATA 2023"

Sr.	Item description	UOM	Req. Qty.						
HEAT EXCHANGER'S GASKETS OF UCH-I :-									
1	Front/Rear Channel Gasket:Material: Soft Steel double jacketed with flexible graphite filler,Size: 1680mm O.D. x 1654mm ID. x 03mm thk(For Amine Reboiler as per Dwg# 658313 – Rev01)	Nos.	04						
2	Front /Rear Channel Gasket: Material: Soft Steel double jacketed with flexible graphite filler, Size: 49.8125" O.D x 48.75"ID. x 0.125" thk (For Amine Solution Cooler as per dwg# 658315)	Nos.	06						
3	Shell Gasket only:Material: S.S. Double Jacketed with Non- Asbestos Filler, Size:13.5"O.D.x 12.6875"I.D.x 0.125"thk(For Glycol Reboiler as per dwg# 2074A-0)	Nos.	06						
HEAT	EXCHANGER'S GASKETS OF UCH-II :-								
4	Front / Rear Channel Gasket: Size: 1869 mm O.D. x 1843 mm I.D. x 3.2 mm thk X rib width 12 mm. Type: Soft Steel double jacketed (Lean Amine Trim Cooler)	Nos.	01						
5	Front / Rear Channel Gasket: Size: 1647 mm O.D. x 1621 mm I.D. x 3.2 mm thk Type: Soft Steel double jacketed. (For Regenerator Condenser)	Nos.	04						
6	Shell and Tube Side Gasket: 1420 mm O.D. x 1380 mm I.D. x 3.2 mm thk x rib width 10 mm, Type: Soft Steel double jacketed (For Regenerator Reboiler)	Nos.	04						
7	Front / Rear Channel Gasket: Size: 859 mm O.D. x 833 mm I.D. x 3.2 mm thk Soft Steel double jacketed. (For Treated Gas Cooler)	Nos.	10						
8	Tube Side Gasket (Main bundle):Size: 685.8 mm O.D. x 628.25 mm I.D. x 5 mm thk with ribSoft Steel double jacketed(For Glycol Reboiler dehy)	Nos.	02						



TERMS AND CONDITIONS (TECHNICAL):-

- 1. The supplier/manufacturer must have past 5 years' experience in supplying the same nature of products in Oil and Gas sector, petrochemical and/or Oil refineries. Bidders to provide documentary proof, in the form of previous Purchase orders, with Technical bids.
- 2. Bidder/Supplier should quote gasket of Klinger, Flexitallic, Thermoseal, Jeil or any equivalent brand with UK/European/Korean/USA/Hong Kong/Indonesia/UAE origin.
- 3. Bidder shall provide Customer Satisfactory report along-with previous history of purchase orders of the quoted brand supplied to large organizations/corporations related to petrochemical/oil & gas industry inside Pakistan with technical bid.
- 4. Delivery period for material should not be more than 08-10 weeks from the date of Purchase Oder issuance.
- 5. Supplier shall submit Material Specification and Country of origin confirmation from OEM along with technical bid.
- 6. Material will be delivered at Uch Gas Field-OGDCL in original OEM packing.
- 7. Inspection of material will be carried out by the OGDCL rep. at Uch Gas Field.
- 8. Off spec and deteriorated items will be rejected during inspection and to be replaced by the supplier without any claim/charges.
- 9. Supplier to ensure standard performance guarantee of 6 months after receipt, inspection and acceptance of material.
- 10. Bids evaluation criteria will be full consignment wise on the basis of technical specs and delivery period.



ANNEXURE-A-1

GENERAL TERMS AND CONDITIONS:

- A. BIDS MUST BE SUBMITTED UNDER **TWO ENVELOPES BIDDING SYSTEM** i.e. TECHNICAL & FINANCIAL BID SEPARATELY ON DUE DATE.
- B. FINANCIAL BIDS OF ONLY TECHNICALLY RESPONSIVE BIDDERS WILL BE OPENED PUBLICLY.
- C. AFTER TENDER OPENING "TECHNICAL BIDS" WILL BE REVIEWED. THE BIDS WILL BE BROUGHT TECHNICALLY AT PAR BY SEEKING CLARIFICATIONS. THE BIDDERS WILL **NOT** BE ASKED FOR ANY PRICE CHANGE IN THEIR FINANCIAL BIDS DUE TO CERTAIN CLARIFICATIONS AND SUBSEQUENT CHANGE IN THEIR TECHNICAL PROPOSALS. THE BIDDERS WILL **NOT** BE ALLOWED TO SUBMIT SUPPLEMENTARY PRICE PROPOSALS IN A SEPARATE SEALED ENVELOPE TO MAKE IT A PART OF THE ALREADY SUBMITTED UNOPENED FINANCIAL BIDS AND TO ADJUST THEIR QUOTED PRICE SUBSEQUENTLY AFFECTED DUE TO CHANGE IN TECHNICAL PROPOSALS.
- D. SEALED FINANCIAL BIDS OF TECHNICALLY NON-RESPONSIVE BIDDERS WILL BE RETURNED UN-OPENED.
- E. OGDCL RESERVES THE RIGHT TO REJECT ANY OR ALL THE BIDS WITHOUT ASSIGNING ANY REASON.
- F. PRICES MUST BE QUOTED IN PKR INCLUSIVE OF ALL TAXES AND DUTIES, INDICATING UNIT PRICE AND TOTAL BID PRICES. GST MUST BE QUOTED SEPARATELY ALONG WITH COPY OF GST CERTIFICATE.
- G. QUOTED PRICES SHALL BE VALID FOR **90 DAYS** FROM THE OPENING DATE OF THE TECHNICAL BID.
- H. OGDCL RESERVES THE RIGHT TO EVALUATE THE BID(S) EITHER ITEM-WISE OR FULL PASKAGE BASIS WITHOUT ASSIGNING ANY REASON. TO QUOTE COMPETITIVE PRICES FOR ALL OR ANY ITEMS ENABLE COMPANY TO DECIDE PURCHASE.
- I. THE MAXIMUM DELIVERY TIME FOR SUPPLY ITEMS IS **08 10 WEEKS** FROM THE DATE OF RECEIPT OF FIRM PURCHASE ORDER.
- J. BIDDERS TO SUBMIT THEIR COMPANY PROFILES, EXPERIENCE OF SIMILAR SUPPLIES IN PAKISTAN ALONG WITH TECHNICAL BIDS.
- K. THE MASTER SET OF TENDER DOCUMENTS (LOCAL) AVAILABLE ON OGDCL WEBSITE (WWW.OGDCL.COM) IS THE INTEGRAL PART OF THIS TENDER.





SCHEDULE OF REQUIREMENT Mandatory Checklist


Please confirm the compliance of the following mandatory information along with the bid(s) failing which bid(s) will not be accepted.

Documents	To be attached with the	Compliance			
	Technical / Financial Bids				
Original Bid Bond	Technical Bid	Yes		No	
Copy of NTN Certificate	Technical Bid	Yes		No	
Copy of GST Certificate	Technical Bid	Yes		No	
Confirmation that the Firm is appearing FBR's Active Taxpayer List	Technical Bid	Yes		No	
Duly Signed and Stamped Annexure-A(Un-priced)	Technical Bid	Yes		No	
Duly filled, signed and stamped Annexure-B	Technical Bid	Yes		No	
Duly filled, signed and stamped Annexure-D	Technical Bid	Yes		No	
Duly signed and stamped Annexure-L on Company's Letter Head	Technical Bid	Yes		No	
Duly signed and stamped Annexure-M on Company's Letter Head	Technical Bid	Yes		No	
Duly signed and stamped Annexure-N on Non-Judicial Stamp paper duly attested by Notary Public	Technical Bid	Yes		No	
Duly Filled, signed and stamped Annexure-A (Priced)	Financial Bid	Yes		No	
Duly Filled, signed and stamped Annexure-C	Financial Bid	Yes		No	
Duly Filled, signed and stamped Annexure-E	Financial Bid	Yes		No	

The above Annexures are available in MASTER SET OF TENDER DOCUMENTS (LOCAL) and can be downloaded from OGDCL website (www.ogdcl.com).









NOTES:

11 DUANTITIES SHOWN FOR ONE (11 SET THREE 131 SETS REQUIRED TOTAL. ONE (11 SET OF GASKETS TO BE USED IN EXCH. AND TWO 121 SETS TO BE BOXED, MARKED WITH P.O. & ITEM NO. & SHIPPED WITH EXCHANGER.

21 ALL JACKETED GASKETS TO HAVE LAP OF GASKET NEAR SIDE.


					CLISTOMER: PETROSIN DHMSTEDE JOB NO.: 658313 P.O. NO.: PI81/8082 ITEM NO.: 18-E-201/20-E-201 SERVICE: AMINE STRIPPCR REE		NITS RED	*0.
1	RELEASE FOR FABRICATION	NS	DC	3-7-97	GASKET DE	TAILS		
8	FOR CLISTOHER APPROVAL	LISS	00	1-7-97		RAHING NO	SHEET NO.	REV
NO	REVISIONS	Br	OK.	BATE DK	OHMSTEDE	658313	12	1






01	25.02.13	ISSU	ED FOR	CONS	STRUCT	TION	
00	01.02.13	ISSU	ED FOR	APPF	ROVAL		
REV. Rev.	DATE Data				1	DESC Desc	
	/	С	ES	LON (VA)	IATE CEP)-ITALY		
USER-	Utente		OGDCL	- C)il & C	as D	1
PLANT	LOCATION-L	ocalità	PAKIST				
PROJEC	T-Progetto		UCH-II	Dev	elopme	ent P	1
SERVICE	– Servizio		REGENE				-
		ITE	EM: (GAS			310 5 D)
	nt of th is disegno è vi					\square	-
E	NAR	EN	IAR PE		DTEC		
	E		-				
	MEANY OF E		L:5062791	FAX	:50675	22 K/	1
OIL	& GAS	DEV	L:5062791	FAX	:50675	22 K/	1
OIL 01	& GAS I		L:5062791 ELOPN VAL	FAX	:50675	22 K/	1
OIL 01	& GAS		L:5062791 ELOPN VAL NTS	FAX	:50675 T CO	22 K/	1
OIL 01 00	& GAS I		L:5062791 ELOPN VAL NTS DESC	FAX	:50675 T CO	22 K/	
OIL 01 00	& GAS I		L:5062791 ELOPN VAL NTS DESCI	FAX	:50675 T CO ELLL e (RO) - 11 2 2074	22 K/	
OIL 01 00	& GAS I		L:5062791 ELOPN VAL NTS DESCI Badia I Via Me EBadia I Via Me	FAX	:50675 T CO ELLL e (RO) - 11 2 2074		
OIL 01 00	& GAS I	APPRO COMME	L:5062791 ELOPN VAL NTS DESCI Badia E-39(Fax +39)	FAX	:50675 T CO T CO ELLL e (RO) - IT 2 2 074 3372 SOC. TY RUCTION	22 K/	
OIL 01 00 I REV.	& GAS I		ELOPN ELOPN VAL NTS DESCI Badia 1 Via Me Fax +39/	FAX	:50675 T CO T CO ELLL e (RO) - IT 2 2 074 3372 SOC. TY RUCTION	22 K/	
	& GAS		L:5062791 ELOPN VAL NTS DESCI Badia L Fax +39/ Fax +39/ CCC R REGENE	FAX IEN RIPTION Polesin ucci 23 Polesin ucci 23 Polesin RATC	:50675 T CO ELL e (RO) - IT 2 074 3372 DOC: TY RUCTION R REBC	22 K/	


			SICE	SE	NGIN	IEEF	RING	DE	PARTM	1ENT]
			DOC Sta	UMENT to Doci	STAT	E o			DATE Data	Firma	
			ELIMINA	RY							
			LID FOR N		IALS	PU	RCH -				1
		VA	LIDO PER	ACQ	MA	TER	ALI I				-
			LID FOR LIDO PEF					2	-7•][]	
			AS	SME	CO	NST	IRU	CTIC	NC		1
			DTF EN (FOR IN	IG N'	AL C	DIST	NEUT	ION	(ONLY)	-1	
				EO	И	M.M	aroni	FZ7	Andrigo	M.Co	orð
				ED					Andrigo		
RIPTION crizione				DRA Diseg	nato	Co	ntr.		AS VIEW sto CMS	APPRO Approv	
PURCHASE Committente	3					3 No mme					
ORDER No. N. Ordine								λ	027	72	
Development	Compo	iny	Limited			AWIN	G				
					Dis	egno	°7	2	13–	09	
Project					FILE	_		7 ^	0 0 0	0	
ER						UW			19-Rev01	-Gaske	IS
D E103	3A/1	3			SERIAL NUMBER N. di fabbrica						
DETAILS	S)						721	13	A÷	-D	
- SIZE Form	[.] A3		SCALE ^{Scala} 1:	15	SHE Fog		9		OF di		
ERVICES D.		J	OD	1	4-	_ 2	19	8	5		
ARACHI-PAKIS	TAN	HI	SPINENT CO	•							
		10 SM	6/(6)	2 2 2							
ANY LTD		19.4	70 031111								
	EDI		M.Maron		M.Co	rò	25	02-20	13		
	EDI		M.Maron M.Maron		M.Co			02-20			
	DRAW		CHECKED		APPRO			DATE			
NGINE		G	S.n.A						-		
					ι	JCH-I	l Deve	elopr	ment Proj	ect	
nsed PRISM nbrane OEM of	ppn	DU	AIR /. CTS						,		
	-AU		VIV AME		DOCU	MENT	NO				
					DOCUMENT NO.						
WINGS (300/310-E103A	/B)				3-E1(03-M	E-DW	/-004	4		
				5	SCALE	Sł	HEET	REV	. NO.		
EGENERATO	R REB	DILE	R		1:15	8	OF 9	0	1		




This drawing is the property of BEKL ENERCY PROCESS SYSTEM BERHAD and must be used confidentially, is not to be reproduced, distributed whitout the written permission of an officer of BEKL ENERCY PROCESS SYSTEM BERHAD.



This drawing is the property of BECL ENERCY PROCESS SYSTEM BERHAD and must be used confidentially, is not to be reproduced, distributed whittout the written permission of an officer of BECL ENERCY PROCESS SYSTEM BERHAD.



This drawing is the property of BEKL ENERCY PROCESS SYSTEM BERHAD and must be used confidentially, is not to be reproduced, distributed whitout the written permission of an officer of BEKL ENERCY PROCESS SYSTEM BERHAD.



This drawing is the property of BEKL ENERCY PROCESS SYSTEM BERHAD and must be used confidentially, is not to be reproduced, distributed whitout the written permission of an officer of BEKL ENERCY PROCESS SYSTEM BERHAD.



