

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION A

(To be completed, filled in, signed and stamped by the principal)

1/6

ANNEXURE 'A'

Material MISCELLANEOUS ELECTRICAL SPARES OF TRAILER MOUNTED WORK OVER RIG SK750
Tender Enquiry No PROC-FA/CB/RM-3374/2018
Due Date
Evaluation Criteria FULL

SCHEDULE OF REQUIREMENT

Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any
1	CONTACTOR, MCC CABINET. IP# LC1-D15000Q5C+LA DN22 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
2	CONTACTOR, MCC CABINET. IP# LC1-D11500Q5C+LA DN23 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
3	RELAY, THERMAL, MCC CABINET.IP# LRD-3363C IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
4	FUSE, FAST ACTING, RS0-500V/200A, MCC CABINET. IP# IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	3					
5	CURRENT TRANSFORMER SDH 60 II 1000/0.5, MCC CABINET.IP# IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
6	AMPERE METER 42L1-10V, MCC CABINET.IP# IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
7	CONTACTOR. IP# 3TF46 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
8	CONTACTOR. IP# 3TB44 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
9	RELAY, HEAT 23-32A. IP# 3UA5800-2D IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	3					
10	RELAY, HEAT 12.5-20A. IP# 3UA5400-2B IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	3					
11	MOTOR EP-1HP, 460/480V/60HZ/3PH 1800 RPM, FOR FLO-LINE CLEANER 514. IP# G0005083 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
12	STARTER CONTACTOR W/380/400/415V COIL, FOR FLO-LINE CLEANER 514. IP# G0005271 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
13	STARTER CONTACTOR W/460/480V COIL NON., FOR FLO-LINE CLEANER 514. IP# G0005272 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
14	HEATER, OVERLOAD 4.96-8.16 FLA BOX OF 3, FOR FLO-LINE CLEANER 514. IP# G0005274 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	3					
15	STARTER, CONTACTOR W/440/460/480V COIL, FOR FLO-LINE CLEANER 514. IP# G0005289 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
16	BLOCK, CONTACT NO CIRCUIT FOR G0005512, FOR FLO-LINE CLEANER 514. IP# G0005617 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1					
17	BLOCK, CONTACT NO CIRCUIT FOR G0005512, FOR FLO-LINE CLEANER 514. IP# G0005618 IASSY WORK-OVER RIG, 750 HP, MODEL	Number	1					

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION A

(To be completed, filled in, signed and stamped by the principal)

2/6

ANNEXURE 'A'

Material MISCELLANEOUS ELECTRICAL SPARES OF TRAILER MOUNTED WORK OVER RIG SK750
Tender Enquiry No PROC-FA/CB/RM-3374/2018
Due Date
Evaluation Criteria FULL

	ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"		
18	BUTTON ASSY. PUSH-STOP NEMA 4.7.9 RED, FOR FLO-LINE CLEANER 514. IP# G0005643 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1
19	BUTTON ASSY. PUSH-UP/DOWN NEMA 4.7.9 BLK. FOR FLO-LINE CLEANER 514. IP# G0005644 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1
20	BUTTON ASSY. PUSH-START NEMA 4.7.9 GRN, FOR FLO-LINE CLEANER 514. IP# G0005645 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1
21	MOTOR YB2-100L2-4, FOR HV 1200 VACUUM DEGASSER. IP# YB2-100L2-4 IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1
22	Non-Sparking 02Phase 03 Wire Socket, 15 Amp,250V,50Hz-400Hz,Type: 15YT-3J,Baoji Youtai Electrical Co. ltd." or equivalent"	Number	1
23	02Phase 03Wires SOCKET,25Amp:250V,50-400Hz,Type: 25GZ-3k," or equivalent"	Number	1
24	02Phase 03Wires PLUG, 25Amp:250V,50-400Hz,Type: 25YT," or equivalent"	Number	1
25	03Phase 04Wires SOCKET, 25Amp:400V,50-400Hz,Type: 25GZ." or equivalent"	Number	1
26	03Phase 04Wires Plug,25Amp:400V,50-400Hz,Type: 25YT." or equivalent"	Number	1
27	03Phase 04Wires Socket,60Amp:500V,50-400Hz,Type: 60GZ." or equivalent"	Number	1
28	03Phase 04Wires Plugs,60Amp:500V,50-400Hz,Type: 60YT," or equivalent"	Number	1
29	03Phase 04Wires Socket,100Amp:500V,50-400Hz, Type: 100GZ." or equivalent"	Number	1
30	03Phase 04Wires Plugs,100Amp:500V,50-400Hz, Type: 100YT," or equivalent"	Number	1
31	03Phase 04Wires Socket,150Amp:500V,50-400Hz, Type: 150GZ," or equivalent"	Number	1
32	03Phase 04Wires Plug,150Amp:500V,50-400Hz, Type: 150YT," or equivalent"	Number	1
33	Non-Sparking 02Phase 03 Wire Socket,15 Amp,250V,50Hz-400Hz,Type:15GZ-3k,Baoji Youtai Electrical Co. ltd.IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED," or equivalent"	Number	1
34	Single Phase 04 Wires Socket,1000Amp:750V,50-400Hz, Type:1000GZ-1K,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
35	Single Phase 04 Wires Plug,1000Amp:750V,50-400Hz, Type:1000GZ-1J,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
36	Non-Sparking 02Phase 03 Wire Socket,15 Amp,250V,50Hz-400Hz,Type: 15YZ-3k,Baoji Youtai Electrical Co. ltd.IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
37	Circuit Breaker,Model Type :MT12H1, AC400V/ 50Hz 1250Amp: 3P.Schneider electric company,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION A

(To be completed, filled in, signed and stamped by the principal)

3/6

ANNEXURE 'A'

Material MISCELLANEOUS ELECTRICAL SPARES OF TRAILER MOUNTED WORK OVER RIG SK750
Tender Enquiry No PROC-FA/CB/RM-3374/2018
Due Date
Evaluation Criteria FULL

38	Circuit Breaker, Model Type :MT08H1 3P F AC500V/50HZ 800AMP, Schneider electric company, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
39	Temperature Transmitter, Type MD-FWB, Temp. Range 30-100 Centigrade, Serial No.3078, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
40	Current Transformer, ALH-0.66-601 1500/5A D, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
41	Current Transformer, ALH-0.66-601 800/5A D, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
42	Current Transformer, ALH-0.66-301 200/5A D, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
43	Ampere Meter, BE-48 200/5A 6Times over load, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
44	Ampere Meter, EQ600-A13 Auxiliary power AC220V/50Hz, AC/DC 85-265VAC, 5AMP, PART NO.201403030001, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
45	Voltmeter, EQ600-B13 auxiliary power AC220/380V, PART NO.201403030004, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
46	Time relay (Timer), H3BA-N8H+P2CF-08 220V 50Hz, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
47	Intermediate relay, LY4NJ+PTF14A+PYC-A1 AC220V 50Hz, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
48	Miniature relay, LY4NJ+PTF14A+PYC-A1 24V DC, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
49	Thermal relay, LR9-D5369, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	3
50	Quick Fuse, RS3-750V-550A AC, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	6
51	Quick Fuse, KS27-690-160A O 27X60+KCF27, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	6
52	FUSE, KS27-690-10AO, 10x38+RT18-32, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	6
53	FUSE, KS27-690-4AO, 10x38+RT18-32, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	6
54	PC Module Socket (Two Holes socket) SCHNEIDER , 2P 250V/10A, JASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA)	Number	

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION A

(To be completed, filled in, signed and stamped by the principal)

4/6

ANNEXURE 'A'

Material MISCELLANEOUS ELECTRICAL SPARES OF TRAILER MOUNTED WORK OVER RIG SK750
Tender Enquiry No PROC-FA/CB/RM-3374/2018
Due Date
Evaluation Criteria FULL

	TRAILER MOUNTED" or equivalent"		
55	PC Module Socket (Three Holes socket)SCHNEIDER,2P +PE 250V/10A,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
56	Start Button, 39-B2-22D/G31 GREEN LIGHT220V 50Hz,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
57	Stop Button, LA39-B2-22/R,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
58	Emergency Stop Button, LA39-B2-R11Z/R,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
59	Reset Button, LA39-B2-12/K (BLACK),IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
60	Selector Switch, LA39-B2-20XS/K,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
61	Magnetic Contactor, LC1-D11500M7C+LAD-8N11, AC220V/50Hz,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
62	Soft Starter, ATS48C11Q,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
63	Control Transformer,1PH 100VA 400/2x230,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
64	MOV (Metal Oxide Varistor), MYG11-1200V/50KA,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
65	Parallel Module, AGC4-D1-EF5-H5-G4-J1-Y1,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
66	Flash buzzer, AD16-22SM/R23,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
67	Camera Motor, EXD IICT6 GYB111423X,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
68	CAMERA SYC25-6/3, EXD IICT6.GYB111423X,0-350,24V, 30W,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
69	Magnetic Contactor, LC1-D11500M7C+LAD-8N11 AC220V/50HZ,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2
70	Electronics Driver, Disc Brake HP Unit, Type E-ME-AC-01F, 24vdc +-10%, 50 watt, Imax 3.3 A,Make ATOS Spa INHIBIT,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
71	COIL OMRON, Type MY2N-J, 24 Volt DC,IASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2

OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION A

(To be completed, filled in, signed and stamped by the principal)

ANNEXURE 'A'

S/b

Material MISCELLANEOUS ELECTRICAL SPARES OF TRAILER MOUNTED WORK OVER RIG SK750
Tender Enquiry No PROC-FA/CB/RM-3374/2018
Due Date
Evaluation Criteria FULL

72	Programmable Controller, OMRON, CPH-XA40DT-D 24VDC 50WATT, 7.5mA, ASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
73	HP Unit Cooling Fan Motor, Type, YB2-631-4, KW 0.12, RPM 1380, 50 HZ, ASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	1
74	Proportional Reducing Valve, (02Way Electromagnetic Control Valve), Part No.6-MOZAA-231100-04F/PA-M/7/24, Model No. MZA-A-24DC (ATOS Company Italy) ASSY WORK-OVER RIG, 750 HP, MODEL ZJ30/1700CZ, "KERUI" (CHINA) TRAILER MOUNTED" or equivalent"	Number	2

Note:

- 1) PURSUANT TO TENDER CLAUSE # 2.2, 11.4, 13 & 35.3.2, BID BOND AMOUNTING TO USD 1200/- OR EQUIVALENT TO PAK RUPEES MUST BE SUBMITTED WITH THE TECHNICAL BID AND VALID FOR 150 DAYS FROM THE DATE OF OPENING OF THE BID.
- 2) EVALUATION CRITERIA: FULL CONSIGNMENT WISE ON CFR KARACHI BASIS.
- 3) **TERMS AND CONDITIONS:** BIDDERS ARE ADVISED TO CAREFULLY READ ALL THE TERMS AND CONDITIONS OF THE TENDER DOCUMENT AVAILABLE AT OGDCL WEBSITE IN THE MASTER TENDER DOCUMENT.
- 4) **SHIPMENT FROM ACU MEMBER COUNTRIES:** IN CASE OF SHIPMENT FROM ACU MEMBER COUNTRIES, THE LC BENEFICIARY SHOULD BE OF THAT PARTICULAR COUNTRY FROM WHERE THE CONSIGNMENT IS BEING SHIPPED.
- 5) **SUMMARY REJECTION CRITERIA:** THE SUMMARY REJECTION CRITERIA AT CLAUSE 35 OF THE TENDER DOCUMENT MAY ALSO BE EXAMINED CAREFULLY. ANY BID NOT MEETING THE CRITERIA SPELLED IN THE CLAUSE # 35 SHALL BE SUMMARILY REJECTED WITHOUT ANY RIGHT OF APPEAL.
- 6) **DELIVERY PERIOD:** THE LEAD TIME OF THE QUOTED PRODUCT SHOULD NOT BE MORE THAN 120 DAYS AFTER OPENING OF LETTER OF CREDIT (LC).
Payment Terms: Clause No: 4 of Section-III (Part-B) i.e. Conditions of Contract "Special" of Tender Document has been amended and following will be the payments methods.
- 7) **TENDER VALUE LESS THAN OR EQUAL TO US\$ 200,000:** -PAYMENT TO THE CONTRACTOR/ BIDDER IN FOREIGN CURRENCY SHALL BE MADE BY ESTABLISHING IN FAVOR OF THE CONTRACTOR AN IRREVOCABLE LETTER OF CREDIT (HEREINAFTER CALLED THE L/C). 70 % PAYMENT (S) UNDER THE L/C WILL BE MADE FOR THE FOB/ CFR / CPT (AS THE CASE MAY BE) PRICE OF MATERIAL OF EACH SHIPMENT UPON SUBMISSION OF THE SHIPPING DOCUMENTS. BALANCE 30% PAYMENT WILL BE RELEASED AFTER RECEIPT, INSPECTION AND ACCEPTANCE OF MATERIAL.
- 8) **TENDER VALUE MORE THAN US\$ 200,000:** PAYMENT TO THE CONTRACTOR/ BIDDER IN FOREIGN CURRENCY SHALL BE MADE BY ESTABLISHING IN FAVOR OF THE CONTRACTOR AN IRREVOCABLE LETTER OF CREDIT (HEREINAFTER CALLED THE L/C). 80 % PAYMENT (S) UNDER THE L/C WILL BE MADE FOR THE FOB/ CFR / CPT (AS THE CASE MAY BE) PRICE OF MATERIAL OF EACH SHIPMENT UPON SUBMISSION OF THE SHIPPING DOCUMENTS. BALANCE 20% PAYMENT WILL BE RELEASED AFTER RECEIPT, INSPECTION (IN ADDITION OF PRE-SHIPMENT INSPECTION) AND ACCEPTANCE OF MATERIAL.

TERMS & CONDITIONS FOR THE BIDDERS

FOR PROCUREMENT OF MISCELLANEOUS ELECTRICAL SPARES OF SK-750 TARILER MOUNTED WORKOVER RIG, AGAINST INDENT No. M (RMP)/FP/12/2018

- 1- Bidder to provide authority letter of Original Equipment Manufacturer (OEM) or their authorized dealer/distributor such authority letter must be on the issuer's original letter head duly signed by the OEM or authorized dealer/distributor against tender enquiry of OGDCL. Scanned/fax/photo copies will not be accepted and the bid will be rejected at the time of bid opening.
- 2- Bidder to supply indented spares with complete description, part number and quantity.
- 3- In case, the bidder offers spare parts with superseded/ replaced part number, that should be clearly mentioned in the technical bid and a certificate be provided to confirm that offered spares parts with new part numbers are 100% exact replacement (i.e.100% compatible in design, dimensions and function/performance) to the spare parts mentioned in the Schedule of Requirement.
- 4- The OEM must have minimum 10 year experience of manufacturing of indented spare parts and will provide evidence of the experience.
- 5- Bidder will confirm that the offered spare parts are new, unused and free from all manufacturing defects.
- 6- Quantity of the indented spares may be increased or decreased any time as per OGDCL requirement.
- 7- Bidder will confirm that the spares will be under warranty for any defect/malfunctioning such warranty will be for 18 months from the date of shipment.
- 8- The spare parts should be in standard packing and packed in compact manner to ensure safe transportation during shipment.

NOTE: the above mentioned terms and conditions are integral part of the indent.