



WEB TENDER DOCUMENTS

**TENDER ENQUIRY NO
SP-2/WT/10019037/FENCE/2024/02**

**WEB TENDER FOR PROCUREMENT OF FENCING FOR BASE
CAMP SEISMIC PARTY NO. 2.**

**PARTY CHIEF
SEISMIC PARTY NO.2
(LOCAL PROCUREMENT)**

OIL & GAS DEVELOPMENT COMPANY LIMITED

BID SUBMISSION DATE: 25th July, 2024

OGDCL SALES TAX REGISTRATION

NO. 07-02-2802-001-55

INVITATION FOR BIDS

BIDDING DOCUMENT

**TENDER ENQUIRY NO:
SP-2/WT/10019037/FENCE/2024/02**

Annexure (A)

Schedule of Requirement (Web Tender # SP-2/WT/10019037/FENCE/2024/02)

WEB TENDER FOR PROCUREMENT OF FENCING FOR BASE CAMP SEISMIC PARTY NO. 2.			
S.NO.	ITEM DESCRIPTION AND SPECIFICATIONS	QUANTITY	REMARKS
1	<p><u>Galvanized Iron Chain Link Wire Fencing Specifications</u></p> <ul style="list-style-type: none"> ✓ Material: Iron ✓ Surface Treatment: Hot Dip Galvanized Rust Proof / Corrosion Proof ✓ Wire Gauge: 12-Gauge (AWG) ✓ Wire Diameter: 2.5-3 mm ✓ Mesh Size: 2" x 2" ✓ Height: 8 Feet ✓ Roll Requirement: 8 Feet Height x 50 Feet Linear Length 	<p>80 Roll</p> <p>Roll Requirement: 8 Feet Height x 50 Feet Linear Length</p>	<p>Required for Base Camp</p>
2	<p><u>Stainless Steel Razor Wire</u></p> <ul style="list-style-type: none"> ✓ Material: Stainless Steel ✓ Surface Treatment: Hot Dip Galvanized Rust Proof / Corrosion Proof ✓ Wire Gauge: 12-Gauge (AWG) ✓ Wire Diameter: 2.5-3 mm ✓ Coil Inner Diameter: 18 Inch ✓ Coil Outer Diameter: 21.5 Inch ✓ Loops: 33 Loops Per Roll / Coil ✓ Roll / Coil weights: 10-15 KG ✓ Roll / Coil Requirement: 50 Feet Linear Distance 	<p>14 Roll / Coil</p> <p>Roll / Coil Requirement: 50 Feet Linear Distance</p>	<p>Required for Base Camp</p>
3	<p><u>Y-Shape Poles</u></p> <ul style="list-style-type: none"> ✓ Material: GI Pipe ✓ Surface Treatment: Hot Dip Galvanized Rust Proof / Corrosion Proof ✓ Pipe Gauge / Thickness: 3 mm ✓ Pipe Outer Diameter: 2 Inch ✓ Structure: Y-Shape 	<p>200 No.</p> <p>Y-Shape 12 Feet Height</p>	<p>Required for Base Camp</p>

	<ul style="list-style-type: none"> ✓ Total Height: 12 Feet ✓ Linear Length: 10 Feet ✓ Y-Shape: 2 Feet 		
--	--	--	--

TERMS AND CONDITIONS:

1. The supplier should have minimum of 03 Years of past experience in Sales.
2. Delivery period for material is 03 weeks from the date of issuance of Purchase order.
3. Single stage, single envelop bidding will take place at Base Camp SP-02 Mekhtar, Loralai on the date as mentioned in tender Notice.
4. The Pay Order / Demand Draft of PKR 150000/- (Rupees One Hundred Fifty Thousand Only) in favor of Oil and Gas Development Company Limited, as Security deposit /performance bond must be enclosed with the quotation. Deposit of successful bidder will be retained and returned /refunded after the completion of job. Rest of the bid bonds of unsuccessful bidders will be released.
5. Inspection may be carried out at OGDCL site and after successful inspection of material, it will be accepted.
6. Payment will be made through Cross Cheque and be released when once successful inspection of material at site is completed. OGDCL has the right to reject whole or part of supplied item if inspection results found unsatisfactory.
7. OEM backed warranty/ guarantee.
8. Commercial series (Professional).
9. Any damaged material found during inspection will have to be replaced by the supplier without any extra charges.
10. Supplier to provide all necessary documents like Annex-C (Tax), professional tax certificate etc. with invoice.
11. Fencing will be delivered at Seismic Party No. 2, the delivery charges to be borne by the supplier / bidder.
12. Bidder should submit complete/clean acceptance of OGDCL TOR.
13. OGDCL reserves the right to annul the case without assigning any reason thereof.
14. Prices should be inclusive of all applicable taxes.
15. Bid will be opened at Base camp SP-02 Mekhtar, Loralai Baluchistan.
16. Any information regarding Tender may be obtained from Admin Office via Phone, Email or Base Camp on below address.

Seismic Party No. 2 (SP2), OGDCL,

Loralai-DG Khan Road Mekhtar, Loralai, Baluchistan

Phone No. 051-2623082, 051-9225011, 0341-7713717 Email: party.chiefsp2@ogdcl.com

Fencing Description for Base Camp & Magazine

1. Galvanized Iron Chain Link Wire Fencing Specifications

- Material: Iron
- Surface Treatment: Hot Dip Galvanized
- Rust Proof / Corrosion Proof
- Wire Gauge: 12-Gauge (AWG)
- Wire Diameter: 2.5-3 mm
- Mesh Size: 2" x 2"
- Height: 8 Feet
- Roll Requirement: 8 Feet Height x 50 Feet Linear Length



2. Stainless Steel Razor Wire

- Material: Stainless Steel
- Surface Treatment: Hot Dip Galvanized
- Rust Proof / Corrosion Proof
- Wire Gauge: 12-Gauge (AWG)
- Wire Diameter: 2.5-3 mm
- Coil Inner Diameter: 18 Inch
- Coil Outer Diameter: 21.5 Inch
- Roll / Coil Requirement: 50 Feet Linear Distance
- Loops: 33 Loops Per Roll / Coil
- Roll / Coil weights: 10-15 KG



3. Y-Shape Poles

- Material: GI Pipe
- Surface Treatment: Hot Dip Galvanized
- Rust Proof / Corrosion Proof
- Pipe Gauge / Thickness: 3 mm
- Pipe Outer Diameter: 2 Inch
- Structure: Y-Shape
- Total Height: 12 Feet
- Linear Length: 10 Feet
- Y-Shape: 2 Feet

