

WEB TENDER

TENDER ENQUIRY NO SP-4/WT/10038332/ELECTRICAL/2025/05

WEB TENDER FOR PROCUREMENT OF ELECTRICAL CABLE
4 CORE 50 MM² (PER CORE) & 4 CORE 35 MM² (PER CORE)
FOR BASE CAMP

AT

SEISMIC PARTY NO.4
HANGU ROAD KOHAT

(LOCAL PROCUREMENT)
OIL & GAS DEVELOPMENT COMPANY LIMITED

BID SUBMISSION DATE: 10th SEPTEMBER 2025



OIL & GAS DEVELOPMENT COMPANY LIMITED SEISMIC PARTY No- 4

KOHAT NORTH 3D PROJECT ELECTRICAL SECTION

Purchase OF Electrical Cable for Base Camp

Demand/Justification for Web Tendering

The Requirement of Electrical Cable is Described Below;

	Description	Qty required	Remarks
1-Fleetrical	Cable 4 Core 50 mm² (Per core)	225 Meter	
•			

	annealed copper, Class 2 stranded as per IEC		
	60228		
	Insulation Material PVC Coating.		_
	Insulation Color Code Black.		
	Material Shape Round Wire.		7
			\blacksquare
	Equivalent		CAMI
	and a settled		
	and the second second second		(II)
	test certificates required		(7)
•	Operating Temperature:		<u>تر ا</u>
	1- Normal: up to 90 °C		1 4
	2- Short Circuit: up to 250 °C (max. 5 seconds)		\square
2-Electrical	Cable 4 Core 35 mm² (Per core)	200 Meter	FOR BASE
•	Number of Cores 4.		1
•	5 (S) 55 (S)		1
•	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black)		1
	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black)		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating.		UIRED F
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black.		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire.		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE.		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire.		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required Operating Temperature:		1
:	Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required		1



WEB TENDER DOCUMENTS

TENDER ENQUIRY NO SP-4/WT/10038332/ELECTRICAL CABLE/2025/05

WEB TENDER FOR PROCUREMENT OF ELECTRICAL CABLE 4 CORE 50 MM² (PER CORE) & 4 CORE 35 MM² (PER CORE) FOR BASE CAMP SEISMIC PARTY NO. 4.

PARTY CHIEF SEISMIC PARTY NO.4 (LOCAL PURCHASING)

OIL & GAS DEVELOPMENT COMPANY LIMITED

BID SUBMISSION DATE: 10Th September 2025

OGDCL SALES TAX REGISTRATION

NO. 07-02-2802-001-55

INVITATION FOR BIDS

BIDDING DOCUMENT

TENDER ENQUIRY NO SP-4/WT/10038332/ELECTRICAL CABLE/2025/05

Schedule of Requirement (Web Tender SP-4/WT/10038332/ELECTRICAL CABLE/2025/05)

Format of submission of bid:

Sr.	Description	Reference #	Rate	Total Rate Included of all Taxes
1	As per attached list			

WEB TENDER FOR PROCUREMENT ELECTRICAL CABLE 4 CORE 50 MM² (PER CORE) & 4 CORE 35 MM² (PER CORE) AT SEISMIC PARTY NO.4

-	tom Description and Specification Occupation Unit				
Sr.	Item Description and Specification	Quantity	Unit		
01	Electrical Cable 4 Core 50 mm² (Per core) Number of Cores 4. Conductor Size: 50 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required Operating Temperature: 1- Normal: up to 90 °C 2- Short Circuit: up to 250 °C (max. 5 seconds	225	METER		
02	 Electrical Cable 4 Core 35 mm² (Per core) Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required Operating Temperature: 1- Normal: up to 90 °C 2- Short Circuit: up to 250 °C (max. 5 seconds) 	200	METER		

TERMS AND CONDITION

- 1. The supplier should have minimum of 05 years of past experience in sales.
- 2. Delivery period for material is 2 weeks from the date of Issuance of purchase order.
- 3. Bidding Procedure: Single Stage, Two envelope (**Technical and Financial bids may be submitted in Two Envelopes**)
- 4. The pay order / demand draft of **Rs 60,000** (Rupees Sixty Thousand only) in favor of Oil & Gas Development Company Limited, as Security deposit /Performance bond must be enclosed with the quotation. Deposit of successful bidder will be Retained and Returned /Refunded after the completion of job. Rest of the bid bonds of Unsuccessful Bidders will be Released.
- 5. Inspection may be carried out at OGDCL site and after successful inspection of material, it will be accepted.
- 6. Payment will be made through Online Payment and be released when once Successful Inspection of material at site is completed. OGDCL has the right to Reject whole or part of supplied item if inspection results Found unsatisfactory.
- 7. One Year Any type of Damage Warranty Must be in Written Form.
- 8. Commercial series (Professional)
- 9. Any damaged material found during Inspection will have to be Replaced by the Supplier without any extra charges.
- 10. Supplier to provide all necessary documents like **Annex-C** (Tax), **Professional Tax Certificate** etc. with invoice.
- 11. Material Must will be delivered at **Seismic Party No. 4 Base Camp**, the delivery charges to be borne by the Supplier / Bidder.
- 12. Bidder should submit complete/clean acceptance of **OGDCL TOR.**
- 13. Any required technical clarification/details regarding Material mentioned above must be cleared before submission of bid. No change in substance of bid will be entertained after bid submission date.
- 14. OGDCL reserves the right to Annul the case without assigning any reason thereof.
- 15. Prices should be Inclusive of All Applicable Taxes.
- 16. Bid will be opened at Base camp SP-04 Near Ali Zai Base Camp Near Kaccha Pakka 16 km from Kohat City District Kohat KPK.
- 17. Any information Regarding Tender may be obtained from Admin Office via Phone, Email or Base Camp on below address.
- 18. Seismic Party No.4 (SP4), OGDCL, Near Ali Zai District Kohat KPK
- 19. Phone No:051-9244343
- 20. Cell Phone/WhatsApp: Saeed Ahmed (Pr. Tech Officer) 0345-7089173, Ali Murtaza (Technical Officer) 0312-5715671
- 21. Email: partychiefsp4@ogdcl.com, saeed.ahmed@ogdcl.com alimurtaza@ogdcl.com

OIL & GAS DEVELOPMENT COMPANY LIMITED

SEISMIC PARTY NO-04

C/O MAIN TCS OFFICE MERI COLONY BANNU ROAD, Near OLD PSO Pump, KOHAT

Telephone # 051-9244343 Email: partychiefsp4@ogdcl.com

TENDER NOTICE

- 1- Oil & Gas Development Company Limited (OGDCL) is the largest Exploration and Production listed Company of Pakistan having operations at 52 locations and fields in all the four provinces, intends to hire services for its operations. The details about the company can be obtained from website http://www.ogdcl.com.
- 2- Sealed bids in duplicate are invited for the services given below under Competitive Bidding Procedure on Single Stage Two Envelope Bidding System. Terms and conditions are mentioned in the OGDCL master tender documents.

Sr.	Tender No.	Item Description and Specifications	Quantity	Bid Submission Date & Time	Bid Opening Date & Time
1	/ELECTRICAL CABLE/2025/05	Rectrical Cable 4 Core 50 mm² (Per core) Number of Cores 4. Conductor Size: 50 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High- conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV	250 Meters	9.2025 & O AM	
2	SP-4/WT/10038332/ELE	Electrical Cable 4 Core 35 mm² (Per core) Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High- conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV	200 Meters	10.09.2025 & 9:00 AM	10.09.2025 & 10: 30 AM

3- Tender Documents Tender Enquiry can be obtained/downloaded from OGDCL WEBSITE, www.ogdcl.com or on written request from the Office of the PARTY CHIEF SEISMIC PARTY NO.4 OGDCL C/O MANAGER TCS office meri colony Bannu Road, Near old PSO pump Kohat KPK on any day from 0900 Hours (PST) to 1300 Hours (PST).

- 4- The bids will be received at the OFFICE OF THE PARTY CHIEF, SEISMIC PARTY NO.4 OGDCL, NEAR Ali Zai District Kohat KPK on time and date mentioned against Tender Enquiry. Bidder(s) or their Authorized Representative(s) are encouraged to attend the Tender Opening meeting. The dates for opening of the financial bids against Tender Enquires under Single Stage Two Envelope Bidding Procedures will be communicated to the technically qualified & Financially bidders upon the completion of Technical Evaluation.
- 5- Bidders must provide their own business details at the time of tender purchase including Address, Phone & Fax Numbers and email (if any) for effective communication. If further details/clarifications are required, it may be obtained from Party Chief Office Seismic Party No-4 Ali-Zai Base Camp Hangu Road Kohat KPK via e-mail, phone, WhatsApp and personally.
- 6- The OGDCL reserves the right to accept or reject any bid and to annul the bidding process and reject all the bids at any time prior to award of Purchase Order.

Mailing Address:

PARTY CHIEF SEISMIC PARTY NO 4. OGDCL C/O MANAGER TCS OFFICE MERI COLONY BANNU ROAD, NEAR OLD PSO PUMP KOHAT KPK

Tel. Phone #: 051-9244343

Cell Phone/WhatsApp: Saeed Ahmed (Pr. Tech Officer) 0345-7089173, Ali Murtaza (Technical

Officer) 0312-5715671

Email: partychiefsp4@ogdcl.com, saeed.ahmed@ogdcl.com alimurtaza@ogdcl.com

Schedule of Requirement (Web Tender SP-4/WT/10038332/ELECTRICAL CABLE/2025/05)

Format of submission of bid:

Sr.	Description	Reference #	Rate	Total Rate Included of all Taxes
1	As per attached list			

WEB TENDER FOR PROCUREMENT ELECTRICAL CABLE 4 CORE 50 MM² (PER CORE) & 4 CORE 35 MM² (PER CORE) AT SEISMIC PARTY NO.4

-	tom Description and Specification Occupation Unit				
Sr.	Item Description and Specification	Quantity	Unit		
01	Electrical Cable 4 Core 50 mm² (Per core) Number of Cores 4. Conductor Size: 50 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required Operating Temperature: 1- Normal: up to 90 °C 2- Short Circuit: up to 250 °C (max. 5 seconds	225	METER		
02	 Electrical Cable 4 Core 35 mm² (Per core) Number of Cores 4. Conductor Size: 35 mm² (per core) Color (Red, Yellow, Blue, Black) Conductor Material: High-conductivity annealed copper, Class 2 stranded as per IEC 60228 Insulation Material PVC Coating. Insulation Color Code Black. Material Shape Round Wire. Certification ISO, CCC, CE. STANDARD: IEC 60502-1 / BS 5467 or Equivalent Voltage Rating: 0.6/1 kV Certification: Manufacturer's routine and type test certificates required Operating Temperature: 1- Normal: up to 90 °C 2- Short Circuit: up to 250 °C (max. 5 seconds) 	200	METER		

TERMS AND CONDITION

- 1. The supplier should have minimum of 05 years of past experience in sales.
- 2. Delivery period for material is 2 weeks from the date of Issuance of purchase order.
- 3. Bidding Procedure: Single Stage, Two envelope (**Technical and Financial bids may be submitted in Two Envelopes**)
- 4. The pay order / demand draft of **Rs 60,000** (Rupees Sixty Thousand only) in favor of Oil & Gas Development Company Limited, as Security deposit /Performance bond must be enclosed with the quotation. Deposit of successful bidder will be Retained and Returned /Refunded after the completion of job. Rest of the bid bonds of Unsuccessful Bidders will be Released.
- 5. Inspection may be carried out at OGDCL site and after successful inspection of material, it will be accepted.
- 6. Payment will be made through Online Payment and be released when once Successful Inspection of material at site is completed. OGDCL has the right to Reject whole or part of supplied item if inspection results Found unsatisfactory.
- 7. One Year Any type of Damage Warranty Must be in Written Form.
- 8. Commercial series (Professional)
- 9. Any damaged material found during Inspection will have to be Replaced by the Supplier without any extra charges.
- 10. Supplier to provide all necessary documents like **Annex-C** (Tax), **Professional Tax Certificate** etc. with invoice.
- 11. Material Must will be delivered at **Seismic Party No. 4 Base Camp**, the delivery charges to be borne by the Supplier / Bidder.
- 12. Bidder should submit complete/clean acceptance of **OGDCL TOR.**
- 13. Any required technical clarification/details regarding Material mentioned above must be cleared before submission of bid. No change in substance of bid will be entertained after bid submission date.
- 14. OGDCL reserves the right to Annul the case without assigning any reason thereof.
- 15. Prices should be Inclusive of All Applicable Taxes.
- 16. Bid will be opened at Base camp SP-04 Near Ali Zai Base Camp Near Kaccha Pakka 16 km from Kohat City District Kohat KPK.
- 17. Any information Regarding Tender may be obtained from Admin Office via Phone, Email or Base Camp on below address.
- 18. Seismic Party No.4 (SP4), OGDCL, Near Ali Zai District Kohat KPK
- 19. Phone No:051-9244343
- 20. Cell Phone/WhatsApp: Saeed Ahmed (Pr. Tech Officer) 0345-7089173, Ali Murtaza (Technical Officer) 0312-5715671
- 21. Email: partychiefsp4@ogdcl.com, saeed.ahmed@ogdcl.com alimurtaza@ogdcl.com