

Terms & Conditions:

Following terms and conditions will apply;

- 1) The offers shall be accepted only with original bidding documents, photocopied will not be accepted.
- 2) The supplier having active status with FBR shown at Active Tax Payer list (ALT) would be eligible to supply goods / services.
- 3) Each bid shall comprise single sealed package containing Technical proposal and Financial proposal.
- 4) Technical proposal: Detail of specifications, make / Manufacturer name on Firms letter head pad along with bidding documents and submission of affidavit on judicial stamp paper that 2 % earnest money CDR is attached with financial proposal. Warranty and free post sale service will be mentioned in the proposal.
- 5) The bidders shall submit earnest money with the proposal in the form of CDR of any scheduled bank in favor of OGDCL. In case of non-acceptance of tender the earnest money will be re-funded after finalization of the tender.
- 6) In case of acceptance of tender, the bidders shall deposit @ 10 % of the total value in the form of call deposit as goods warranty in the name of OGDCL.
- 7) The procuring entity will have the right to reject all proposals at any time prior to the acceptance of bidder's proposal. The procuring entity shall upon request communicate the grounds for rejection of bid or proposal to any contractor or consultant who submitted a bid / proposal.
- 8) The same is available on at OGDCL website.
- 9) Evaluation criteria is full consignment wise.
- 10) Bid validity is 90 days.
- 11) Installation of fans and solar panels is the responsibility bidder.

Specification:

- a) Sixty Inverse Solar Panel 180W each.
- b) Sixty Fans 56" AC/DC.
- c) Sixteen rolls of wire 2 mm (each roll contains 90 yards).
- d) Twenty Frames L-2 (Length 7 feet width six feet)

SCHEDULE OF REQUIREMENT:

The supplies shall be delivered in accordance with the subsequent Purchase Orders to be issued by the OGDCL as per following schedule of requirements: -

- a) Delivery period is 20 days after issuance of work order.
- b) Total quantity of fans is 60. The other detail is as follows;
 - i. Sixty Inverse Solar Panel 180W each.
 - ii. Sixty Fans 56" AC/DC.
 - iii. Sixteen rolls of wire 2 mm (each roll contains 90 yards).
 - iv. Twenty Frames L-2 (Length 7 feet width six feet).