## OIL & GAS DEVELOPMENT COMPANY LIMITED TECHNICAL EVALUATION REPORT

TENDER ENQUIRY # PROC-FB/CB/PRE-QUAL/CASING/D-4888/2020 FOR PRE-QUALIFICATION OF MANUFACTURERS/SUPPLIERS/BIDDERS FOR SUPPLY OF CASING PIPES ALONGWITH CASING ACCESSORIES

	S. NO.	NAME OF BIDDER	RESPONSIVE YES/ NO	REMARKS
	1	M/S TENARIS GLOBAL SERVICES S.A. URUGUAY.	YES (FOR ALL GROUPS)	ACCEPTED FOR ALL QUOTED GROUPS.I.E.GROUPS-A, B, C, D, E, F, G, H, I, J & K. OBTAINED SCORES AGAINST QUOTED GROUPS ARE AS UNDER; GROUP-A = 150 GOUPP-B = 150 GROUP-C = 150 GROUP-D = 150 GROUP-E = 155 GROUP-F = 195 GROUP-H = 185 GROUP-H = 185 GROUP-J = 190 GROUP-J = 185 GROUP-J = 185 GROUP-J = 185 GROUP-K = 57
SVED AHRAR HUSSA Ely. Chef Engineer (Drillin Ext: 2239  MUHAMMAD USMAN AWAI SE(DMP)-III Ext: 2923  WILHAMMAD ISMANI Sr. Engineer (Drilling) Ext: 2923	2	M/S MARUBENI ITOUCHU TUBULARS ASIA PTE LTD SINGAPORE.	NO	REJECTED IN ALL QUOTED GROUPS I.E. GROUPS E.F. & & K. REJECTED IN GROUPS E.F. & G DUE TO NON-COMPLIANCE OF CLAUSE # 9 OF MANDATORY PEQUIPEMENT FOR ACCEPTANCE AS BOTH THE QUOTED MANUFACTURERS I.E. M/S TUBOS REUNIDOS. SPAIN & M/S JESCO. SAUDI ARABIA DOES NOT HAVE API SCT, PSL-3 CERTIFICATION FROM JANAUARY 2010. REJECTED DUE TO DEVATION OF SPECS FOR 9-7/8' O129HC CASING AGAINST GROUP.F AS QUOTED 14640 PSI BURST RATING FOR 9-7/8' CASING INSTEAD OF REQUIRED 15,000 PSI RATING. REJECTED DUE TO NON-COMPLIANCE OF PSL-3 REQUIREMENT OF MAX. YIELD STRENGTH (140 KSI) FOR 9-7/8' 0129HC CASING, REJECTED DUE TO DEVIATION OF SPECS FOR 13-3/8', 72 PPF HIGH COLLAPSE CASING AGAINST GROUP-E AS QUOTED 5510 PSI COLLAPSE RATING. INSTEAD OF REQUIRED 3,900 PSI RATING, REJECTED DIN GROUPS E.F. & G DUE TO NON-COMPLIANCE OF CLAUSE # 10 FM ANDATORY REQUIREMENT FOR ACCEPTANCE AS DID NOT PROVIDED DATA SHEETS FOR 9-5/8', 125/KSI, HC, 7', 35 PPF, 125 KSI & 7', 140KI, 32 PPF CASING, REJECTED IN GROUPS E.F. & G DUE TO NON-COMPLIANCE OF CLAUSE # 10 FM ANDATORY REQUIREMENT FOR ACCEPTANCE AS DID NOT PROVIDE DATA SHEETS FOR 9-5/8', 125/KSI, HC, 7', 35 PPF, 125 KSI & 7', 140KI, 32 PPF CASING, REJECTED IN GROUPS E.F. & G DUE TO NON-COMPLIANCE OF CLAUSE # 10 FM ANDATORY REJECTED IN GROUPS E.F. & G DUE TO NON-COMPLIANCE OF CLAUSE # 10 FM ANDATORY REJECTED IN GROUPS E.F. & G DUE TO NON-COMPLIANCE OF CLAUSE # 3 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE LAST 10 YEARS CONSECUTIVE API SCT, PSL-3 GERTIFICATES FROM JANUARY 2010 IN FAVOUR OF BOTH QUOTED MANUFACTURERS I.E. M/S TUBOS REUNIDOS, SPAIN & M/S JESCO, SAUDI ARABIA REJECTED IN GROUPS F & G DUE TO NON-COMPLIANCE OF CLAUSE # 11 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE UNPRICES COPIES OF PURCHASE ORDERS FOR THE SUPPLY OF CASING WITH CHALLENGING COLLAPSE, BURST & TORQUES REQUIREMENTS. REJECTED IN GROUPS F & G DUE TO NON-COMPLIANCE OF CLAUSE # 11 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE UNPRICES COPIES OF PURCHASE ORDERS FOR THE SUPPLY OF CASING WITH CHALLENGING COLLAPSE, BURST & TORQUE

ACCEPTED FOR GROUP-I ONLY, REJECTED IN GROUP-DUE TO DEVANTION OF SPECS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 12 AND ADDRESS AS QUOTED 13-29 IN INSTEAD OF REQUIRED 13-2	_				
MUHAMMAD USMAN AWAN SE(DMP)-III Ext: 2923  MISTIANJIN PIPE INTERNATIONAL GORPORATION, CHINA.  MISTIANJIN PIPE INTERNATIONAL GORPORATION ASIA & OCENTRO REQUIRED 140 KSI GRADE INTERNATIONAL GORPORATION OF SPECS AS QUOTED 7", 32 PPF, 125 KSI GRADE INSTEAD OF REQUIRED 140 KSI GRADE INSTEAD OF REQUIRED 140 KSI GRADE INSTEAD OF REQUIRED 140 KSI. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER  OF CLAUSE # 14 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OF CLAUSE # 157 GORPORATION OF SPECIAL SCORING CRITERIA AS DID NOT PROV	SYED AHRAR HUSSAI Dy. Chef Engineer (Drillin	eres de la constante de la con	1 ' ' 1	YES (FOR GROUP-I ONLY)	REQUIRED 12.250" AS PER SUBMITTED DATA SHEET. REJECTED IN GROUP E DUE TO DEVIATION OF SPECS AS QUOTED 13-3/8" HIGH COLLAPSE GRADE, 72 PPF, WITH YIELD STRENGTH 125 KSI INSTEAD OF REQUIRED 110 KSI AS PER SUBMITTED DATA SHEET. REJECTED IN GROUP-E DUE TO DEVIATION OF SPECS AS QUOTED 9-5/8", Q125-HCX YIELD STRENGTH DOES NOT CONFORM TO PSI-3 I.E. MAX 140 KSI AND QUOTED 9-5/8", Q125-HCX YIELD STRENGTH SI 135 KSI INSTEAD OF REQUIRED 125 KSI AS PER SUBMITTED DATA SHEET. REJECTED IN GROUP-E DUE TO DEVIATION OF SPECS AS QUOTED 9-7/8", Q-125-HCX DRIFT IS 8.397" INSTEAD OF REQUIRED 3.5" AND MAXIMUM YIELD STRENGTH IS NOT 140 KSI. QUOTED 9-7/8", q-125-HCX DRIFT IS 8.397" INSTEAD OF REQUIRED 125 KSI AS PER SUBMITTED DATA SHEET. REJECTED IN GROUP-F DUE TO DEVIATION OF SPECS AS QUOTED 7", 32 PPF, Q125-HCX WITH YIELD STRENGTH 135 KSI INSTEAD OF REQUIRED 125 KSI AS PER SUBMITTED DATA SHEET. REJECTED IN GROUP-F DUE TO DEVIATION OF SPECS AS QUOTED 7", 32 PPF, Q125-HCX WITH YIELD STRENGTH 135 KSI INSTEAD OF REQUIRED GRADE 140 KSI. QUOTED 7", 32 PPF, Q125-HCX COLLAPSE RATING IS 14330 PSI INSTEAD OF REQUIRED 14700 PSI. QUOTED 7", 32 PPF, Q125-HCX AND COLLAPSE RATING IS 14330 PSI INSTEAD OF REQUIRED 14700 PSI. QUOTED 7", 35 PPF, Q125-HCX WITH YIELD STRENGTH 135 KSI INSTEAD OF REQUIRED 125 KSI AND MAXIMUM YIELD STRENGTH DOES NOT CONFORM TO PSI-3 I.E. 140 KSI. REJECTED IN GROUPS D.E.F & G DUE TO NON-COMPLIANCE OF CLAUSE # 10 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE CVS OF CASING DESIGN/OPTIMIZATION ENGINEER OF QUOTED CASING PIPE MANUFACTURER I.E. JFE, JAPAN. REJECTED IN GROUPS D. E.F & G DUE TO NON-COMPLIANCE OF CLAUSE # 10 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE DAS NOT CONFORM THE SALE REQUIREMENT FOR EACH QUOTED CASING GROUP. REJECTED IN GROUPS D. E.F & G DUE TO NON-COMPLIANCE OF CLAUSE # 15 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE 5 NOS SATISFACTORY PERFORMANCE CERTIFICATES AGAINST EACH QUOTED ITEM FROM 05 DIFFERENT E & P COMPANIES NOT PROVIDE OF NON-COMPLIANCE OF CLAUSE # 15 OF TECHNICAL SCORING CRITERIA AS D
Sr. Engineer (Drilling) Ext: 2933  M/S SUMITOMO CORPORATION ASIA & OCEANIA PTE LTD, SINGAPORE.  Sr. Engineer (Drilling) Ext: 2936  M/S SUMITOMO CORPORATION ASIA & OCEANIA PTE LTD, SINGAPORE.  INSTEAD OF REQUIRED 140 KSI GRADE. COLLAPSE AND BURST OF QUOTED 7", 32 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 140 KSI. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OF REQUIRED 140 KSI. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OF REQUIRED 140 KSI. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OF REQUIRED 140 KSI. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 15	SE(DMP)-III Ext: 2923	4	INTERNATIONAL ECONOMIC & TRADING	GROUP-B & GROUP-E	CRITERIA AS PROVIDED LAST 10 YEARS SALE RECORD (FROM YEAR 2010) SUPPLIED TO E & P COMPANIES IN OTHER THAN MANUFACTURERS OWN COUNTRY DOES NOT CONFORM THE SALE REQUIREMENT FOR THESE CASING GROUPS. REJECTED IN GROUPS C & D DUE TO NON-COMPLIANCE OF CLAUSE # 14 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE 05 NOS SATISFACTORY PERFORMANCE CERTIFICATES AGAINST EACH QUOTED ITEM OF GROUP C & D FROM 05 DIFFERENT E & P COMPANIES NOT BELONGING TO MANUFACTURERS OWN COUNTRY. REJECTED IN GROUPS C & D DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OR BIDDER.  OBTAINED SCORES AGAINST QUOTED GROUPS ARE AS UNDER;  GROUP-B = 153  GROUP-C = 121  GROUP-D = 121
GROUP-J = 190 GROUP-K = 57	MUHAMMAD ISMAIL Sr. Engineer (Drilling)	5	CORPORATION ASIA & OCEANIA PTE LTD,	GROUPS D,E,F,I, J & K	INSTEAD OF REQUIRED 140 KSI GRADE. COLLAPSE AND BURST OF QUOTED 7", SM-125TT, 32 PPF CASING DOES NOT CONFOM TO REQUIRED COLLAPSE AND BURST RATING. QUOTED 7", 32 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 150 KSI. QUOTED 7", 35 PPF, SM-125TT MAXIMUM YIELD STRENGTH IS 155 KSI INSTEAD OF REQUIRED 140 KSI. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OR BIDDER.  OBTAINED SCORES AGAINST QUOTED GROUPS ARE AS UNDER;  GROUP-D = 150  GROUP-E = 157  GROUP-F = 205  GROUP-G = REJECTED DUE TO DEVIATION OF SPECIFICATIONS FOR 7", 140 KSI, 32 PPF & 7", 125 KSI, 35 PPF CASING.  GROUP-J = 190  GROUP-J = 190



6	M/S VOESTALPINE TUBULARS GMBH & CO KG, AUSTRIA.	YES ( FOR GROUP-G ONLY)	ACCEPTED FOR GROUP-G ONLY. REJECTED IN GROUP H DUE TO NON-COMPLIANCE OF CLAUSE # 13 OF TECHNICAL SCORING CRITERIA AS PROVIDED LAST 10 YEARS SALE RECORD (FROM YEAR 2010) SUPPLIED TO E & P COMPANIES IN OTHER THAN MANUFACTURERS OWN COUNTRY DOES NOT CONFORM THE SALE REQUIREMENT FOR THIS CASING GROUP. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 15 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDED THE CAL-II TEST REPORTS AS PER API 5C5:2017/ISO 13679:2002 FOR QUOTED FLUSH CONNECTION. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 17 OF TECHNICAL SCORING CRITERIA AS QUOTED FLUSH CONNECTION DOES NOT CONFORM TO THE TECHNICAL REQUIREMENT OF TENSION & COMPRESSION RATING. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CASING PIPE MANUFACTURER OR BIDDER.  OBTAINED SCORES AGAINST QUOTED GROUPS ARE AS UNDER; GROUP-H = 138  GROUP-H = 138
7	M/S NOV XL SYSTEM, SINGAPORE.	NO	REJECTED IN QUOTED GROUP-K DUE TO NON-COMPLIANCE OF CLAUSE # 6K OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE 05 UNPRICED COPIES OF PURCHASE ORDERS FOR EACH QUOTED ITEM OF GROUP-K. REJECTED DUE TO NON-COMPLIANCE OF CLAUSE # 8 OF TECHNICAL SCORING CRITERIA AS QUOTED DELIVERY PERIOD > 6 MONTHS AND LESS THAN 9 MONTHS. REJECTED IN GROUP-K DUE TO NON-COMPLIANCE OF CLAUSE # 24 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE API Q-1 CERTIFICATION FOR QUOTED CONDUCTOR PIPE MANUFACTURER OR BIDDER. REJECTED IN GROUP-K DUE TO NON-COMPLIANCE OF CLAUSE # 21 OF MANDATORY REQUIREMENT FOR ACCEPTANCE AS DID NOT PROVIDE CLEAN ACCEPTANCE OF OGDCL TERMS & CONDITIONS.  OBTAINED SCORE AGAINST QUOTED GROUP IS AS UNDER; GROUP-K = 40
8	M/S VALLOUREC ASIA PACIFIC PTE, LTD, SINGAPORE.	YES (FOR ALL GROUPS)	ACCEPTED FOR ALL QUOTED GROUPS.I.E.GROUPS-A, B, C, D, E, F, G, H, I, J & K. OBTAINED SCORES AGAINST QUOTED GROUPS ARE AS UNDER; GROUP-A = 155 GOUPP-B = 155 GROUP-C = 155 GROUP-D = 155 GROUP-E = 165 GROUP-F = 215 GROUP-H = 205 GROUP-H = 205 GROUP-J = 200 GROUP-J = 200 GROUP-K = 58

My

MUHAMMAD ISMAIL Sr. Engineer (Drilling) Ext: 2933

MUHAMMAD USMAN AWAN SE(DMP)-III Ext: 2923

SYED AHRAR HUSSAIN Dy. Chef Engineer (Drilling) Ext: 2239

Page 3074

REJECTED IN ALL QUOTED GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J. REJECTED IN GROUP-F DUE TO DEVIATION OF SPECS AS QUOTED 9-[5/8" HIGH COLLAPSE CASING DOES NOT CONFORM TO REQUIRED COLLAPSE RATING. REJECTED IN GROUP-G DUE TO DEVIATION OF SPECS AS QUOTED 7" HIGH COLLAPSE CASING DOES NOT CONFORM TO REQUIRED COLLAPSE RATING. REJECTED IN GROUPS F, G & H AS DID NOT CONFIRM MAXIMUM YIELD STRENGTH TO 140 KSI AS PER REQUIREMENT. REJECTED IN ALL QUOTED GROUPS B,C,D,E,F,G,H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE # 9 OF MANDATORY REQUIREMENT FOR ACCEPTANCE AS DID NOT PROVIDE API 5CT, PSL-3 FROM JANUARY 2010 IN FAVOUR OF QUOTED CASING PIPE MANUFACTURERS AND ALSO SUBMITTED BID IS FROM THREADER INSTEAD OF CASING PIPE MANUFACTURER. REJECTED IN GROUPS B,C,D,E,F,G, I & J DUE TO NON-COMPLIANCE OF CLAUSE # 11 OF MANDATORY REQUIREMENT FOR ACCEPTANCE AS DID NOT PROVIDED DATA SHEETS FOR 20", 18-5/8", 14", 13-3/8" HC, 9-7/8",7", 4.5", 11-3/4" & 13-5/8" CASING. REJECTED IN ALL QUOTED GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE #1 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE LAST 10 YEARS SALE RECORD FROM QUOTED CASING PIPE MANUFACTURERS I.E. M/S JIANGSU CHANG BAO STEEL, CHINA, M/S HENGYANG VALIN STEEL TUBE CO. CHINA & M/S TPCO, CHINA FROM YEAR 2010. REJECTED IN ALL QUOTED GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE # 2 OF TECHNICAL SCORING CRITERIA AS NO DOCUMENTS PROVIDED FOR HAVING LOCAL SUPPORT/REPRESENTATIVE OFFICE IN PAKISTAN IN FAVOUR OF QUOTED CASING PIPE MANUFACTURERS. REJECTED IN ALL QUOTED GROUPS I.E. GROUPS B,C,D,E,F,G,H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE #3 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE LAST 10 YEARS CONSECUTIVE API 5CT, PSL-3 CERTIFICATES FROM JANUARY 2010 IN FAVOUR OF QUOTED CASING PIPE MANUFACTURERS. REJECTED IN ALL QUOTED GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE # 5 OF TECHNICAL SCORING CRITERIA AS QUOTED MOTHER CASING PIPE MANUFACTURERS AND IT'S THREADER ARE DIFFERENT. REJECTED IN ALL QUOTED GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE # 10 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE CV'S OF CASING DESIGN/OPTIMIZATION ENGINEER OF QUOTED CASING PIPE MANUFACTURERS.I.E. . M/S JIANGSU CHANG BAO STEEL. CHINA. M/S HENGYANG VALIN STEEL TUBE CO, CHINA & M/S TPCO, CHINA. REJECTED IN ALL QUOTED CASING GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE #13 OF TECHNICAL SCORING CRITERIA AS PROVIDED LAST 10 YEARS SALE RECORD (FROM YEAR 2010) SUPPLIED TO E & P COMPANIES IN OTHER THAN MANUFACTURERS OWN COUNTRY DOES M/S HUNTING ENERGY NOT CONFORM THE SALE REQUIREMENT FOR EACH QUOTED CASING ITEM AND IS ALSO FROM THREADER INSTEAD OF REQUIRED SALE NO SYED AHRAR HUSSAIN® SERVICES PTE LTD. RECORD FROM QUOTED CASING PIPE MANUFACTURERS. REJECTED IN ALL QUOTED CASING GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE SINGAPORE. TO NON-COMPLIANCE OF CLAUSE # 14 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDE 05 NOS SATISFACTORY PERFORMANCE Dy. Chef Engineer (Drilling) CERTIFICATES AGAINST EACH QUOTED ITEM FROM 05 DIFFERENT E & P COMPANIES NOT BELONGING TO MANUFACTURERS OWN COUNTRY IN Ext: 2239 FAVOUR OF QUOTED CASING PIPE MANUFACTURERS. REJECTED IN GROUP F, G & I DUE TO NON-COMPLIANCE OF CLAUSE # 15 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDED THE CAL-IV TEST REPORTS FOR THE WHOLE FAMILY OF QUOTED 9-5/8" & 7" CASING CONNECTION AS PER ANNEXURE G (ISO 13679:2002) & ALSO DID NOT PROVIDE CAL-IV REPORT FOR QUOTED 9-7/8" & 4-1/2" CASING. REJECTED IN GROUP-H & J DUE TO NON-COMPLIANCE OF CLAUSE # 15 OF TECHNICAL SCORING CRITERIA AS DID NOT PROVIDED THE CAL-II TEST REPORTS AS PER API 5C5:2017/ISO 13679:2002 FOR QUOTED FLUSH & SEMI FLUSH CONNECTIONS. REJECTED IN GROUP-H DUE TO NON-COMPLIANCE OF CLAUSE # 17 OF TECHNICAL SCORING CRITERIA AS QUOTED FLUSH CONNECTION DOES NOT CONFORM TO THE TECHNICAL REQUIREMENT OF TENSION & COMPRESSION RATING. REJECTED IN GROUP-J DUE TO NON-COMPLIANCE OF CLAUSE # 20 OF TECHNICAL SCORING CRITERIA AS QUOTED MUHAMMAD USMAN AWAN SEMI FLUSH CONNECTION DOES NOT CONFORM TO THE TECHNICAL REQUIREMENT OF TENSION & COMPRESSION RATING. REJECTED IN ALL SE(DMP)-III QUOTED CASING GROUPS I.E. GROUPS B, C, D, E, F, G, H, I, & J DUE TO NON-COMPLIANCE OF CLAUSE # 23 OF TECHNICAL SCORING CRITERIA AS PROVIDED DOCUMENTARY EVIDENCE OF ONLY 02 TOTAL TUBULAR MANAGEMENT PROJECTS INSTEAD OF MINIMUM REQUIREMENT OF 03 Ext: 2923 PROJECTS. OBTAINED SCORES AGAINST QUOTED GROUPS ARE AS UNDER; GOUPP-B = 69 GROUP-C = 68 GROUP-D = 65 GROUP-E = 70 GROUP-F = 91 MUHAMMAD ISMAIL Sr. Engineer (Drilling) GROUP-G = 86 GROUP-H= 71 GROUP-I = 96 GROUP-J = 65 C/O MR. MUZAMIL KHAN REJECTED IN ALL GROUPS. BIDDER DOES NOT FULLFILL ANY SINGLE CRITERIA OF MANDATORY REQUIREMENT FOR ACCEPTANCE AND 10 (M/S TENARIS, NO TECHNICAL SCORING POINTS. URUGUAY) M/S NUTRISOLVE REJECTED IN ALL GROUPS. BIDDER DOES NOT FULLFILL ANY SINGLE CRITERIA OF MANDATORY REQUIREMENT FOR ACCEPTANCE AND ENTERPRISES, NO TECHNICAL SCORING POINTS.

KARACHI.

