



OGDCL PAKISTAN:
OIL & GAS DEVELOPMENT
COMPANY LIMITED

NASHPA COMPRESSION PROJECT PHASE-II

ISSUE FOR TENDER

0	9-Mar-18	ISSUED FOR TENDER	SJA	NAS	SJA	MHQ	MAS		
A	26-Dec-17	ISSUED FOR REVIEW	SJA	NAS	SJA	MHQ	AHB		
REV	DATE	DESCRIPTION	ORIG	CHKD	LE	QA	PM	LOCAL REPR.	PROJ. MAN





ENAR Petrotech Services (Pvt.) Limited ,
7-B , Sector 7-A , Korangi Industrial Area ,
Karachi Pakistan

CONTRACT NO. 14-0193

DOCUMENT TITLE: I/O LIST FOR EXISTING ESD SYSTEM

	193	LT	6000	0	
	CODE	TYPE	SEQ NO.	REV	.

<div></div> <div>ENAR PETROTECH SERVICES (PVT.) LTD.</div>		I/O LIST FOR PLANT EXISTING ESD SYSTEM			Document	0193-LT-6000	
					Date	9/3/2018	
		NASHPA COMPRESSION PROJECT(PHASE-II)			Revision	0	
					Rev Desc.	ISSUED FOR TENDER	
		OGDCL PAKISTAN			Prepared By	SJA	
					Checked By	NAS	
					Approved By	MAS	
S. No.	Tag No.	Service/Description	Location (Field/CR)	Signal	Type		Remarks
					Electronic/ Pneumatic	I/O Type	
COMPRESSOR PACKAGE(K-2001)							
1	UCP-6000	COMPRESSOR FIRE ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
2	UCP-6001	COMPRESSOR PROCESS ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
3	ESD-6000	COMPRESSOR ESD SIGNAL FROM PLANT ESD SYSTEM	Field	24 VDC	Electronic	DO	
COMPRESSOR PACKAGE(K-2002)							
4	UCP-6002	COMPRESSOR FIRE ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
5	UCP-6003	COMPRESSOR PROCESS ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
6	ESD-6001	COMPRESSOR ESD SIGNAL FROM PLANT ESD SYSTEM	Field	24 VDC	Electronic	DO	
COMPRESSOR PACKAGE(K-2003)							
7	UCP-6004	COMPRESSOR FIRE ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
8	UCP-6005	COMPRESSOR PROCESS ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	

<div></div> <div>ENAR PETROTECH SERVICES (PVT.) LTD.</div>		I/O LIST FOR PLANT EXISTING ESD SYSTEM			Document	0193-LT-6000	
					Date	9/3/2018	
		NASHPA COMPRESSION PROJECT(PHASE-II)			Revision	0	
					Rev Desc.	ISSUED FOR TENDER	
					Prepared By	SJA	
		OGDCL PAKISTAN			Checked By	NAS	
Approved By	MAS						
S. No.	Tag No.	Service/Description	Location (Field/CR)	Signal	Type		Remarks
					Electronic/ Pneumatic	I/O Type	
9	ESD-6002	COMPRESSOR ESD SIGNAL FROM PLANT ESD SYSTEM	Field	24 VDC	Electronic	DO	
COMPRESSOR PACKAGE(K-2004)							
10	UCP-6006	COMPRESSOR FIRE ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
11	UCP-6007	COMPRESSOR PROCESS ESD SIGNAL TO PLANT ESD SYSTEM	Field	24 VDC	Electronic	DI	
12	ESD-6003	COMPRESSOR ESD SIGNAL FROM PLANT ESD SYSTEM	Field	24 VDC	Electronic	DO	
NOTES: 1-The I/O List developed is based on preliminary information & shall be developed in detail by CONTRACTOR during detail engineering stage. 2-The I/O List includes the Compressor PLC I/Os signals which shall be terminated at Plant existing ESD System. 3-Any Necessary Hardware/Software modification in existing Safety System shall be in EPCC CONTRACTOR scope.							