




OGDCL PAKISTAN:  
OIL & GAS DEVELOPMENT  
COMPANY LIMITED

## NASHPA COMPRESSION PROJECT PHASE-II

**ISSUED FOR TENDER**

0	9-Mar-2018	ISSUED FOR TENDER	WAS	SJA	NAS	MHQ	MAS		
REV	DATE	DESCRIPTION	ORIG	CHKD	LE	QA	PM	LPE/TA	LA MFM MP
REVISIONS			APPROVAL					OWNER APPROVAL	
 <b>ENAR PETROTECH SERVICES (PVT.) LTD.</b> 7-B, KORANGI INDUSTRIAL AREA, KORANGI-KARACHI			TITLE : <b>DOCUMENT TITLE: DATA SHEET OF SOUNDER</b>						
			DOCUMENT NO: <b>0193 DS 6006 0</b>						
PROJECT NO. <b>14-0193</b>			CODE		DOC. TYPE		SEQ. NO.		REV

 <b>ENAR PETROTECH SERVICES (PVT.) LTD.</b>		<b>SOUNDERS</b>		DATASHEET NO.	0193-DS-6006
				DATE	9/3/2018
				REV.	0
				REV. DESCRIPTION	ISSUED FOR TENDER
				PREPARED BY	SJA
				CHECKED BY	NAS
				APPROVED BY	MAS
OWNER:		OIL AND GAS DEVELOPMENT COMPANY LIMITED (OGDCL)			
PROJECT:		NASHPA COMPRESSION PROJECT PHASE-II			
1	Quantity	(Note-6)			
2	Tag Number	(Note-6)			
3	Service	Audio Emergency Warning			
4	Type	Electrically Actuated			
5	Wiring	2-Wire			
6	Supply Voltage	24 VDC			
7	Frequency	70 - 950 Hz			
8	Audibility	110 dB at 1 Meter			
9	Colour	Red			
10	Manufacturer / Model Number	(Note-5)			
11	<b>HOUSING</b>				
12	Body Material	Cast Aluminum / Metallic			
13	Cable Entry	Metric M20 x 1.5 (Note 1)			
14	Hazardous Area Classification	EEx'd', Class-I, Div. 2, Group C&or Zone-2 Gas Gr II-B, T3			
15	Weather Protection	IP66			
16	<b>ACCESSORIES</b>				
17	Mounting	2" Pipe Support or Surface Finish (Note 2)			
18	Tag Plate	Yes - Stainless Steel (Note 3)			
19	<b>NOTES:</b>				
	1) In case of multiple entries, all spare entries shall be supplied plugged with EEx'd' certified metal plugs.				
	2) Vendor shall provide complete installation material (mounting brackets, nuts, bolts, etc) for mounting.				
	3) SS tag shall be fixed to the detector using SS wire. Tag plate shall include tag number, model number and sensor data.				
	4) Vendor shall provide complete documentation for installation and maintenance as hard copies as well as soft copies.				
	5) As per approved VENDOR LIST				
	6) See F&G List, Doc No. 0193-LT-6001 for Tag Numbers.				
	Quantities shall be finalized by EPCC Contractor during detail engineering stage.				
	*VTA: Vendor To Advise				
	N/A: Not Applicable.				