


GENERAL NOTES


- ALL DIMENSIONS ARE IN MILLIMETERS AND ALL ELEVATIONS ARE IN METERS UNLESS NOTED OTHERWISE.
- FOR LOCATION OF REFERENCE POINT, REFER CIVIL FOUNDATION LAYOUT.
- MINIMUM CYLINDER COMPRESSIVE STRENGTH OF CONCRETE AT 28DAYS.
 - STRUCTURAL CONCRETE : $F_c = 28\text{MPa}$
 - LEAN CONCRETE : $F_c = 10\text{MPa}$
- YIELD STRENGTH OF REINFORCEMENT BAR
 - $F_y = 420\text{MPa}$, ASTM A615, DENOTED WITH "T"
- FOR CONCRETE PROTECTION AND GENERAL NOTES FOR CIVIL WORKS REFER DWG NGP-000-SCW-15.01-0001-00.

PP1




TYPICAL PLAN FOR PP1
SCALE 1:20

SECTION A
(SCALE 1:20)




SECTION B
(SCALE 1:20)

PP2




TYPICAL PLAN FOR PP2
SCALE 1:20

SECTION A
(SCALE 1:20)




SECTION B
(SCALE 1:20)

PP3




TYPICAL PLAN FOR PP3
SCALE 1:20

SECTION A
(SCALE 1:20)




SECTION B
(SCALE 1:20)

PP4




TYPICAL PLAN FOR PP4
SCALE 1:20

SECTION A
(SCALE 1:20)




SECTION B
(SCALE 1:20)

PP5




TYPICAL PLAN FOR PP5
SCALE 1:20

SECTION A
(SCALE 1:20)




SECTION B
(SCALE 1:20)

DRILLED BOLT DETAILS FOR PP1 TO PP5



TYPICAL PLAN FOR PP1 TO PP5
SCALE NTS

SECTION A
(SCALE 1:20)



SECTION B
(SCALE 1:20)

REFERENCE DOCUMENTS

TITLE	DOC No.
GENERAL NOTES FOR REINFORCED CONCRETE WORKS	NGP-000-SCW-15.01-0001-00

REV.	DESCRIPTION	PRPD	CHKD	REVD	APPD	DATE
00	Approved for Construction	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	13/06/2016
C	Issued for Approval	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	23/05/2016
B	Issued for Review	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	01/04/2016
A	Internal Discipline Check	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	16/02/2016

CLIENT: **OIL&GAS DEVELOPMENT COMPANY LTD.**
OGDCL HOUSE TOWER-8, FIRST FLOOR FB06, BLUE AREA, JINNAH AVENUE ISLAMABAD PAKISTAN
 FAX: +92-051-2623033, PHONE: +92-051-8209859

CONSULTANT: **Zishan Engineers (Pvt.) Ltd.**
An ISO 9001-2008 certified company
 47/F Block 6, PECHS, Karachi-Pakistan
 Tel: (92-91) 34393045-48, & 34310151-54, Fax: (92-91) 34533430 & 34510156
 E-Mail: contact@zishanengineers.com Website: www.zishanengineers.com

CONTRACTOR: **HONG KONG HUIHUA GLOBAL TECHNOLOGY LIMITED**

PROJECT TITLE: **NASHPA GAS PROCESSING AND LPG RECOVERY PLANT PROC-FC-CB/NASHPA/PROJ-1247/2015**

REV.	SCALE	SHEET
00	1:20	1 OF 2


PP6

PP7

PP8


GENERAL NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS AND ALL ELEVATIONS ARE IN METERS UNLESS NOTED OTHERWISE.
2. FOR LOCATION OF REFERENCE POINT, REFER CIVIL FOUNDATION LAYOUT.
3. MINIMUM CYLINDER COMPRESSIVE STRENGTH OF CONCRETE AT 28DAYS.
 - STRUCTURAL CONCRETE : $f_c = 28\text{MPa}$
 - LEAN CONCRETE : $f_c = 10\text{MPa}$
4. YIELD STRENGTH OF REINFORCEMENT BAR
 - $f_y = 420\text{MPa}$, ASTM A615, DENOTED WITH "T"
5. FOR CONCRETE PROTECTION AND GENERAL NOTES FOR CIVIL WORKS REFER DWG NGP-000-SCW-15.01-0001-00.




TYPICAL PLAN FOR PP6
SCALE 1:20

SECTION A
(SCALE 1:20)




TYPICAL PLAN FOR PP7
SCALE 1:20

SECTION A
(SCALE 1:20)




TYPICAL PLAN FOR PP8
SCALE 1:20


SECTION A
(SCALE 1:20)



SECTION B
(SCALE 1:20)




SECTION B
(SCALE 1:20)



SECTION B
(SCALE 1:20)


PP9

DRILLED BOLT DETAILS FOR PP6 TO PP9




TYPICAL PLAN FOR PP9
SCALE 1:20

SECTION A
(SCALE 1:20)



TYPICAL PLAN FOR PP6 TO PP9
SCALE NTS

SECTION A
(SCALE 1:20)



SECTION B
(SCALE 1:20)



SECTION B
(SCALE 1:20)

REFERENCE DOCUMENTS

TITLE	DOC No.
GENERAL NOTES FOR REINFORCED CONCRETE WORKS	NGP-000-SCW-15.01-0001-00

REV.	DESCRIPTION	PRPD	CHKD	REVD	APPD	DATE
00	Approved for Construction	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	13/06/2016
C	Issued for Approval	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	23/05/2016
B	Issued for Review	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	01/04/2016
A	Internal Discipline Check	Mao XS	Chen ChQ	Li Zhiguang	Zhang WH	16/02/2016

CLIENT: **OIL&GAS DEVELOPMENT COMPANY LTD.**
OGDCL HOUSE TOWER-B, FIRST FLOOR F606, BLUE AREA, JINNAH AVENUE ISLAMABAD PAKISTAN
 FAX: +92-051 2623033, PHONE: +92-051-8209859

CONSULTANT: **Zishan Engineers (Pvt.) Ltd.**
An ISO 9001-2008 certified company
 47/F Block 6, PECHS, Karachi-Pakistan
 Tel: (92-91) 34393045-48, & 34310151-54, Fax: (92-91) 34533430 & 34510156
 E-Mail: contact@zishanengineers.com Website: www.zishanengineers.com

CONTRACTOR: **HONG KONG HUIHUA GLOBAL TECHNOLOGY LIMITED**

PROJECT TITLE: **NASHPA GAS PROCESSING AND LPG RECOVERY PLANT PROC-FC-CB/NASHPA/PROJ-1247/2015**

PROJECT NO.	NASHPA 1247
DRAWING NO.	NGP-000-SCW-15.01-0007-00
REV.	SCALE SHEET
00	1:20 2 OF 2