













Technical Requirements

1.All materials for fabrication of channels shall be accompanied by material certificates and incorporated into quality certificates;

2.All pressure-bearing welds of channels shall be full penetration and full fusion ones;

3.Stress relieving treatment shall be performed to the welded channels and the heat treatment shall strictly follow relevant procedures.

4.For channels, a 100PT% inspection before welding and 100%UT+100%PT inspections after welding shall be conducted for grooves of all their main pressure-bearing welds respectively; a 100PT% inspection before welding and 100%PT after welding shall be conducted for grooves of welds between nozzles and flanges and those between nozzles and channels respectively; a 100%PT inspection shall be performed to the rest welds after welding; the acceptance for PT inspection shall be in accordance with Appendix 8 of ASME Sec. VIII-1 and that for UT shall be in accordance with Appendix 12 of ASME Sec. VIII-1; the records of all above inspections shall be retained.

5.The verticality between the seal surface of a pipe hole and the centerline of a pipe plug shall not be greater than 0.15mm.

6.After heat treatment, a thorough rust removal shall be done to channels.

REV.	CODE NO.	DENOMINATION	QUT.	MATERIAL	UNIT WEIGHT(kg)	TOTAL WEIGHT(kg)	REMARKS
6	JKL-CCS2.10-03-08	connected plate	2	SA516 Gr70	0.5	1	Borrow
5	JKL-OGDCL01-10-03-05	clapboard	2	SA516 Gr70	39	78	Borrow
4	JKL-OGDCL01-10-03-04	tube sheet	1	SA516 Gr70		157	Borrow
3	JKL-OGDCL01-10-03-03	end plate	2	SA516 Gr70	6	12	Borrow
2	JKL-OGDCL01-10-03-02	top/bottom plate	2	SA516 Gr70	53	106	Borrow
1	JKL-OGDCL01-10-03-01	plug sheet	1	SA516 Gr70		157	Borrow

MARK	ITEM	DESIGNATION	SIGNATURE	DATE
DESIGNED		STANDARDIZE		
CHECKED		EXAMINED		
REVIEWED		APPROVED		
PROCEDURE		DATE		

float header

Material: unit Qty.: 1/set

[redacted]

DRAWING	MARK	SHEET	WEIGHT	SCALE
S		A3	511	1:12

TOTAL SHEET	SHEET	OF

[redacted]