



OIL & GAS DEVELOPMENT COMPANY LIMITED

NASHPA OIL & GAS FIELD

C/O

MANAGER TCS OFFICE, KOHAT, KPK

Phone: 0922-526205/ Mob # 0313-7770165 (Field Manager);

Cell # 0300-8506501 (I/C Telemetry)

Fax: 0922-526299

Web Tender Notice for WHCP Fitting materials

Oil & Gas Development Company Limited (OGDCL), the largest Exploration and Production Company in Pakistan having operations at 52 locations and fields in all the four provinces, intends to purchase material for Nashpa Field. The details about the company can be obtained from website <http://www.ogdcl.com>

1. Sealed bids duplicate are invited for the purchase of material given below under Competitive Bidding Procedure on **Single Stage Two Envelope Bidding System**. Terms and conditions are mentioned in the OGDCL master tender documents “Annexure A”.

Sr.#	Tender Enquiry No.	Description	Bids submission Date & Time	Bids Opening Date & Time
01	NOF/TE/TELE/04/2024 Dated: _____	Instrument Fittings, valves for Well Head Control Panel (As per list attached, Annex-B)	15 Days from web publishing date 21/06/2024 1100 Hrs.	15 Days from web publishing date 21/06/2024 1130 Hrs.

2. In case the Bidder fails to abide by the terms of bid documents/bid or violate the same, it may entail debarment/ black listing for three (03) years.

3. Tender Documents for tender enquiry can be downloaded from OGDCL website, www.ogdcl.com.

4. The Bids should receive at the office of Field Manager Nashpa Oil & Gas Field. Postal address: **“OGDCL-Nashpa Oil & Gas Field c/o Manager TCS Office Kohat KPK”** on time and date mentioned against tender enquiry (half an hour earlier to bid opening). Bidder(s) or their authorize representative(s) are encouraged to attend the Tender Opening meetings.

5. Bidders must provide their own as well as principal business details at the time of tender purchase including Address, Phone & Fax numbers, Email (If any) for effective communication. OGDCL will not be responsible for intimation of queries/information in case subject detail is not provided. The details of scope of supplies is available in tender documents, however if further details/clarification are required, it may be obtained from the office of Field Manager Nashpa Oil & Gas Field (KPK), Postal address: **“OGDCL-Nashpa Oil & Gas Field C/o Manager TCS Office Kohat KPK”** via email, phone and personally.

6. The OGDCL reserves the rights to accept or reject any bid or to annul the bidding process and reject all the bids at any time prior to award purchase order.

Mailing Address:

Field Manager

C/O Manager TCS Office, Kohat, KPK

Phone: 0922-526205/Mob # 03008506501(Field Manager)

Fax # 0922-526299, Email:nashpa@ogdcl.com

Annexure-B-P1

Sr#	Valves / Fittings Required	Qty
(All Fittings will be High pressure 10K psi ratings, SS316, except where stated explicitly)		
1	½“ FNPT Block and Bleed needle valve	2
2	High Pressure SS Nipple 3”, ½” NPT X ½” NPT	4
3	High Pressure Barrel SS Nipple ½” NPT X ½” NPT, Length: 2”	18
4	Tee ½“ FNPT	02
5	Tubing Connector ½” NPT X 3/8”OD	12
6	Tubing Connector ½” NPT X ¼” OD	12
7	Tubing Connector ¼” NPT X ¼” OD	18
8	SS Tubing Connector 3/8” NPTF to ¼” OD	4
9	SS Compression Connector, ½” NPTF to ¼” O.D	2
11	SS Connector, ¼” NPT to ½” O.D	2
12	Sockets 1/2" FNPT x 1/2"FNPT	4
13	Pressure Gauges, 10000psi , 4” dial , bottom mounted , ½” NPT connection *	2
14	Pressure Gauges, 3000 psi , 3” dial , bottom mounted , ½” NPT connection *	2
15	Pressure Gauges, 1500 psi , 3” dial , bottom mounted , ½” NPT connection*	2
16	Pressure Gauges, 500 psi , 3” dial , bottom mounted , ½” NPT connection *	2
17	Thermo well: Size ½” NPT, length:4” SS316 5K PSI rating	1
18	Thermo well: Size ¾” NPT, length:4” SS316 5K PSI rating	1
19	Needle Valve 6000 psi (1/2” FNPT to ½”FNPT)	8
20	Needle Valve: 10000 psi, ½” FNPT X ½” FNPT	8
20	SS Needle Valve 3000 psi, ½” NPTF	1
21	Ball Valve 1000Psi ½” NPTF to ½“ NPTF	6
22	Ball Valve, 3000 psi, ¼” NPTF to ¼” NPTF	6
23	Tubing Union ¼“ OD	40
24	SS Reducing Union ¼” OD x 3/8" OD	12
25	SS Tee ¼” OD	2
26	SS Union Cross ¼” OD	1
27	Fusible Plugs: ¼” NPT, 150°F	2
28	SS Tubing 10,000psi rating, 1/4" OD	600m
29	(i) Anti-freeze Fisher (or equivalent) HP Regulator 1305C 416SS (Input 0-4000 psi, output 0-500 psi), Nace Compliance,	01
30	(i) Fisher Regulator 1301F SS-316, CF8M (or equivalent), (Input 0-6000 psi and Output 0-200 psi), Nace Compliance, ¼” or ½” , 3/8” FNPT,	01

Annexure-B-P2

31	Temperature Gauge 4" dial, 250F, Stem 4" , Bottom mounted	2
32	(i) Cable Tray 12" , With Covers , Nuts, Joints, Clamps and all accessories ,16gauge (ii) U-Type Galvanized Mounting stands , width 12" , height 18"	500ft 100 No's
33	Cable Tray Elbow 12" , with covers,	4
34	Cable Tray 90° Bends 8", with covers	4
35	PTFE Teflon Tapes 0.08mm x 12mm x12m	12dozen
36	Tube cutter for 1/8 " SS Tubing Swaglok or equivalent	1
37	Tube cutter for 3/8 " SS Tubing Swaglok or equivalent	1
38	Seamless PVC Double Side Dotted Gloves	12 dozen
39	Measuring Tape 20m	01

TORs

1. The quotes should be sent to OGDCL Nashpa Oil & Gas Field, C/O Manager TCS Office Kohat, KPK in closed envelope addressed to **Field Manager/ Incharge (Telemetry)**.
 2. OGDCL reserves the right to reject any or all the bids without assigning any reason.
 3. The quotes will be opened on the date as mentioned in the tender notice; the supplier can mobilize his representative to site.
 4. Technical Bids will be opened for evaluation, results will be uploaded on website. Financial Bids of technically responsive bidders will be opened afterwards as per PPRA rules.
 5. Quoted prices must be firm in Pak rupees on FOR basis (inclusive of GST, other taxes, and duties).
 6. The variation in Quantity will not change the unit cost of material. The Purchaser shall have the right, at his exclusive discretion, to increase/decrease the quantity of any or all item(s) without any change in unit prices or other terms and conditions, at the time of order placement.
 7. Upon receipt of material at site, pressure testing will be done, in case of test failure, material will be returned to supplier , at the cost will be borne by of supplier.
 8. All fittings, Tubings, Valves, etc will be 10K psi, except where mentioned explicitly. SAWGLOK, Parker or equivalent, With material certificate and test certificates.
 9. Original material test certificates will be provided with material. All fitting must comply relevant standard/ASME.
 10. Bid bond (Bank Draft/Pay Order) of **Rs 2% of the quoted total amount/-** in favor of Field Manager Nashpa Oil & Gas Field at the time of bid submission by all participants.
 11. The successful bidder will be bounded to provide the material as per specifications mentioned in the TOR.
 12. The successful bidder will be responsible to provide all the materials within 45 days after the issuance of P.O.
 13. No advance payment will be made at the time of P.O.
 14. The delivery and inspection of material will be carried out at Nashpa Oil Field. In case of rejection, all the transportation charges will be at Supplier's end.
 15. The material delivery charges to Nashpa Field will be paid by the Supplier.
 16. Income tax/w. holding tax deductions will be applicable as per company/govt. rules.
 17. The payment will be made through cross Cheque after receiving the mentioned material at site.
 18. The firm should have valid NTN and GST number and have active status on FBR website.
 19. The Firm should have active Professional tax certificate of concerned Excise office where operating business.
 20. Tax submission Certificate (Annex-C) will be provided along with Invoice.
- * Pressure gauges will be Wika Germany or equivalent with relevant material and calibration certificates